

BANANA BOAT KIDS MINERAL VANISHING BLUE FOAM SPF 50 BERRY BLAST-
titanium dioxide, zinc oxide aerosol, foam
Formulated Solutions, LLC

Banana Boat kids mineral Vanishing Blue Foam SPF 50 Berry Blast

Drug Facts

Active Ingredients

Titanium Dioxide 4.9%, Zinc Oxide 7.1%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun. ***Directions***

Warnings

For external use only - Do not consume.

May stain or damage some fabrics or surfaces.

Do not use

on damaged or broken skin.

When using this product

- Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Shake well**
- **Dispense in upright position for optimal results**
- Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure

- Do not spray directly into face. Spray on hands then apply to face
- Do not apply in windy conditions
- Use in well-ventilated area
- Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses **Sun Protection Measures.**
- Children under 6 months: Ask a doctor.

Inactive Ingredients

Water, Isobutane, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, VP/Eicosene Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Dimethicone, Polyhydroxystearic Acid, Phenoxyethanol, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Fragrance, Sodium Citrate, Tocopheryl Acetate, Green 6.

Other information

- Protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Package Labeling:

**VANISHING BLUE FOAM
RUBS IN CLEAR**



**VANISHING BLUE FOAM
RUBS IN CLEAR**



KIDS
mineral foam

SUNSCREEN LOTION
UVA/UVB BROAD SPECTRUM SPF 50+



**BERRY
BLAST***



Water
Resistant
(80 min.)

NET WT 4 OZ. (113g)

SUN SAFETY DIRECTIONS

Cover Up! Wait 15 min.

2 HR. Reapply Apply 1 oz. Liberally

*100% NATURAL FRAGRANCE
Reef Friendly (No Oxybenzone or Octinoxate)

Empty & Replace Cap

how2recycle.info

METAL CAN

Drug Facts

Active Ingredients
Titanium Dioxide 4.9%, Zinc Oxide 7.1% Purpose
Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only - Do not consume.
May stain or damage some fabrics or surfaces.
Do not use on damaged or broken skin.
When using this product • Keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Shake well ■ Dispense in upright position for optimal results ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands then apply to face ■ Do not apply in windy conditions ■ Use in well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ Children under 6 months: Ask a doctor.

Inactive Ingredients Water, Isobutane, Capryl/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, VP/Eicosene Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Dimethicone, Polyhydroxystearic Acid, Phenoxylethanol, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Fragrance, Sodium Citrate, Tocopheryl Acetate, Green 6.

Other information
■ Protect this product from excessive heat and direct sun.

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484
www.bananaboat.com
© 2020 Edgewell. DOT 20 M5655 93031942

**BANANA BOAT KIDS MINERAL VANISHING BLUE FOAM SPF 50
BERRY BLAST**

titanium dioxide, zinc oxide aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:23667-060
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	71 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
WATER (UNII: 059QF0KO0R)	
ISOBUTANE (UNII: BXR49TP611)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

ISOHEXADECANE (UNII: 918X1OUF1E)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
DIMETHICONE (UNII: 92RU3N3Y1O)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)
ALUMINUM OXIDE (UNII: LMI26O6933)
GLYCERIN (UNII: PDC6A3C0OX)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
D&C GREEN NO. 6 (UNII: 4QP5U84YF7)
TRICAPRIN (UNII: O1PB8EU98M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23667-060-04	113 g in 1 CAN; Type 0: Not a Combination Product	04/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/01/2021	

Labeler - Formulated Solutions, LLC (143266687)

Revised: 11/2023

Formulated Solutions, LLC