

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM NATURAL LIGHT- octinoxate and titanium dioxide cream

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM NATURAL- octinoxate and titanium dioxide cream

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM MEDIUM- octinoxate and titanium dioxide cream

SHISEIDO AMERICAS CORPORATION

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
OCTINOXATE 2.9%	Sunscreen
TITANIUM DIOXIDE 2.6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions □

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIMETHICONE•GLYCERIN•SD ALCOHOL 40-B•METHYL METHACRYLATE
CROSSPOLYMER•DIISOSTEARYL MALATE•BETAINE•PEG-9 POLYDIMETHYLSILOXYETHYL
DIMETHICONE•PEG-10 DIMETHICONE•SORBITAN SESQUIISOSTEARATE•POTASSIUM
METHOXYSALICYLATE•TRIMETHYLSILOXYSILICATE•DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER•TOCOPHERYL ACETATE•2-O-ETHYL ASCORBIC ACID•SODIUM
HYALURONATE•PAEONIA SUFFRUTICOSA ROOT EXTRACT•PEG/PPG-14/7 DIMETHYL
ETHER•REHMANNIA CHINENSIS ROOT EXTRACT•UNCARIA GAMBIR
EXTRACT•CHLORELLA VULGARIS EXTRACT•ALUMINUM
HYDROXIDE•DISTEARDIMONIUM HECTORITE•ALUMINUM DISTEARATE•POLYSILICONE-
2•DISODIUM EDTA•SILICA•BUTYLENE GLYCOL•ALANINE•SODIUM
CITRATE•ALCOHOL•BHT□TOCOPHEROL•CITRIC ACID•BARIUM SULFATE•SODIUM
METABISULFITE•PRUNUS YEDOENSIS LEAF EXTRACT•HYDROGEN
DIMETHICONE•ALUMINA•METHYLPARABEN•ETHYLPARABEN□FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 4 mL Bottle Carton - Natural Light

SHI SEIDO

WHITE LUCENT

OnMakeup
Spot Correcting
Serum

BROAD SPECTRUM
SPF 25

SUNSCREEN

PROAPPROACH^{x2}

4mL NET WT. .16 OZ.

37x21x127

US 1 2 3 4 5 6 7 8 9 0



SHISEIDO
WHITE LUCENT
ONMAKEUP
SPOT CORRECTING SERUM
BROAD SPECTRUM
SPF 25

Liberated from present and future concerns, skin achieves ideal radiance—and maintains it. A tinted daytime brightening serum that can be re-applied over makeup during the day to reduce the appearance of dark spots while providing natural coverage. It contains brightening ingredients that work undercover to target the dark spot source. With each application, feel more confident in your perfectly radiant skin.

- Apply over makeup anytime during the day, to areas of concern.
- Turn the dial one click at a time to dispense the desired amount, and apply to areas of concern using the applicator tip.
- For the first use, slowly turn the dial at the bottom of the container up to 10 times, following the arrow.
- Avoid exposure to direct sunlight and high temperatures.
- Once the formula is dispensed, it cannot be returned back into the container.
- DERMATOLOGIST-TESTED



Drug Facts

Active ingredients Purpose
OCTINOXATE 2.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

Drug Facts
(continued)

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶

SHISEIDO



WHITE LUCENT
OnMakeup
Spot Correcting
Serum
BROAD SPECTRUM
SPF 25
SUNSCREEN

PRO APPROACH²

4mL NET WT. .16 OZ.

OnMakeup
Spot Correcting Serum

NATURAL LIGHT

Drug Facts
(continued)

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • SD ALCOHOL 40-B • METHYL METHACRYLATE CROSSPOLYMER • DISODIUM MALATE • BETAINE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXYSAUCYRATE • TRIMETHYLSILOXYGLUCATE • DIMETHICONE VINYL DIMETHICONE CROSSPOLYMER • TOCOPHERYL ACETATE • 2-0-ETHYL ASCORBIC ACID • SODIUM HYALURONATE • PAEDONIA SUFFRUTICOSA ROOT EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • REHMANNIA CHINENSIS ROOT EXTRACT • UNCIARIA GAMBIR EXTRACT • CALOPHILLA VULGARIS EXTRACT • ALUMINUM HYDROXIDE • DISTEAROYL DIMONIUM HECTORITE • ALUMINUM DISTEARATE • POLYSILOXANE-2 • DISODIUM EDTA • SILICA • BUTYLENE GLYCOL • ALAUNE • SODIUM CITRATE • ALCOHOL • BHT • TOCOPHEROL • CITRIC ACID • BARLIUM SULFATE • SODIUM METABISULFATE • PRUNUS YEDENSIS LEAF EXTRACT • HYDROGEN DIMETHICONE • ALLUMINA • METHYL PARABEN • ETHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

RECOMMENDED



DAILY USE

13485-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 4 mL Bottle Carton - Natural

SHI SEIDO

WHITE LUCENT

OnMakeup
Spot Correcting
Serum

BROAD SPECTRUM
SPF 25

SUNSCREEN

PRO APPROACH^{x2}

4mL NET WT. .16 OZ.

37x21x127

NS 1 2 3 4 5 6 7 8 9 0

SHISEIDO
WHITE LUCENT
ONMAKEUP
SPOT CORRECTING SERUM
BROAD SPECTRUM
SPF 25

Liberated from present and future concerns, skin achieves ideal radiance—and maintains it. A tinted daytime brightening serum that can be re-applied over makeup during the day to reduce the appearance of dark spots while providing natural coverage. It contains brightening ingredients that work undercover to target the dark spot source. With each application, feel more confident in your perfectly radiant skin.

- Apply over makeup anytime during the day, to areas of concern.
- Turn the dial one click at a time to dispense the desired amount, and apply to areas of concern using the applicator tip.
- For the first use, slowly turn the dial at the bottom of the container up to 10 times, following the arrow.
- Avoid exposure to direct sunlight and high temperatures.
- Once the formula is dispensed, it cannot be returned back into the container.
- DERMATOLOGIST-TESTED



Drug Facts

Active ingredients Purpose
OCTINOXATE 2.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with others sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

Drug Facts
(continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

OnMakeup
Spot Correcting Serum

NATURAL

SHISEIDO



WHITE LUCENT
OnMakeup
Spot Correcting
Serum
BROAD SPECTRUM
SPF 25
SUNSCREEN

PRO APPROACH²

4mL NET WT. .16 OZ.

Drug Facts
(continued)

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • SD ALCOHOL 40-B • METHYL METHACRYLATE • CROSSPOLYMER • DYCOTEARIN MALATE • BETAINE • PEG-4 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOBTABATE • POTASSIUM METHOXYSAUCYLATE • TRIMETHYLSILOXYSDUCATE • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • TOCOPHERYL ACETATE • 2-9-ETHYL ASCORBIC ACID • SODIUM HYALURONATE • PAEDONIA SUFFRUTICOSA ROOT EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • REBHANNIA CHINENSIS ROOT EXTRACT • UNCARPIA GAMBIR EXTRACT • CALOPHILLA VULGARIS EXTRACT • ALUMINUM HYDROXIDE • DISTARCHONUM HECTICITE • ALUMINUM OBTABATE • POLYSILOXANE-2 • DISODIUM OCTA-SILICA • BUTYLENE GLYCOL • ALANINE • SODIUM CITRATE • ALCOHOL • BHT • TOCOPHEROL • CITRIC ACID • BARIUM SULFATE • SODIUM METABISULFITE • PRUNUS YEDENSIS LEAF EXTRACT • HYDROGEN DIMETHICONE • ALUMINA • METHYL PARABEN • ETHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

RECOMMENDED



DAILY USE

13486-40-5040

AAA

PRINCIPAL DISPLAY PANEL - 4 mL Bottle Carton - Medium

SHI SEIDO

WHITE LUCENT

OnMakeup
Spot Correcting
Serum

BROAD SPECTRUM
SPF 25

SUNSCREEN

PROAPPROACH^{x2}

4mL NET WT. .16 OZ.

37x21x127

NS 1 2 3 4 5 6 7 8 9 0

SHISEIDO
WHITE LUCENT
ONMAKEUP
SPOT CORRECTING SERUM
BROAD SPECTRUM
SPF 25

Liberated from present and future concerns, skin achieves ideal radiance—and maintains it. A tinted daytime brightening serum that can be re-applied over makeup during the day to reduce the appearance of dark spots while providing natural coverage. It contains brightening ingredients that work undercover to target the dark spot source. With each application, feel more confident in your perfectly radiant skin.

- Apply over makeup anytime during the day, to areas of concern.
- Turn the dial one click at a time to dispense the desired amount, and apply to areas of concern using the applicator tip.
- For the first use, slowly turn the dial at the bottom of the container up to 10 times, following the arrow.
- Avoid exposure to direct sunlight and high temperatures.
- Once the formula is dispensed, it cannot be returned back into the container.
- DERMATOLOGIST-TESTED



Drug Facts

Active ingredients Purpose
OCTINOXATE 2.9% Sunscreen
TITANIUM DIOXIDE 2.6% ... Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.

Drug Facts
(continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
 - Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor ▶

OnMakeup
Spot Correcting Serum

MEDIUM

SHISEIDO



WHITE LUCENT
OnMakeup
Spot Correcting
Serum
BROAD SPECTRUM
SPF 25
SUNSCREEN

PRO APPROACH[®] 2

4mL NET WT. .16 OZ.

Drug Facts
(continued)

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • SD ALCOHOL 40-B • METHYL METHACRYLATE CROSSPOLYMER • DISODIUM EDTA • MALATE • BETAIN • PIB-4 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • SORBITAN SESQUISOBTARATE • POTASSIUM METHOXYSAUCYLATE • TRIMETHYL SILCOXYSILICATE • DIMETHICONE VINYL DIMETHICONE CROSSPOLYMER • TOCOPHERYL ACETATE • 2,0-ETHYL ASCORBIC ACID • SODIUM HYALURONATE • PALONIA SUFFRUTICOSA ROOT EXTRACT • PEG/PPG-14/7 DIMETHYL ETHER • FEBRAMANNA CHINENSIS ROOT EXTRACT • UNICARIA GAMBIR EXTRACT • CHLORRELLA VULGARIS EXTRACT • ALUMINUM HYDROXIDE • DISTEAROYL DIMONIUM HECTOHITE • ALUMINUM DISTEARATE • POLYSILOXANE-2 • DISODIUM EDTA • SILICA • BUTYLENE GLYCOL • ALANINE • SODIUM CITRATE • ALCOHOL • BHT • TOCOPHEROL • CITRIC ACID • BARIUM SULFATE • SODIUM METABISULFATE • PRUNUS PENSILVANICA LEAF EXTRACT • HYDROXY DIMETHICONE • ALUMINA • METHYL PARABEN • ETHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

Other information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

RECOMMENDED



DAILY USE

13487-40-5040

AAA

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM NATURAL LIGHT

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-296
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	138 mg in 4 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	123 mg in 4 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
BETAINE (UNII: 3SCV180C9W)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PAEONIA X SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALANINE (UNII: OF5P57N2ZX)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

ALCOHOL (UNII: 3K9958V90M)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
BARIUM SULFATE (UNII: 25BB7EKE2E)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PRUNUS X YEDOENSIS LEAF (UNII: 1Z125GA907)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
ALUMINUM OXIDE (UNII: LMI26O6933)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-296-10	1 in 1 CARTON	02/01/2017	
1		4 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2017	

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM NATURAL

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-297
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	138 mg in 4 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	123 mg in 4 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
BETAINE (UNII: 3SCV180C9W)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PAEONIA X SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALANINE (UNII: OF5P57N2ZX)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
PRUNUS X YEDOENSIS LEAF (UNII: 1Z125GA907)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-297-10	1 in 1 CARTON	02/01/2017	
1		4 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2017	

SHISEIDO WHITE LUCENT ONMAKEUP SPOT CORRECTING SERUM MEDIUM

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-298
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	138 mg in 4 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	123 mg in 4 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
BETAINE (UNII: 3SCV180C9W)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PAEONIA X SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UI)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

ALANINE (UNII: OF5P57N2ZX)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
ALCOHOL (UNII: 3K9958V90M)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
BARIUM SULFATE (UNII: 25BB7EKE2E)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
PRUNUS X YEDOENSIS LEAF (UNII: 1Z125GA907)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
ALUMINUM OXIDE (UNII: LMI26O6933)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-298-10	1 in 1 CARTON	02/01/2017	
1		4 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/01/2017	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-296, 58411-297, 58411-298) , analysis(58411-296, 58411-297, 58411-298)