

ANESGERM LA MUELA FAST PAIN RELIEF- benzocaine 20% liquid
Germa Products, LLC

Anesgerm (La Muella)

Active Ingredient

Benzocaine 20%

Do Not Use if

Do not use ■ for more than 7 days unless directed by a dentist or doctor ■ for teething. ■ in children under 2 years of age.

Allergy alert ■ do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other “caine” anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Stop use and ask a dentist or doctor if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops. ■ These symptoms may be a sign of infection or a serious condition.

Directions

Adults & children, 12 yrs of age & older ■ Apply to the affected area up to 4 times daily or as directed by a dentist or doctor.

Children 2 yrs of age & older ■ As directed by a dentist or doctor.

Children under 2 years of age ■ Do not use.

Purpose

Pain Reliever

Warnings

Warnings:

Do not exceed recommended dosage

Keep out of reach of children

In case of overdose, get medical help immediately.

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops: Pale, gray, or blue colored skin (cyanosis), Headache, Rapid heart rate, Shortness of breath, Dizziness or lightheadedness, Fatigue or lack of energy.

Do not use:

for more than 7 days unless directed by a dentist or doctor

for teething in children under 2 years of age.

Allergy alert:

do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Stop use and ask a dentist or doctor if:

sore mouth symptoms do not improve in 7 days.

irritation, pain or redness persists or worsens.

swelling, rash or fever develops.

These symptoms may be a sign of infection or a serious condition.

Other Information

Store between 15° to 30°C (59° to 86°F).

Inactive Ingredients

Clove Oil, Ethyl Alcohol, Glycerin, Polyethylene Glycol, Propylene Glycol, Sodium Saccharin, Sodium Methylparaben.

Uses

Uses ■ for the temporary relief of pain due to. ■ toothache ■ minor irritation or injury of the mouth & gums ■ irritation cause by dentures or orthodontic appliances ■ sore gums.

Warning

Warnings: Do not exceed recommended dosage. Keep out of reach of children. In case of overdose, get medical help immediately.

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before.

NDC 59561-001-01
GERMA[®] Maximum Strength Oral Pain Reliever
ANESGERM[™]
20% BENZOCAINE PLUS OIL OF CLOVES
LA MUELA
• Toothache • Denture Irritation
• Sore Gums • Braces Irritation
Keep the bottle tightly closed
rev. 12/20
Fast Pain Relief
Easy to Apply
Net Wt.: 0.5 FL. OZ. (14.8mL.)
Distributed by:
Germa Products, LLC
13121 SW 122 Avenue, Miami, FL 33186
Questions or Comments:
1-305-278-0033, M-F, 9-5 Eastern
www.germa.net
Referred to box for "Drug Facts"
or go to www.germa.net

Keep the bottle tightly closed



Drug Facts

Active ingredient	Purpose
Benzocaine 20%	Pain Reliever

Uses ■ for the temporary relief of pain due to. ■ toothache ■ minor irritation or injury of the mouth & gums ■ irritation cause by dentures or orthodontic appliances ■ sore gums.

Warnings ■ Do not exceed recommended dosage ■ Keep out of reach of children ■ In case of overdose, get medical help immediately.

Methemoglobinemia warning: Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- Pale, gray, or blue colored skin (cyanosis)
- Headache
- Rapid heart rate
- Shortness of breath
- Dizziness or lightheadedness
- Fatigue or lack of energy

Do not use ■ for more than 7 days unless directed by a dentist or doctor ■ for theething. ■ in children under 2 years of age.

Allergy alert ■ do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Stop use and ask a dentist or doctor if ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain or redness persists or worsens ■ swelling, rash or fever develops. ■ These symptoms may be a sign of infection or a serious condition.

Directions	
Adults & children, 12 yrs of age & older	Apply to the affected area up to 4 times daily or as directed by a dentist or doctor.
Children 2 yrs of age & older	As directed by a dentist or doctor.
Children under 2 years of age	Do not use.

Other information ■ store between 15° to 30°C (59° to 86°F).

Inactive Ingredients ■ Clove Oil, Ethyl Alcohol, Glycerin, Polyethylene Glycol, Propylene Glycol, Sodium Saccharin, Sodium Methylparaben.

Para la versión en español del los "Drug Facts" visitenos en www.germa.net

rev. 12/20



www.germa.net

Questions or Comments: 1-305-278-0033, M-F 9-5 Eastern



Distributed by: **Germa Products, LLC**



Fast Pain Relief
Easy to Apply
Net Wt.: 0.5 FL. OZ. (14.8mL.)

- Toothache
- Sore Gums
- Denture Irritation
- Braces Irritation



Fast Pain Relief
Easy to Apply
• Toothache
• Sore Gums
• Denture Irritation
• Braces Irritation

ANESGERM™
Maximum Strength
Oral Pain Reliever
20% BENZOCAINE PLUS OIL OF CLOVES

ANESGERM™
Maximum Strength Oral Pain Reliever
Fast Pain Relief for the whole family
• Pleasant Flavor
• Easy to Apply

Fast Pain Relief
Easy to Apply
Net Wt.: 0.5 FL. OZ. (14.8mL.)

- Toothache
- Sore Gums
- Denture Irritation
- Braces Irritation

ANESGERM™
Maximum Strength Oral Pain Reliever
Fast Pain Relief for the whole family
• Pleasant Flavor
• Easy to Apply



- Toothache
- Sore Gums
- Denture Irritation
- Braces Irritation

Easy to Apply



Fast Pain Relief
Easy to Apply
• Toothache
• Sore Gums
• Denture Irritation
• Braces Irritation

ANESGERM™
Maximum Strength
Oral Pain Reliever
20% BENZOCAINE PLUS OIL OF CLOVES



ANESGERM LA MUELA FAST PAIN RELIEF

benzocaine 20% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73635-7101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
GLYCERIN (UNII: PDC6A3C0OX)	
CLOVE OIL (UNII: 578389D6D0)	
POLYETHYLENE GLYCOL 100000 (UNII: V46Y60J5QB)	
ALCOHOL (UNII: 3K9958V90M)	
METHYLPARABEN SODIUM (UNII: CR6K9C2NHK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73635-7101-5	1 in 1 BOX	03/29/2019	
1		14.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	03/29/2019	

Labeler - Germa Products, LLC (116626935)

Revised: 10/2025

Germa Products, LLC