

SALICYLIC IODINE (IODO SALICILICO) FIRST AID ANTISEPTIC- iodine 2% liquid
Germa Products, LLC

Salicylic Iodine (Iodo Salicilico)

Active Ingredient

Iodine 2%

Purpose

First aid antiseptic

Uses

As a first aid to help prevent skin infection in minor cuts, scrapes and burns

Warnings

For external use only

Ask a doctor before use. if you have deep or puncture wounds, animal bites or serious burns. When using this product. do not use in eyes or apply over large areas of the body. do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor if condition persists or gets worse

Ask a Doctor before use if

If you have deep or puncture wounds, animal bites or serious burns.

Keep out of reach of children.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Clean the affected area, apply a small amount on the area 1 to 3 times daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other Information

Product will stain skin and clothing.

Inactive Ingredients

Alcohol, salicylic acid, and water.

Questions or Comments

1-305-256-1464

Principal Display Panel



GERMA
SALICYLIC IODINE
iodo
SALICILICO
FIRST AID ANTISEPTIC
FOR EXTERNAL USE ONLY
CAUTION  **POISON**
Net Wt. 1 Fl. Oz. (30mL)

Distributed by: **Germa Products, LLC**
13121 SW 122 Avenue, Miami, Florida 33186
Questions or Comments: 1-305-256-1464, M-F, 9-5 Eastern
www.germa.net

NDC 73635-1220-1

Drug Facts

Active ingredients
Iodine 2% First Aid Antiseptic

Uses ■ as first aid to help prevent skin infection in minor cuts ■ scrapes ■ burns

Warnings ■ For external use only

Ask a doctor before use if ■ you have deep or puncture wounds, animal bites or serious burns.

When using this product ■ do not use in eyes or apply over large areas of the body ■ do not use longer than 1 week unless directed by a doctor.

Stop use and ask a doctor ■ if condition persists or gets worse

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Other information product will stain skin and clothing.

Inactive Ingredients Alcohol, purified water, Salicylic Acid.

0 12707 55606 2



90933 40421

rev. 12/20

Salicylic Iodine 2%

SALICYLIC IODINE (iodo SALICILICO) FIRST AID ANTISEPTIC			
iodine 2% liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73635-1220
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ALCOHOL (UNII: 3K9958V90M)			
SALICYLIC ACID (UNII: O414PZ4LPZ)			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73635-1220-1	30 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	03/29/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	03/29/2021	

Labeler - Germa Products, LLC (116626935)**Registrant** - Germa Products, LLC (116626935)

Revised: 10/2025

Germa Products, LLC