

**DR. RECKEWEG R4 ENTEROCOLIN COMBINATION PRODUCT- baptisia tinctoria 4x, chamomilla 4x, chininum arsenicosum 6x, colocynthis 6x, ferrum phosphoricum 8x, mercurius corrosivus 6x, oleander 6x, phosphoricum acidum 3x, rhus toxicodendron 4x, veratrum album 6x liquid**

**PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **DR. RECKEWEG R4 Enterocolin**

### **Active ingredients:**

Baptisia tinctoria 4X, Chamomilla 4X, Chininum arsenicosum 6X, Colocynthis 6X, Ferrum phosphoricum 8X, Mercurius corrosivus 6X, Oleander 6X, Phosphoricum acidum 3X, Rhus toxicodendron 4X, Veratrum album 6X, 1 g each in 10 g.

### **Purpose**

Relieves diarrhea

### **Uses**

For the temporary relief of:

- Diarrhea

### **Warnings**

**Stop use and ask a doctor if** symptoms persist, get worse, or if new symptoms occur.

**If pregnant or breastfeeding,** ask a health care professional before use.

**Keep out of reach of children.**

### **Directions**

Adults and children  $\geq$  12 years 10-15 drops 1-3 times daily;

acute cases 10-15 drops every 15-60 minutes (up to 12 times per day) or until improvement of symptoms, in a little water or undiluted or as recommended.

### **Other information**

- Tamper resistant: do not use if safety ring at base of cap is broken.
- Retain outer carton for full product information.

### **Inactive ingredients**

Ethanol, purified water.

### **Questions?**

Call 1-800-361-7872 or email [questions@reckeweg.com](mailto:questions@reckeweg.com)

R4



US  
ROSA  
V0413

The statements on this package are supported by traditional homeopathic principles. The Food and Drug Administration does not evaluate homeopathic products.

**Distributed by:**  
Dr. Reckeweg America Inc.  
QC Canada H9P 2T8

### Drug Facts

**Active ingredients (in 10 g)**  
Baptisia tinctoria 4X, Chamomilla 4X, Chininum arsenicosum 6X, Colocynthis 6X, Ferrum phosphoricum 8X, Mercurius corrosivus 6X, Oleander 6X, Phosphoricum acidum 3X, Rhus toxicodendron 4X, Veratrum album 6X, 1 g each.

**Purpose**  
Relieves diarrhea

**Uses**  
For the temporary relief of:  
■ Diarrhea

**Warnings**  
**Stop use and ask a doctor if**  
■ symptoms persist, get worse, or if new symptoms occur.

**If pregnant or breastfeeding,** ask a health care professional before use.

**Keep out of reach of children.**

**Directions**  
Adults and children 12 years and over | 10-15 drops  
| 1-3 times daily

■ In a little water or undiluted or as recommended.



Made in Germany

NDC# 53346-1304-5

R4

Enterocolin

Homeopathic preparation for the temporary relief of:

- Diarrhea

1.68 fl oz (50 ml)

Manufactured by:  
Dr. Reckeweg & Co. GmbH  
D-64625 Bensheim · Germany

Dr. Reckeweg®



### Drug Facts (continued)

■ In acute cases 10-15 drops every 15-60 minutes (up to 12 times per day) or until improvement of symptoms.

### Other information

■ Tamper resistant: do not use if safety ring at base of cap is broken.  
■ Retain outer carton for full product information.

### Inactive ingredients

Ethanol, purified water.

### Questions?

Call 1.800.361.7872 or email questions@reckeweg.com



NDC# 53346-1304-5

## Dr. Reckeweg R4 Enterocolin

Homeopathic preparation for the temporary relief of:

- Diarrhea

### Manufactured by:

Dr. Reckeweg Co. GmbH

D-64625 Bensheim

Germany

**1.68 fl oz**  
**(50 ml)**

## DR. RECKEWEG R4 ENTEROCOLIN COMBINATION PRODUCT

baptisia tinctoria 4x, chamomilla 4x, chininum arsenicosum 6x, colocynthis 6x, ferrum phosphoricum 8x, mercurius corrosivus 6x, oleander 6x, phosphoricum acidum 3x, rhus toxicodendron 4x, veratrum album 6x liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53346-1304
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	4 [hp_X] in 50 mL
<b>MATRICARIA RECUTITA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	4 [hp_X] in 50 mL
<b>QUININE ARSENITE</b> (UNII: 42QO5P0NLM) (QUININE - UNII:A7V27PHC7A, ARSENITE ION - UNII:N5509X556J)	QUININE ARSENITE	6 [hp_X] in 50 mL
<b>CITRULLUS COLOCYNTHIS FRUIT PULP</b> (UNII: 23H32AOH17) (CITRULLUS COLOCYNTHIS FRUIT PULP - UNII:23H32AOH17)	CITRULLUS COLOCYNTHIS FRUIT PULP	6 [hp_X] in 50 mL
<b>FERRIC PHOSPHATE</b> (UNII: N6BAA189V1) (FERRIC CATION - UNII:91O4LML611)	FERRIC CATION	8 [hp_X] in 50 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	6 [hp_X] in 50 mL
<b>NERIUM OLEANDER LEAF</b> (UNII: 7KV510R6H6) (NERIUM OLEANDER LEAF - UNII:7KV510R6H6)	NERIUM OLEANDER LEAF	6 [hp_X] in 50 mL
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	3 [hp_X] in 50 mL
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 61O182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:61O182RP7A)	TOXICODENDRON PUBESCENS LEAF	4 [hp_X] in 50 mL
<b>VERATRUM ALBUM ROOT</b> (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	6 [hp_X] in 50 mL

**Inactive Ingredients**

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53346-1304-5	50 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/1986	

**Labeler** - PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO (318602612)**Establishment**

Name	Address	ID/FEI	Business Operations
PHARMAZEUTISCHE FABRIK DR. RECKEWEG & CO		318602612	manufacture(53346-1304)

Revised: 4/2013

PHARMAZEUTISCHE FABRIK DR. RECKEWEG &amp; CO