

GOOD SENSE ALL DAY PAIN RELIEF- naproxen sodium tablet
Dispensing Solutions, Inc.

Perrigo All Day Pain Relief Drug Facts

Active ingredient (in each tablet)

Naproxen sodium 220 mg

(naproxen 200 mg) (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- menstrual cramps
- headache
- toothache
- the common cold
- temporarily reduces fever

Warnings

Allergy alert: Naproxen sodium may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may include:

- hives
- facial swelling
- asthma (wheezing)
- shock
- skin reddening
- rash
- blisters

If an allergic reaction occurs, stop use and seek medical help right away.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug

- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

Ask a doctor before use if

- the stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have problems or serious side effects from taking pain relievers or fever reducers
- you have asthma

Ask a doctor or pharmacist before use if you are

- under a doctor's care for any serious condition
- taking any other drug

When using this product

- take with food or milk if stomach upset occurs
- the risk of heart attack or stroke may increase if you use more than directed or for longer than directed

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - you have difficulty swallowing
 - it feels like the pill is stuck in your throat
 - redness or swelling is present in the painful area
 - any new symptoms appear

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use naproxen sodium during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than directed
- the smallest effective dose should be used
- drink a full glass of water with each dose

Adults and children 12 years and older	<ul style="list-style-type: none">• take 1 tablet every 8 to 12 hours while symptoms last• for the first dose you may take 2 tablets within the first hour• do not exceed 2 tablets in any 8- to 12-hour period• do not exceed 3 tablets in a 24-hour period
Children under 12 years	ask a doctor

Other information

- each tablet contains: sodium 21 mg
- store at 20-25°C (68-77°F). Avoid high humidity and excessive heat above 40°C (104°F).

Inactive ingredients

FD&C blue no. 2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, talc, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Strength to Last 12 Hours

See New Warnings Information

All Day Pain Relief

Naproxen Sodium Tablets, 220 mg

Pain Reliever & Fever Reducer (NSAID)

Actual Size

Compare to active ingredient of Aleve® Tablets

NDC 66336-0002-XX

NDC 66336-0002-40

BULK SOURCE DATA

DIST. BY: PERRIGO
ALLEGAN, MI 49010

PRODUCT ID:
LIGHT BLUE ROUND
TABLET IMPRINTED L490

BULK SOURCE NDC: 00113-9490-78

MFR. LOT: XXXXXX
PEDIGREE #: 17014648

DISPENSE IN THIS
TIGHT/LIGHT RESISTANT CONTAINER



TAKE ___ ORALLY EVERY
HOURS ___ TIMES A DAY.
AS NEEDED
TAKE WITH FOOD.
AVOID ALCOHOL.
MAY CAUSE DIZZINESS.



NAPROXEN SODIUM 220 mg
XX TABLETS
NDC 66336-0002-XX
PRODUCT # 292-XX

Rev. Date: 06/10

EACH TABLET CONTAINS: NAPROXEN SODIUM 220 mg (NAPROXEN 200 mg)
(PURPOSES: PAIN RELIEVER / FEVER REDUCER) *STOMACH BLEEDING
WARNING: THIS PRODUCT CONTAINS A NONSTEROIDAL
ANTI-INFLAMMATORY DRUG (NSAID), WHICH MAY CAUSE STOMACH
BLEEDING. THE CHANCE IS HIGHER IF YOU ARE AGE 60 OR OLDER, HAVE
HAD STOMACH ULCERS OR BLEEDING PROBLEMS, TAKE A BLOOD THINNING
(ANTICOAGULANT) OR STEROID DRUG, TAKE OTHER DRUGS CONTAINING AN
NSAID (ASPIRIN, IBUPROFEN, NAPROXEN, OR OTHERS), HAVE 3 OR MORE
ALCOHOLIC DRINKS EVERY DAY WHILE USING THIS PRODUCT, TAKE MORE
OR FOR A LONGER TIME THAN DIRECTED.*

COMPARE TO ACTIVE INGREDIENT OF ALEVE TABLETS
LOT# SAMPLE EXP: 00-00 Rx # 22033399

WARNING: KEEP OUT OF
CHILDREN'S REACH
STORE AT 68°- 77° F. SEE USP.

292- XX NDC 66336-0002- XX
NAPROXEN SODIUM 220 mg
XX TABLETS
LOT # SAMPLE EXP: 00-00
MN 00113-9490-78 RX# 22033399

292- XX NDC 66336-0002- XX
NAPROXEN SODIUM 220 mg
XX TABLETS
LOT # SAMPLE EXP: 00-00
MN 00113-9490-78 RX# 22033399

292- XX NDC 66336-0002- XX
NAPROXEN SODIUM 220 mg
XX TABLETS
LOT # SAMPLE EXP: 00-00
MN 00113-9490-78 RX# 22033399



Packaged Exclusively By:
DISPENSING SOLUTIONS^{INC}
Santa Ana, CA 92704

GOOD SENSE ALL DAY PAIN RELIEF

naproxen sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66336-002(NDC:0113-9490)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NAPROXEN SODIUM (UNII: 9TN87S3A3C) (NAPROXEN - UNII:57Y76R9ATQ)	NAPROXEN SODIUM	220 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
POVIDONES (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	BLUE (Light Blue)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L490
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66336-002-40	40 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074661	01/14/1997	

Labeler - Dispensing Solutions, Inc. (066070785)

Registrant - PSS World Medical, Inc. (101822682)

Establishment

Name	Address	ID/FEI	Business Operations
Dispensing Solutions, Inc.		066070785	relabel(66336-002) , repack(66336-002)

Revised: 7/2013

Dispensing Solutions, Inc.