

**DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid
WALGREENS CO.**

Walgreens DayTime Severe Cooling Cold and Flu Relief

Active ingredients (in each 30 mL)

Acetaminophen 650 mg

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

Uses

- temporarily relieves common cold/flu symptoms:
 - nasal congestion
 - sinus congestion & pressure
 - cough due to minor throat and bronchial irritation
 - minor aches and pains
 - headache
 - fever
 - sore throat
 - reduce swelling of nasal passages
 - temporarily restores freer breathing through the nose
 - promotes nasal and/or sinus drainage
- help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs which is maximum daily amount for this product
- taken with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse, or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with a rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hours

Adults & children 12 yrs & over	30 mL every 4 hrs.
Children 4 to under 12 yrs	Ask a doctor
Children under 4 yrs.	Do not use

Other information

- **each 30 mL contains:** sodium 81 mg
- store at room temperature. Do not refrigerate

Inactive ingredients

citric acid, D&C Yellow No. 10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose

Questions or comments?

1-866-467-2748

Principal Display Panel

Compare to the active ingredients in VICKS® Dayquil™ Severe+ VapoCOOL™ *

NDC 0363-7270-12

Day Time

Cold & Flu Relief

Acetaminophen- Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

Phenylephrine HCl- Nasal decongestant

For Relieves of

Minor Aches & Pains, Fever

Nasal congestion & Sinus Pressure

Cough

Chest congestion

12 FL OZ (354 mL)

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN

DISTRIBUTED BY

*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil™ Severe+ VapoCOOL™.

Drug Facts (continued)
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
When using this product, do not use more than directed.
Stop use and ask a doctor if • you get nervous, dizzy or sleepless • pain, nasal congestion, or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions • take only as directed
• only use the dose cup provided • do not exceed 4 doses per 24 hrs
adults & children 12 yrs & over 30 mL every 4 hrs
children 4 to under 12 yrs ask a doctor
children under 4 yrs do not use
Other information • each 30 mL contains: sodium 81 mg • store at room temperature. Do not refrigerate.
Inactive ingredients citric acid, D&C Yellow No.10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose
Questions or comments? 1-866-467-2748
Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil™ Severe+ VapoCOOL™.
W3ORG1221-F
LOT: 72712WAGLR
DST. BY: WALGREEN CO. 200 WILMOT RD. DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co. ITEM 355983 W00000-0000-0
EXP: 3 11917 03128 6
NDC 0363-7270-12

Walgreens
Compare to the active ingredients in Vicks® Dayquil™ Severe+ VapoCOOL™
WALGREENS PHARMACIST RECOMMENDS

DAYTIME
Severe Cold & Flu
ACETAMINOPHEN / MINOR ACHES & PAINS / FEVER
PHENYLEPHRINE HCl / NASAL CONGESTION / SINUS PRESSURE
DEXTROMETHORPHAN HBr / COUGH
GUAIFENESIN / CHEST CONGESTION
Severe Cooling
• Pain reliever, fever reducer, cough suppressant, expectorant, nasal decongestant
12 FL OZ (354 mL)

Drug Facts Tamper Evident: Do not use if imprinted shrink band is missing or broken
Active ingredients (in each 30 mL)
Acetaminophen 650 mg Pain reliever/fever reducer
Dextromethorphan HBr 20 mg Cough suppressant
Guaifenesin 400 mg Expectorant
Phenylephrine HCl 10 mg Nasal decongestant
Purpose
Uses temporarily relieves common cold/flu symptoms: • nasal congestion • sinus congestion & pressure • cough due to minor throat & bronchial irritation • minor aches & pains • headache • fever • sore throat • reduces swelling of nasal passages
• temporarily restores freer breathing through the nose • promotes nasal and/or sinus drainage • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.
Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take • more than 4 doses in 24 hrs, which is the maximum daily amount for this product • taken with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product
Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
• Skin reddening • Blisters • Rash
If a skin reaction occurs, stop use and seek medical help right away
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.
Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have • liver disease • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to enlarged prostate gland • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • a sodium-restricted diet

DAYTIME COLD AND FLU RELIEF

acetaminohpen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7270
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL
GUAIFENESIN (UNII: 405W7451V0) (GUAIFENESIN - UNII:405W7451V0)	GUAIFENESIN	400 mg

GUAIFENESIN (UNII: 493W7431VQ) (GUAIFENESIN - UNII:493W7431VQ)	GUAIFENESIN	in 30 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D45NN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7270-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/02/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/02/2021	

Labeler - WALGREENS CO. (008965063)

Revised: 11/2025

WALGREENS CO.