

**DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid  
WALGREENS CO.**

-----  
**Walgreens DayTime Severe Cooling Cold and Flu Relief**

**Active ingredients (in each 30 mL)**

**Acetaminophen 650 mg**

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

**Purposes**

**Pain reliever/fever reducer**

Cough suppressant

Expectorant

Nasal decongestant

**Uses**

- temporarily relieves common cold/flu symptoms:
  - nasal congestion
  - sinus congestion & pressure
  - cough due to minor throat and bronchial irritation
  - minor aches and pains
  - headache
  - fever
  - sore throat
  - reduce swelling of nasal passages
  - temporarily restores freer breathing through the nose
  - promotes nasal and/or sinus drainage
- help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs which is maximum daily amount for this product

- taken with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium-restricted diet

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

### **When using this product,**

**do not use more than directed.**

### **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse, or lasts more than 7 days
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with a rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hours

Adults & children 12 yrs & over	30 mL every 4 hrs.
Children 4 to under 12 yrs	Ask a doctor
Children under 4 yrs.	Do not use

**Other information**

- **each 30 mL contains:** sodium 81 mg
- store at room temperature. Do not refrigerate

**Inactive ingredients**

citric acid, D&C Yellow No. 10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose

**Questions or comments?**

**1-866-467-2748**

**Principal Display Panel**

**Compare to** the active ingredients in VICKS® Dayquil™ Severe+ VapoCOOL™ \*

NDC 0363-7270-12

**Day Time**

**Cold & Flu Relief**

**Acetaminophen** - Pain Reliever/Fever Reducer

Dextromethorphan HBr - Cough Suppressant

**Phenylephrine HCl** - Nasal decongestant

**For Relieves of**

Minor Aches & Pains, Fever

Nasal congestion & Sinus Pressure

Cough

Chest congestion

**12 FL OZ (354 mL)**

**DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN**

**DISTRIBUTED BY**

\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil™ Severe+ VapoCOOL™.

**Drug Facts (continued)**  
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.  
When using this product, do not use more than directed.  
Stop use and ask a doctor if • you get nervous, dizzy or sleepless • pain, nasal congestion, or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back, or occurs with rash or headache that lasts.  
These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** • take only as directed  
• only use the dose cup provided • do not exceed 4 doses per 24 hrs  
adults & children 12 yrs & over 30 mL every 4 hrs  
children 4 to under 12 yrs ask a doctor  
children under 4 yrs do not use

**Other information** • each 30 mL contains: sodium 81 mg • store at room temperature. Do not refrigerate.

**Inactive ingredients** citric acid, D&C Yellow No.10, disodium edetate, FD&C Blue No. 1, flavors, glycerin, propyl galate, propylene glycol, purified water, sodium benzoate, sodium chlorite, sodium citrate, sorbitol, sucralose

**Questions or comments?** 1-866-467-2748

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil™ Severe+ VapoCOOL™.

LOT: 72712WAGLR  
EXP: 3 11917 03128 6

DIST. BY: WALGREEN CO. 200 WILMOT RD.  
DEERFIELD, IL 60015 100% SATISFACTION  
GUARANTEED walgreens.com ©2021 Walgreen Co.  
ITEM 355983 W00000-0000-0

**Walgreens**  
Compare to the active ingredients in Vicks® DayQuil™ Severe+ VapoCOOL™  
WALGREENS  
PHARMACIST RECOMMENDED

NDC 0363-7270-12

**DAYTIME**  
**Severe Cold & Flu**  
ACETAMINOPHEN / MINOR ACHEs & PAINs / FEVER  
PHENYLEPHRINE HCl / NASAL CONGESTION /  
SINUS PRESSURE  
DEXTROMETHORPHAN HBr / COUGH  
GUAIFENESIN / CHEST CONGESTION

**Severe Cooling**  
• Pain reliever, fever reducer,  
cough suppressant, expectorant,  
nasal decongestant

12 FL OZ (354 mL)

**Drug Facts** Tamper Evident: Do not use if imprinted shrink band is missing or broken

Active ingredients (in each 30 mL)	Purpose
Acetaminophen 650 mg	Pain reliever/fever reducer
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses** temporarily relieves common cold/flu symptoms: • nasal congestion • sinus congestion & pressure • cough due to minor throat & bronchial irritation • minor aches & pains • headache • fever • sore throat • reduces swelling of nasal passages • temporarily restores freer breathing through the nose • promotes nasal and/or sinus drainage • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take • more than 4 doses in 24 hrs, which is the maximum daily amount for this product • taken with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product  
**Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: • Skin reddening • Blisters • Rash  
If a skin reaction occurs, stop use and seek medical help right away  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use** • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** • liver disease • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to enlarged prostate gland • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • a sodium-restricted diet

## DAYTIME COLD AND FLU RELIEF

acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-7270
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 30 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7270-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/02/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/02/2021	

**Labeler** - WALGREENS CO. (008965063)