

MELOX- aluminum hydroxide, magnesium hydroxide, simethicone liquid
Belmora LLC

Melox

Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg
Magnesium hydroxide 400 mg
Simethicone 40 mg

Purpose

Antacid
Antacid
Antigas

Uses

relieves: • acid indigestion • heartburn • sour stomach • upset stomach and gas associated with these symptoms

Warnings

Do not take more than 80 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor before use if you have • kidney disease • a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are • presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks

Keep out of reach of children.

Directions

• **shake well before use** • adults and children 12 years and older: take 10 - 20 mL four times a day, or as directed by a doctor • children under 12 years: consult a doctor • mL = milliliter

Other information

• **each 10 mL contains:** magnesium 170 mg, sodium 5 mg • store at 20°C-25°C

(68°F-77°F) • do not freeze

Inactive ingredients

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

Belmora LLC

ALUMINA, MAGNESIA, AND SIMETHICONE ORAL SUSPENSION

HEARTBURN RELIEF

MINT CREME FLAVOR

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Packaging

NDC 27854-117-01



Melox

ANTIÁCIDO/
ANTACID/ANTI-GAS

SUSPENSIÓN ORAL DE ALÚMINA,
MAGNESIA Y SIMETICONA/
ALUMINA, MAGNESIA, AND
SIMETHICONE ORAL SUSPENSION

ALIVIA LA ACIDEZ/
HEARTBURN RELIEF

SABOR A CREMA DE MENTA/
MINT CREME FLAVOR



12 FL OZ (355 mL)

283-11212-0



Drug Facts

DO NOT USE IF PRINTED S...
UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each 10 mL)	Purpose
Aluminum hydroxide (equiv. to dried gel, USP) 400 mg	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas

Uses relieves: ■ acid indigestion ■ heartburn ■ sour stomach
■ upset stomach and gas associated with these symptoms

Warnings

Do not take more than 80 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Ask a doctor before use if you have ■ kidney disease
■ a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are ■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than two weeks

Keep out of reach of children.

Directions

■ shake well before use ■ adults and children 12 years and older: take 10 - 20 mL four times a day, or as directed by a doctor ■ children under 12 years: consult a doctor ■ mL = milliliter

Other information

■ each 10 mL contains: magnesium 170 mg, sodium 5 mg ■ store at 20°C-25°C (68°F-77°F) ■ do not freeze

Inactive ingredients

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol.

STOP PEELING HERE

DO NOT ALTER SIZE OR LOCATION
NO COPY OR GRAPHICS
GLUE AREA

MELOX

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:27854-117
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 10 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	400 mg in 10 mL

DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL
---	-------------	-------------------

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:27854-117-01	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	05/01/2023	

Labeler - Belmora LLC (112753244)