GERMA UBRE MASTITIS- methyl salicylate 2% ointment Germa Products, LLC

Ubre Mastitis

Active Ingredient

Methyl Salicylate 2%

Uses

Temporary relief of minor pain n joint & muscular aches n strains & sprain n backache.

Do not use, if prone to allergic reaction from any of the ingredients.

Do not use n on children • on irritated skin • in or near eyes or mucous membranes • on wounds or damaged skin.

Purpose

Topical Analgesic

Warnings

For external use only

Do not use on large areas of the body. • if you are taking any other medication or drinking alcohol • if safety seal is torn, broken or missing.

Warnings

KEEP OUT OF THE REACH OF CHILDREN

In case of accidental ingestion, get help or contact a Poison Control Center immediately. Do not use • on children • on irritated skin • in or near eyes or mucous membranes • on wounds or damaged skin n if prone to allergic reaction from any of the ingredient n on large areas of the body. • if you are taking any other medication or drinking alcohol • if safety seal is torn, broken or missing.

If pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor n if condition worsens or cleans up and occurs again n if symptoms persist for more than 7 days or irritation or severe burning occurs.

Other Information

Store at controlled room temperature 15-30°C (59-86°F)

Directions

Adults and children 12 years and older; apply to the affected area • no more than 3 to 4 times daily n children under 12 years of age; ask a Doctor.

Inactive Ingredients

Camphor crystals, D&C Brown #1, Lanolin, Ichthammol, and white petrolatum.



Active Ingredients Purpose Methyl Salicylate 2%.....Topical Analgesic

Uses ■ Temporary relief of minor pain ■ joint & muscular aches ■ strains & sprain ■ backache.

Warning ■ For external use only ■ KEEP OUT OF THE REACH OF CHILDREN ■ In case of accidental ingestion, get help or contact a Poison Control Center immediately.

Do not use ■ on children ■ on irritated skin ■ or children ■ on children ■ on irritated skin ■ in or near eyes or mucous membranes ■ on wounds or damaged skin ■ if prone to allergic reaction from any of the ingredient ■ on large areas of the body. ■ if you are taking any other medication or drinking alcohol ■ if safety seal is torn, broken or missing


Drug Facts (continued)

Stop use and ask a doctor ■ if condition worsens or cleans up and occurs again ■ if symptoms persist for more than 7 days or irritation or severe burning occurs. *If pregnant or breastfeeding* ask a health professional before use.

Other Information ■ Store at room temperature 15-30°C (58-86°F)

Directions ■ Adults and children 12 years and older; apply to the affected area ■ no more than 3 to 4 times daily ■ children under 12 years of age; ask a Doctor

Inactive ingredients ■ Camphor crystals, D&C Brown #1, Lanolin, Ichthammol, and white petrolatum.





GERMA UBRE MASTITIS

methyl salicylate 2% ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73635-5807

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Ingredient Name Strength Strength

METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID -

UNII:O414PZ4LPZ)

METHYL SALICYLATE

20 mg in 1 mL

Inactive Ingredients

Ingredient Name Strength WHITE PETROLATUM (UNII: B6E5W8RQJ4)

LANOLIN OIL (UNII: OVV5IIJ58F)

CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)

D&C BROWN NO. 1 (UNII: 8796B4I6HE)

ICHTHAMMOL (UNII: NQ14646378)

Pa			

П	· actuaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
ı	- NDC:73635-	56 69 mL in 1 IAR: Type 0: Not a Combination					

5807-2	Product	02/52/5012				
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Dru	M014	03/29/2019				

Labeler - Germa Products, LLC (116626935)

Revised: 10/2023 Germa Products, LLC