MINERAL SUNSCREEN SPF 50- zinc oxide, titanium dioxide stick TOPCO ASSOCIATES LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TOPCARE EVERYDAY MINERAL SUNSCREEN STICK SPF 50

Active ingredients

Titanium Dioxide 7.0%, Zinc Oxide 4.7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect this product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

beeswax, butyloctyl salicylate, caprylyl glycol, cetyl alcohol, euphorbia cerifera (candelilla) wax, isopropyl palmitate, isostearic acid, neopentyl glycol diethylhexanoate, ozokerite, paraffin, silica

Label

Topcare Everyday Mineral Sunscreen Stick SPF 50

NDC 36800-956-28

1.5 oz (42 g)



Drug Facts (continued)			Drug Facts (continued)
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun			 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and
Warnings For external use only	AREA	EA	other sun protection measures including: limit time in the sun, especially from 10 a.m 2 p.m.
Do not use • on damaged or broken skin. When using this product • keep out of eyes. Rinse with water to remove.		ARE/	 wear long-sleeved shirts, pants, hats, and sunglasses
Stop use and ask a doctor if • rash occurs, Keep out of reach of children. If swallowed,	B	B	Other information • protect the product in this container from excessive heat and direct su • may stain or damage some fabrics, materials or surfaces
get medical help or contact a Poison Control Center right away.	HING	NH N	Inactive ingredients
Directions • apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating	T	Ξ	Beeswax, Butyloctyl Salicylate, Caprylyl Glycol, Cetyl Alcohol, Euphorbia Cerifera (Candelilla) Wax, Isopropyl Palmitate, Isostearic Acid, Neopentyl Glycol Diethylhexanoate, Ozokerite, Paraffin, Silica
 immediately after towel drying at least every 2 hours children under 6 months of age: Ask a doctor 			Questions or comments? Call toll free 1-888-423-0139

MINERAL SUNSCREEN SPF 50 zinc oxide, titanium dioxide stick							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-956				
Route of Administration	TOPICAL						

	ctive Ingredie	ent/Active Moiety		
	Ingredient Name		Basis of Stre	ength Strength
тп	TTANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2		V2JP) TITANIUM DIOXIE	DE 70 mg in 1 g
ZI	NC OXIDE (UNII: S	OI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	Z INC OXIDE	47 mg in 1 g
In	active Ingred	lients		
Ingredient Name				
ISC	OPROPYL PALMIT	ATE (UNII: 8CRQ2TH63M)		
BU	JTYLOCTYL SALIC	CYLATE (UNII: 2EH13UN8D3)		
CE	TYL ALCOHOL (U	NII: 936JST6JCN)		
CA		JNII: WL0328HX19)		
NE	OPENTYL GLYCO	L DIETHYLHEXANOATE (UNII: U68ZV6W62C)		
CE	RESIN (UNII: Q1LS	2UJO3A)		
w	HITE WAX (UNII: 7	G1J5DA97F)		
CA	PRYLYL GLYCOL	(UNII: 00YIU5438U)		
ISC	OSTEARIC ACID (UNII: X33R8U0062)		
PA	RAFFIN (UNII: 190	0E3H2ZE)		
SIL	LICON DIOXIDE (L	JNII: ETJ7Z6XBU4)		
Pa	ackaging			
	Item Code	Package Description	Marketing Start Date	Marketing End Date
#				
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product	10/19/2020	
Ŧ	28 F	Product	10/19/2020	
1	28 F	5	10/19/2020	
1 M	28 F	Product	Marketing Start Date	Marketing End Date

Labeler - TOPCO ASSOCIATES LLC (006935977)

Revised: 4/2021

TOPCO ASSOCIATES LLC