NITROGEN- nitrogen gas IWS Gas and Supply of Texas, LTD

Nitrogen

NITROGEN, COMPRESSED NF UN1066


NON-FLAMMABLE GAS 2

Rx ONLY. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosage, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficulty, give oxygen. Call a physician. CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

IWS GAS AND SUPPLY OF TEXAS, LTD 4117 FAIR DRIVE, PASADENA, TX 77507 EMERGENCY PHONE: 713-691-4900 CONTENTS: LTRS: CU.FT.

UN1066



NITROGEN REFRIGERATED LIQUID NF UN1977 Contents: Lot Number: NON-FLAMMABLE 2 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING RX ONLY Administration of Nitrogen may be hazardous or contraindicated. for use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency, and duration of administration, and the hazards, contraindications and side effects and the precautions to be taken.

EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Clove valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

IN INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.



NITROGEN, COMPRESSED NF

UN1066

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9

GAS AND SUPPLY

105 Rothrock Drive, Bldg. 2

Longview, TX 75602

903-653-0999

CONTENTS: LTRS: CU.FT.



REFRIGERATED LIQUID

NITROGEN, REFRIGERATED LIQUID NF

UN1977

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

Rx ONLY

CONTENTS: LTRS: CU.FT.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

Size:

Net Weight:

GAS AND SUPPLY

105 Rothrock Drive, Bldg. 2

Longview, TX 75602

903-653-0999



NITROGEN

nitrogen gas			
Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:53425-002
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	995 mL in 1 L

Packaging

:53425- 01 :53425- 02 :53425- 03 :53425- 04	 396 L in 1 CYLINDER; Type 0: Not a Combination Product 651 L in 1 CYLINDER; Type 0: Not a Combination Product 2973 L in 1 CYLINDER; Type 0: Not a Combination Product 5947 L in 1 CYLINDER; Type 0: Not a Combination 	11/01/2011 11/01/2011 11/01/2011	
02 :53425- 03 :53425-	Product 2973 L in 1 CYLINDER; Type 0: Not a Combination Product		
03 :53425-	Product	11/01/2011	
	5947 L in 1 CYLINDER; Type 0: Not a Combination		
	Product	11/01/2011	
:53425- 05	6513 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
:53425- 06	6626 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
:53425- 07	7221 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
:53425- 08	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
:53425- 09	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
:53425- 10	180 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
:53425- 11	200 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
:53425-	3256 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
12			
C : : : :	08 53425- 09 53425- 10 53425- 11	D8Product53425- D98608 L in 1 CYLINDER; Type 0: Not a Combination Product53425- L0180 L in 1 DEWAR; Type 0: Not a Combination Product53425- L1200 L in 1 DEWAR; Type 0: Not a Combination Product53425- L13256 L in 1 CYLINDER; Type 0: Not a Combination	D8Product11/01/201153425- D98608 L in 1 CYLINDER; Type 0: Not a Combination Product11/01/201153425- L0180 L in 1 DEWAR; Type 0: Not a Combination Product11/01/201153425- L1200 L in 1 DEWAR; Type 0: Not a Combination Product11/01/201153425- S3425- S3256 L in 1 CYLINDER; Type 0: Not a Combination 11/01/201111/01/2011

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
NDA	NDA205713	11/01/2011	

Labeler - IWS Gas and Supply of Texas, LTD (963374793)

Establishment

Name	Address	ID/FEI	Business Operations
IWS GAS AND SUPPLY OF TEXAS, LTD		118170808	manufacture(53425-002)
Establishment			
Name	Address	ID/FEI	Business Operations
IWS Gas and Supply of Texas, LTD		963374793	manufacture(53425-002)
IWS Gas and Supply of Texas, LTD		963374793	manufacture(53425-002)