

**8HR ARTHRITIS PAIN- acetaminophen tablet, extended release  
HARRIS TEETER**

-----  
**1200A-HTE-2021-0428**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - backache
  - premenstrual and menstrual cramps
  - the common cold
  - headache
  - toothache
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"><li>▪ take 2 caplets every 8 hours with water</li><li>▪ swallow whole; do not crush, chew, split or dissolve</li><li>▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
under 18 years of age	<ul style="list-style-type: none"><li>▪ ask a doctor</li></ul>

**Other information**

- store between 20-25°C (68-77°F)
- retain carton for complete product information and warnings

**Inactive ingredients**

hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose,

polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

1-844-705-4384

**PRINCIPAL DISPLAY PANEL**

†Compare to the Active Ingredient in Tylenol® 8HR Arthritis Pain

Harris Teeter™

NDC 72036-200-04

Easy Open Cap

8HR Arthritis Pain

Acetaminophen, Extended-Release Tablets, 650 mg

PAIN RELIEVER / FEVER REDUCER

For the temporary relief of minor arthritis pain

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

100 CAPLETS\*\* - 650 mg EACH

\*\*Capsule-Shaped Bi-Layer Tablets

†Compare to the Active Ingredient in Tylenol® 8HR Arthritis Pain

NDC 72036-200-04

**Easy Open Cap**

Harris Teeter™

# 8HR Arthritis Pain

## Acetaminophen Extended-Release Tablets, 650 mg

**PAIN RELIEVER / FEVER REDUCER**

For the temporary relief of minor arthritis pain

**THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN**

**100 CAPLETS\*\*** - 650 mg EACH

\*\*Capsule-Shaped Bi-Layer Tablets



**DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Purpose**  
Acetaminophen 650 mg.....Pain reliever/fever reducer

**Active ingredient (in each caplet)**  
Acetaminophen 650 mg.....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches
  - the common cold
  - premenstrual and menstrual cramps
  - headache
  - toothache
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- skin rashes
- blisters
- itching

If a skin reaction occurs, stop use and seek medical help right away.

**PEEL BACK HERE FOR MORE DRUG FACTS**

PROUDLY DISTRIBUTED BY:  
HARRIS TEETER, LLC MATTHEWS, NC 28105  
MADE IN INDIA

**yourplus**guarantee.  
1-800-432-6111 or harristeeter.com



0 72036 73590 4

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Tylenol® 8HR Arthritis Pain.

L1200A04HTE\_ R0

**Adhesive**

**STOP PELLING**

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

**adults**

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

**under 18 years of age**

- ask a doctor

**Other information**

- store between 20°-25°C (68°-77°F)

**Inactive ingredients** hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polydioxane, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**  
1-844-705-4384

**GLUE AREA**

## 8HR ARTHRITIS PAIN

acetaminophen tablet, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72036-200
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg
Inactive Ingredients			
Ingredient Name			Strength
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
HYDROXYETHYL CELLULOSE (140 MPa.S AT 5%) (UNII: 8136Y38GY5)			
HYPROMELLOSE 2910 (6 MPa.S) (UNII: 0WZ8WG20P6)			

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	G650
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72036-200-04	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/28/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	04/28/2021	

**Labeler** - HARRIS TEETER (047279351)

Revised: 4/2021

HARRIS TEETER