

BLUE LIZARD SPORT SPF 50- zinc oxide spray
Crown Laboratories

Blue Lizard Sport SPF 50 Sunscreen Spray

Active ingredients

Zinc Oxide 24%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120 °F

Flammable: keep away from fire or flame

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove

Stop use and ask doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- shake well before and frequently during use
- apply liberally 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions.
- use in a well-ventilated area and avoid inhalation
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.- 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Other information

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone, Copper Gluconate, Dimethicone, Ethylhexylglycerin, Glycerin, Hydrogen Dimethicone, Hydrogenated Polydecene, Isopropyl Myristate, Magnesium Aspartate, Pentylene Glycol, Phenoxyethanol, Polyhydroxystearic Acid, Propanediol, Silica, Sodium Chloride, Sodium Phytate, Sorbitan Olivatate, Synthetic Beeswax, Tetrafluoropropene, Water, Zinc Gluconate

Questions?

Call **800.877.8869** or visit www.bluelizardsunscreen.com

Blue Lizard Sport SPF 50 Spray 5 oz Label

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50

SPORT

with skin-energizing electrolytes

MINERAL SUNSCREEN

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50

WATER RESISTANT (80 MINUTES)


TRUSTED BY DERMATOLOGISTS

Net wt. 5 oz (142 g)

Blue Lizard

AUSTRALIAN SUNSCREEN®

NEW
LOOK



50

SPORT

WITH SKIN-ENERGIZING
ELECTROLYTES

MINERAL SUNSCREEN

UVA/UVB PROTECTION
BROAD SPECTRUM SPF 50

WATER RESISTANT
(80 MINUTES)

TRUSTED BY
DERMATOLOGISTS

Net wt. 5 oz (142 g)



SHAKE WELL
Before and
during use



**WE LOVE
THE REEF™**
No Octinoxate
or Oxybenzone

Drug Facts

Active ingredient	Purpose
Zinc Oxide 24%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Contents under pressure. Do not puncture or incinerate.
Do not store at temperature above 120° F

Flammable: keep away from fire or flame

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- shake well before and frequently during use
- apply liberally 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions.
- use in a well-ventilated area and avoid inhalation
- children under 6 months of age: Ask a doctor
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information • protect the product in this container from excessive heat and direct sun • may stain some fabrics

Inactive ingredients Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone, Copper Gluconate, Dimethicone, Ethylhexylglycerin, Glycerin, Hydrogen Dimethicone, Hydrogenated Polydecene, isopropyl Myristate, Magnesium Aspartate, Pentylene Glycol, Phenoxyethanol, Polyhydroxystearic Acid, Propanediol, Silica, Sodium Chloride, Sodium Phytate, Sorbitan Olivat, Synthetic Beeswax, Tetrafluoropropene, Water, Zinc Gluconate

Questions? call 800.877.8869 or visit www.bluelizardsunscreen.com



Distr. by: Crown Laboratories, Inc. Johnson City, TN 37604
Cruelty Free DOT 2Q M5793
P12711.00

BLUE LIZARD SPORT SPF 50

zinc oxide spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HYDROGENATED POLY(C6-14 OLEFIN; 4 CST) (UNII: 7C6HV4SSLA)	
PHYTATE SODIUM (UNII: 88496G1ERL)	
CETYL DIGLYCERYL TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE (3500 MM2/S) (UNII: KB7T6C99UP)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
MAGNESIUM ASPARTATE (UNII: R17X820ROL)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
WATER (UNII: 059QF0KO0R)	
COPPER GLUCONATE (UNII: RV823G6G67)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
SYNTHETIC BEESWAX (UNII: 08MNR5YE2R)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
1,3,3,3-TETRAFLUOROPROPENE, (1E)- (UNII: 5I2481U008)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PROPANEDIOL (UNII: 5965N8W85T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2080-05	142 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/29/2021	
2	NDC:0316-2080-45	127.6 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/07/2022	12/31/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/29/2021	

Labeler - Crown Laboratories (119508400)

Registrant - Crown Laboratories (119508400)

Revised: 1/2026

Crown Laboratories