

**BLUE LIZARD KIDS SPF 50- zinc oxide spray**  
**Crown Laboratories**

-----  
**Blue Lizard Kids SPF 50 Sunscreen Spray**

***Active ingredients***

Zinc Oxide 24%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn

***Warnings***

**For external use only**

**Contents under pressure.** Do not puncture or incinerate. Do not store at temperature above 120 °F

**Flammable:** keep away from fire or flame

**Do not use** • on damaged or broken skin

**When using this product** • keep out of eyes. Rinse with water to remove

**Stop use and ask doctor if** • rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

if swallowed, get medical help or contact a Poison Control Center right away

***Directions***

- shake well before and frequently during use
- apply liberally 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions.
- use in a well-ventilated area and avoid inhalation
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.- 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours

### ***Other information***

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

### ***Inactive ingredients***

Aphanizomenon Flosaquae Extract, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone, Dimethicone, Ethylhexylglycerin, Glycerin, Hydrogen Dimethicone, Hydrogenated Polydecene, Isopropyl Myristate, Pentylene Glycol, Polyhydroxystearic Acid, Potassium Sorbate, Propanediol, Silica, Sodium Benzoate, Sodium Chloride, Sodium Phytate, Sorbitan Olivatate, Synthetic Beeswax, Tetrafluoropropene, Water

### ***Questions?***

Call **800.877.8869** or visit [www.bluelizardsunscreen.com](http://www.bluelizardsunscreen.com)

### **Blue Lizard Kids SPF 50 Spray 5 oz Label**

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50

KIDS

with antioxidant-rich blue algae

MINERAL SUNSCREEN

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50

WATER RESISTANT (80 MINUTES)


TRUSTED BY PEDIATRICIANS

Net wt. 5 oz (142 g)

# Blue Lizard

AUSTRALIAN SUNSCREEN

NEW  
LOOK



# 50

## KIDS

WITH ANTIOXIDANT-RICH  
BLUE ALGAE

### MINERAL SUNSCREEN

UVA/UVB PROTECTION  
BROAD SPECTRUM SPF 50

WATER RESISTANT  
(80 MINUTES)

TRUSTED BY  
PEDIATRICIANS

Net wt. 5 oz (142 g)



**SHAKE WELL**  
Before and  
during use



**WE LOVE  
THE REEF™**  
No Octinoxate  
or Oxybenzone

### Drug Facts

Active ingredient	Purpose
Zinc Oxide 24%	Sunscreen

**Uses** • helps prevent sunburn

### Warnings

For external use only

**Contents under pressure.** Do not puncture or incinerate.  
Do not store at temperature above 120° F

**Flammable:** keep away from fire or flame

**Do not use** • on damaged or broken skin

**When using this product** • keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** • rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

### Directions

- shake well before and frequently during use
- apply liberally 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions.
- use in a well-ventilated area and avoid inhalation
- children under 6 months of age: Ask a doctor
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

**Other information** • protect the product in this container from excessive heat and direct sun • may stain some fabrics

**Inactive ingredients** Aphanizomenon Flosaquae Extract, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Diglyceryl Tris(trimethylsiloxy)silylethyl Dimethicone, Dimethicone, Ethylhexylglycerin, Glycerin, Hydrogen Dimethicone, Hydrogenated Polydecene, Isopropyl Myristate, Pentylene Glycol, Polyhydroxystearic Acid, Potassium Sorbate, Propanediol, Silica, Sodium Benzoate, Sodium Chloride, Sodium Phytate, Sorbitan Oliviate, Synthetic Beeswax, Tetrafluoropropene, Water

**Questions?** call 800.877.8869 or visit [www.buelizardsunscreen.com](http://www.buelizardsunscreen.com)



Distr. by: Crown Laboratories, Inc. Johnson City, TN 37604  
Cruelty Free DOT 2Q M5793  
P12708.00

## BLUE LIZARD KIDS SPF 50

zinc oxide spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0316-2081
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>CETYL DIGLYCERYL TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE (3500 MM2/S)</b> (UNII: KB7T6C99UP)	
<b>1,3,3,3-TETRAFLUOROPROPENE, (1E)-</b> (UNII: 5I2481U008)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>HYDROGEN DIMETHICONE (20 CST)</b> (UNII: 12Z59IF64N)	
<b>HYDROGENATED POLY(C6-14 OLEFIN; 4 CST)</b> (UNII: 7C6HV4SSLA)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>PHYTATE SODIUM</b> (UNII: 88496G1ERL)	
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>APHANIZOMENON FLOSAQUAE</b> (UNII: 49VG1X560X)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0316-2081-05	142 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/29/2021	
2	NDC:0316-2081-45	127.6 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/07/2022	04/30/2025

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M020	03/29/2021	

**Labeler** - Crown Laboratories (119508400)

**Registrant** - Crown Laboratories (119508400)

Revised: 1/2026

Crown Laboratories