

BHI NAUSEA- semecarpus anacardium juice, silver nitrate, activated charcoal, ipecac, iodine, robinia pseudoacacia bark, and sepia officinalis juice tablet

MediNatura Inc

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

BHI Nausea Tablet

INACTIVE INGREDIENTS

Lactose and Magnesium stearate

PURPOSE

Nausea Relief Tablets

Relieves:

- **Nausea**
- **Vomiting**
- **Indigestion**

Uses

For the temporary relief of minor nausea, vomiting, indigestion

Directions

At first sign of symptoms: Adults and children 4 years and older: 1 tablet every 1/2 to 1 hour until symptoms lessen, then continue with standard dosage. Do not exceed 12 tablets in 24 hours.

Standard dosage: Adults and children 4 years and older: 3 tablets per day, taking 1 tablet every 4 to 6 hours.

For children under 4, consult your health professional.

Allow tablets to dissolve completely in the mouth, do not swallow

WARNINGS

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If symptoms persist or worsen, a health professional should be consulted. **Do not use** if known sensitivity to BHI Nausea or any of its ingredients exists.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children

ACTIVE INGREDIENT

Each tablet contains: *Anacardium orientale 6X, Argentum nitricum 8X, *Carbo vegetabilis 12X, *Ipecacuanha 6X, *Iodium 12X, *Robinia pseudoacacia 10X, *Sepia 30X 42.9 mg each.

*Natural Ingredients

BHI Nausea Tablet

Questions?
Call weekdays
9am - 5pm EDT
1-844-MediNatura
(1-844-633-4628)
or email
info@MediNatura.com

Distributed by:
MediNatura
PO Box 717
Southeastern, PA 19389
www.MediNatura.com



Active Ingredients: Each tablet contains:
*Anacardium orientale 6X, Argentum nitricum
8X, *Carbo vegetabilis 12X, *Ipecacuanha
6X, *Iodine 12X, *Robinia pseudoacacia
10X, *Sepia 30X 42.9 mg each.***Natural
Ingredients**

Inactive Ingredients: Lactose, Magnesium
stearate

X is a homeopathic dilution. For more
information, see www.MediNatura.com.

These statements have not been reviewed
by the Food and Drug Administration. They
are supported by traditional homeopathic
principles.

6030356/MN1

NDC 62795-1004-2

BHI
NAUSEA

Nausea Relief Tablets

Relieves:

- Nausea
- Vomiting
- Indigestion

HOMEOPATHIC

100 Tablets

Uses: For the temporary relief of minor nausea, vomiting,
indigestion

Directions: At first sign of symptoms: **Adults and children
4 years and older:** 1 tablet every 1/2 to 1 hour until symptoms
lessen, then continue with standard dosage. Do not exceed 12
tablets in 24 hours. **Standard dosage: Adults and children
4 years and older:** 3 tablets per day, taking 1 tablet every
4 to 6 hours.

For children under 4, consult your health professional.
Allow tablets to dissolve completely in the mouth, do
not swallow.

Warnings: If pregnant or breast-feeding, ask a health
professional before use. Keep out of reach of children. If
symptoms persist or worsen, a health professional should be
consulted. Do not use if known sensitivity to Nausea or any of
its ingredients exists.

Tamper Evident: Use this product only if imprinted shrink seal
around neck and cap is intact.

Store tightly closed at room temperature. Protect from light
and moisture.

Lot#:

Exp:

Uncoated



BHI NAUSEA

semecarpus anacardium juice, silver nitrate, activated charcoal, ipecac, iodine, robinia pseudoacacia bark, and sepia officinalis juice tablet

Product Information

| | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62795-1004 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-----------------------------|-----------|
| SEMECARPUS ANACARDIUM JUICE (UNII: Y0F0BU8RDU) (SEMECARPUS ANACARDIUM JUICE - UNII:Y0F0BU8RDU) | SEMECARPUS ANACARDIUM JUICE | 6 [hp_X] |
| SILVER NITRATE (UNII: 95IT3W8JZE) (SILVER CATION - UNII:57N7B0K90A) | SILVER NITRATE | 8 [hp_X] |
| ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10) | ACTIVATED CHARCOAL | 12 [hp_X] |
| IPECAC (UNII: 62B3C8233L) (IPECAC - UNII:62B3C8233L) | IPECAC | 6 [hp_X] |
| IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) | IODINE | 12 [hp_X] |
| ROBINIA PSEUDOACACIA BARK (UNII: 7TPC058OWY) (ROBINIA PSEUDOACACIA BARK - UNII:7TPC058OWY) | ROBINIA PSEUDOACACIA BARK | 10 [hp_X] |
| SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2) | SEPIA OFFICINALIS JUICE | 30 [hp_X] |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------------|----------|
| LACTOSE (UNII: J2B2A4N98G) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-------|-------|-------|----------|
| Color | white | Score | no score |
|-------|-------|-------|----------|

| | | | | |
|------------------------|--|--|----------------------|--------------------|
| Shape | ROUND | Size | 9mm | |
| Flavor | | Imprint Code | Leafman | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:62795-1004-2 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 01/01/2015 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | | 01/01/2015 | |
| | | | | |

Labeler - MediNatura Inc (079324099)

| | | | |
|----------------------|----------------|---------------|----------------------------|
| Establishment | | | |
| Name | Address | ID/FEI | Business Operations |
| MediNatura Inc | | 102783016 | manufacture(62795-1004) |