

INVISIBLE MINERAL SUNSCREEN FOR FACE- zinc oxide, titanium dioxide lotion

Windskin LLC

Drug Facts

Active ingredients

Titanium dioxide, 2.3%

Zinc oxide, 4.8%

Purpose

Sunscreen

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating:
 - immediately after towel drying
 - at least every 2 hours.
 - children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua/Eau, Caprylic/Capric Triglyceride, Glycerin, Dimethicone, Maltodextrin, Polyester-8, Benzyl Alcohol, Sodium Acrylate/Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydrogenated Lecithin, Glyceryl Caprylate, C15-19 Alkane, Silica, Polyhydroxystearic Acid, Alumina, Stearic Acid, Xanthan Gum, Triethoxycaprylylsilane, Polyglyceryl-6 Laurate, Caprylhydroxamic Acid, Sodium Hydroxide, Carnosine, Polyglycerin-6, Canola Oil Sorbitan Oleate, Caesalpinia Spinosa Fruit Pod Extract, Sorbitan Isostearate, Cistus Monspeliensis Extract Helianthus Annuus (Sunflower) Sprout Extract, Daucus Carota Sativa (Carrot) Root Extract, Daucus Carota Sativa (Carrot) Seed Oil, Beta-Carotene, Helianthus Annuus (Sunflower) Seed Oil, Tocopheryl Acetate

Dist. By: WindSkin, LLC
White Salmon, WA 98672
WWW.WINDSKIN.CO
Made in USA

Principal Display Panel - 50 mL Tube Label

SPF 30

REEF FRIENDLY FORMULA

windskin

**INVISIBLE MINERAL
SUNSCREEN FOR FACE**

BROAD SPECTRUM SPF 30

Sheer Mineral Hydration // UVA & UVB
Protection // Smoothes & Firms // For All
Skin Types // Dermatologist Approved //
Clean // Vegan

1.7 FL OZ | 50 ML

30^{SPF}

REEF FRIENDLY FORMULA

windskin

INVISIBLE MINERAL SUNSCREEN FOR FACE

BROAD SPECTRUM SPF 30

Sheer Mineral Hydration // UVA & UVB
Protection // Smoothes & Firms // For All
Skin Types // Dermatologist Approved //
Clean // Vegan

1.7 FL OZ | 50 ML

windskin
FUELING YOUR ACTIVE
LIFESTYLE, SHIELDING
YOUR SKIN.

Drug Facts

Active ingredients	Purpose
Titanium dioxide, 2.3%	Sunscreen
Zinc oxide, 4.8%	Sunscreen

Uses ■ helps prevent sunburn, ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally and evenly 15 minutes before sun exposure ■ reapply at least every 2 hours ■ use a water-resistant sunscreen if swimming or sweating: ■ immediately after towel drying ■ at least every 2 hours. ■ children under 6 months of age: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses

Other information ■ protect the product in this container from excessive heat and direct sun

Inactive Ingredients Water/Aqua/Eau, Caprylic/Capric Triglyceride, Glycerin, Dimethicone, Maltodextrin, Polyester-8, Benzyl Alcohol, Sodium Acrylate/Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydrogenated Lecithin, Glyceryl Caprylate, C15-19 Alkane, Silica, Polyhydroxystearic Acid, Alumina, Stearic Acid, Xanthan Gum, Triethoxycaprylylsilane, Polyglyceryl-6 Laurate, Caprylhydroxamic Acid, Sodium Hydroxide, Carnosine, Polyglycerin-8, Canola Oil, Sorbitan Oleate, Caesalpinia Spinosa Fruit Pod Extract, Sorbitan Isostearate, Cistus Monspellensis Extract, Helianthus Annuus (Sunflower) Sprout Extract, Daucus Carota Sativa (Carrot) Root Extract, Daucus Carota Sativa (Carrot) Seed Oil, Beta-Carotene, Helianthus Annuus (Sunflower) Seed Oil, Tocopheryl Acetate

Dist. By: WindSkin, LLC
White Salmon, WA 98672
WWW.WINDSKIN.CO
Made in USA



INVISIBLE MINERAL SUNSCREEN FOR FACE

zinc oxide, titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84290-200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	48 mg in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	23 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Glycerin (UNII: PDC6A3C0OX)	
Dimethicone (UNII: 92RU3N3Y1O)	
Maltodextrin (UNII: 7CVR7L4A2D)	
Polyester-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)	
Benzyl Alcohol (UNII: LKG8494WBH)	
Sodium Acrylate/Sodium Acryloyldimethyltaurate Copolymer (4000000 MW) (UNII: 1DXE3F3OZX)	
Hydrogenated Soybean Lecithin (UNII: H1109Z9J4N)	
Glyceryl Monocaprylate (UNII: TM2TZD4G4A)	
C15-19 Alkane (UNII: CI87N1IM01)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)	
Aluminum Oxide (UNII: LMI26O6933)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Xanthan Gum (UNII: TTV12P4NEE)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Polyglyceryl-6 Laurate (UNII: Q48X4BL3TV)	
Caprylhydroxamic Acid (UNII: UPY805K99W)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Caesalpinia Spinosa Fruit Pod (UNII: EXY4496LWD)	
Carnosine (UNII: 8HO6PVN24W)	
Polyglycerin-6 (UNII: M51422LRAM)	
Canola Oil (UNII: 331KBJ17RK)	
Sorbitan Monooleate (UNII: 06XEA2VD56)	
Sorbitan Isostearate (UNII: 01S2G2C1E4)	
Helianthus Annuus Sprout (UNII: 4P26HG1S5W)	
Cistus Monspeliensis Whole (UNII: T2OG06826L)	
Carrot (UNII: L56Z1JK48B)	
Carrot Seed Oil (UNII: 595AO13F11)	
Beta Carotene (UNII: 01YAE03M7J)	
Sunflower Oil (UNII: 3W1JG795YI)	
.Alpha.-Tocopherol Acetate (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84290-200-10	50 mL in 1 TUBE; Type 0: Not a Combination Product	04/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/15/2024	

