THERAFLU DAYTIME SEVERE COLD AND COUGH- acetaminophen, dextromethorphan, phenylephrine powder, for solution Haleon US Holdings LLC

Drug Facts

Active ingredient (in each packet)

Acetaminophen 650 mg

Dextromethorphan HBr 20 mg

Phenylephrine HCl 10 mg

Purposes

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves these symptoms due to a cold:
 - minor aches and pains
 - minor sore throat pain
 - headache
 - nasal and sinus congestion
 - cough due to minor throat and bronchial irritation
- temporarily reduces fever

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor

promptly.

Do not use

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

• taking the blood thinning drug warfarin

When using this product

do not exceed recommended dosage

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not use more than directed

• take every 4 hours, while symptoms persist. Do not take more than 5 packets in 24 hours unless directed by a doctor.

Age	Dose
adults and children 12 years of age and over	one packet
children under 12 years of age	do not use

- dissolve contents of one packet into 8 oz. hot water; sip while hot. Consume entire drink within 10-15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water; stir briskly before and after heating. Do not overheat.

Other information

- each packet contains: potassium 10 mg, sodium 20 mg
- **phenylketonurics:**contains phenylalanine 14 mg per packet
- store at controlled room temperature 20 °-25 °C (68 °-77 °F). Protect product from heat and moisture.

Inactive ingredients

acesulfame potassium, anhydrous citric acid, aspartame, FD&C blue no. 1, FD&C red no. 40, flavors, maltodextrin, silicon dioxide, sodium citrate, sucrose, tribasic calcium phosphate

Questions or comments?

call **1-800-452-0051**

Principal Display

NDC 0067-7917-06

THERAFLU ®

DAYTIME

SEVERE COLD & COUGH

ACETAMINOPHEN - PAIN RELIEVER/FEVER REDUER

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT

PHENYLEPHRINE HCI - NASAL DECONGESTANT

- NASAL CONGESTION
- SORE THROAT PAIN
- COUGH
- HEADACHE
- BODY ACHE

• FEVER

Berry

Infused with Menthol & Green Tea Flavors

6 PACKETS

Theraflu[®] provides powerful relief from your severe cold and flu symptoms.

www.theraflu.com

READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. KEEP CARTON FOR REFERENCE. DO NOT DISCARD.

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

TAMPER EVIDENT INNER UNIT

DO NOT USE IF SEALED THERAFLU ® PACKET IS TORN OR BROKEN

1-800-452-0051

Distributed by:

GSK Consumer Healthcare

Warren, NJ 07059

©2017 GSK group of companies or its licensor. All rights reserved.

Trademarks are owned by or licensed to the GSK group of companies. 6200000010752



THERAFLU DAYTIME SEVERE COLD AND COUGH

acetaminophen, dextromethorphan, phenylephrine powder, for solution

Product Information

ORAL

Item Code (Source)

NDC:0067-7917

Route of Administration

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)	ACETAMINOPHEN	650 mg		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg		

Inactive IngredientsStrengthIngredient NameStrengthACESULFAME POTASSIUM (UNII: 230V73Q5G9)ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)ASPARTAME (UNII: Z0H242BBR1)FD&C BLUE NO. 1 (UNII: H3R47K3TBD)FD&C RED NO. 40 (UNII: WZB9127XOA)MALTODEXTRIN (UNII: 7CVR7L4A2D)SILICON DIOXIDE (UNII: ETJ7Z6XBU4)SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)SUCROSE (UNII: C151H8M554)TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0067-7917- 06	6 in 1 CARTON	09/24/2012	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/24/2012	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 1/2024