

**COPPERTONE KIDS SPORT SUNSCREEN SPF 100- avobenzene 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% spray
Beiersdorf Inc**

Kids Sport Spray SPF 100

Drug Facts

Active ingredients

Avobenzene 3%, Homosalate 15%, Octinoxate 2%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused the the sun

Warnings

For external use only

Flammable:Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply

- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients

SD alcohol 40-B (53.2% v/v), acrylates/octylacrylamide copolymer, ethylhexyl methoxycrylene, isohexadecane, isododecane, glycerin, C13-15 alkane, PEG-2 cocamine, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance

Questions

1-866-288-3330

#1 Pediatrician Recommended Brand

Coppertone® Sunscreen Spray

kids Sport

High Performance for Active Play 100

Free of PABA, parabens and dyes

Water Resistant (80 Minutes)

Broad Specturm SPF 100

Net Wt 5.5 OZ (156 g)



#1 PEDIATRICIAN RECOMMENDED BRAND

Coppertone
SUNSCREEN SPRAY

kids[®] SPORT

High Performance for Active Play **100**

FREE OF PABA, parabens and dyes

WATER RESISTANT (80 MINUTES)
BROAD SPECTRUM SPF 100

NET WT 5.5 OZ (156 g)

Coppertone Kids[®] Sport Continuous Spray is specially developed for active kids. The broad spectrum UVA/UVB protection spray provides quick, even coverage that stays on strong when you sweat. All from the #1 pediatrician recommended brand in a formula that is free of PABA, Parabens and Dyes.

Drug Facts

Active ingredients Avobenzone 3%, Homosalate 15%, Octinoxate 2%, Octisalate 5%, Octocrylene 10%, Oxybenzone 6%	Purpose Sunscreen
--	-----------------------------

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Do not use near heat, flame, or while smoking

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- avoid long-term storage above 40°C (104°F)
- may stain or damage some fabrics or surfaces

Inactive ingredients SD alcohol 40-B (53.2% w/v), acrylates/octylacrylamide copolymer, ethylhexyl methoxycrylene, isohehexadecane, isododecane, glycerin, C13-15 alkane, PEG-2 cocamine, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance

Questions? 1-866-288-3330

Beiersdorf
Beiersdorf Inc. Wilton, CT 06897
®=reg. TM. of Beiersdorf AG, Germany ©2020 20006412

COPPERTONE KIDS SPORT SUNSCREEN SPF 100

avobenzone 3%, homosalate 15%, octinoxate 2% octisalate 5%, octocrylene 10%, oxybenzone 6% spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66800-2495
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOHEXADECANE (UNII: 918X1OUF1E)	
ISODODECANE (UNII: A8289P68Y2)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
C13-15 ALKANE (UNII: 114P5I43UJ)	
PEG-3 COCAMINE (UNII: KTM00873VC)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FRAGRANCE FLORAL ORC0902236 (UNII: R66Z4YW3X0)	
ACRYLATES CROSSPOLYMER-6 (UNII: 4GXD0Q3OS3)	
OCTYL ACRYLATE (UNII: EJN94319DN)	

Product Characteristics

Color	yellow ((Clear to Pale Yellow))	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66800-2495-5	156 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/08/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/08/2021	

Labeler - Beiersdorf Inc (001177906)