

**MUCINEX CHILDRENS FREEFROM MULTI-SYMPATOM COLD AND STUFFY NOSE-
dextromethorphan hydrobromide, guaifenesin, and phenylephrine
hydrochloride solution
RB Health (US) LLC**

Mucinex® Children's FreeFrom Multi-Symptom Cold & Stuffy Nose

Drug Facts

<i>Active ingredients (in each 5 mL)</i>	<i>Purposes</i>
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent

headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use

Other information

- each 5 mL contains: **sodium 3 mg**
- store at 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients

ammonium glycyrrhizate, anhydrous citric acid, edetate disodium, flavors, glycerin (soy), propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

**Dist. by: RB Health (US)
Parsippany, NJ 07054-0224**

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

Pediatrician Recommended †

DAYTIME

NDC 63824-956-64

Mucinex®
Children's

FREEFROM

MULTI-SYMP TOM
COLD
& STUFFY NOSE

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT
GUAIFENESIN - EXPECTORANT
PHENYLEPHRINE HCl - NASAL DECONGESTANT

FREEFROM
ARTIFICIAL FLAVORS, COLORS, & DYES • ALCOHOL & SUGAR

HONEY
& BERRY NATURAL FLAVOR

AGES
4+ YRS.

4 FL OZ (118 mL)

Tamper evident. Do not use if neckband on bottle cap is broken or missing.

Mucinex[®]
Children's
FREEFROM
 MULTI-SYMPTOM
COLD & STUFFY NOSE

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT
 GUAIFENESIN - EXPECTORANT
 PHENYLEPHRINE HCl - NASAL DECONGESTANT

Pediatrician Recommended[†]



FREEFROM

**MULTI-SYMPTOM
 COLD
 & STUFFY NOSE**

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT
 GUAIFENESIN - EXPECTORANT
 PHENYLEPHRINE HCl - NASAL DECONGESTANT



FREEFROM
 ARTIFICIAL FLAVORS, COLORS, & DYES • ALCOHOL & SUGAR

HONEY
 & BERRY NATURAL FLAVOR



AGES
4+ YRS. 4 FL. OZ. (118 mL)

What this has is just as important as what it doesn't.

Leading Children's OTC Cough & Cold brand* with the effective symptom relief you trust - FREEFROM the unwanted additives:

Caffeine Free • No Artificial Colors, Dyes, or Flavors • Alcohol & Sugar Free • No High Fructose Corn Syrup

POWERFUL SYMPTOM RELIEF

- ✓ Relieves Stuffy Nose
- ✓ Controls Cough
- ✓ Relieves Chest Congestion
- ✓ Thins & Loosens Mucus

DOSING CUP INCLUDED



HONEY
 & BERRY NATURAL FLAVOR

PARENTS:
 Learn about teen medicine abuse

www.StopMedicineAbuse.org

Questions or comments?
 1-866-Mucinex (1-866-682-4639)
 or www.mucinex.com



Drug Facts (continued)

Other information

- each 5 mL contains: sodium 3 mg
- store at 20-25°C (68-77°F)
- do not refrigerate

Inactive ingredients ammonium glycyrrhizate, anhydrous citric acid, edetate disodium, flavors, glycerin (soy), propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions? 1-866-MUCINEX (1-866-682-4639)
 You may also report side effects to this phone number.

*vs Private Label OTC
 †as an OTC brand in the Children's Cough/Cold category
 (AlphaImpactRxProVoice Survey)

Dist. by: RB Health (US)
 Parsippany, NJ 07054-0224
 ©2020 RB Health

010720 3132568 US Patents: www.rb.com/patents
 Keep carton for full information.

Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg..... Cough suppressant
 Guaifenesin 100 mg..... Expectorant
 Phenylephrine HCl 2.5 mg..... Nasal decongestant

Purposes

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help your child get to sleep
 - nasal congestion due to a cold
 - stuffy nose

Warnings

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not give more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years of age	10 mL every 4 hours
children 4 to under 6 years of age	5 mL every 4 hours
children under 4 years of age	do not use



LOT CODE:
 EXP. DATE:
 MADE IN:

3132568



MUCINEX CHILDRENS FREEFROM MULTI-SYMPTOM COLD AND STUFFY NOSE

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-956
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	HONEY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-956-64	1 in 1 CARTON	06/01/2020	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/01/2020	

Labeler - RB Health (US) LLC (081049410)

Revised: 12/2024

RB Health (US) LLC