

CRAMP TABS- acetaminophen, pamabrom, and pyrilamine maleate capsule, coated

JHK DBA American Safety & First Aid

Cramp Tabs

Drug Facts

<i>Active ingredient (In Each Caplet)</i>	<i>Purpose</i>
Acetaminophen 500mg	pain reliever/fever reducer
Pamabrom 25mg	diuretic
Pyrilamine maleate 15 mg	Antihistamine

Use

for the temporary relief of these symptoms associated with menstrual periods:

- headache
- bloating
- cramps
- backache
- muscular aches
- irritability
- water-weight gain

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- if a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over:
 - take 2 caplets with water every 6 hours as needed
 - do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

Other Information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive heat and humidity
- tamper-evident sealed packets
- do not use if packet opened or torn

Inactive Ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions?

1-866-651-3660 Monday-Friday
8:00am-5:00pm EST

PRINCIPAL DISPLAY PANEL - 2 Capsule Packet Box

This product is not manufactured or distributed by
Chattanooga Medicine Company
Owner of the registered trademark Pamprin®.

Product #1472

Cramp Tabs

Pain Reliever/Fever Reducer
Diuretic, Antihistamine

Active ingredient:

Acetaminophen
Pamabrom,
Pyrilamine maleate

- Helps relieve minor aches, pains and water retention associated with the menstrual period

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2021 standards. They are sealed in tamper-evident packets for safety and convenience.

80 Caplets • 2 Caplets Per Packet

This product is not manufactured or distributed by Chattanooga Medicine Company Owner of the registered trademark Pamprin®.

Product #1472



Cramp Tabs

Active ingredient:
Acetaminophen
Pamabrom,
Pyrilamine maleate

Pain Reliever/Fever Reducer
Diuretic, Antihistamine

- Helps relieve minor aches, pains and water retention associated with the menstrual period

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2021 standards. They are sealed in tamper-evident packets for safety and convenience.

80 Caplets • 2 Caplets Per Packet

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed • adults and children 12 years and over: take 2 caplets with water every 6 hours as needed • do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

Other Information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) • avoid excessive heat and humidity
- tamper-evident sealed packets • do not use if packet opened or torn

Inactive Ingredients corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions? 1-866-651-3660 Monday-Friday 8:00am-5:00pm EST

Manufactured for
American Safety & First Aid
Osceola, IN 46561

Pain Reliever/Fever Reducer
Diuretic, Antihistamine

Cramp Tabs



Product #1472

80 Caplets • 2 Caplets Per Packet

Drug Facts

Active ingredient (in Each Caplet)	Purpose
Acetaminophen 500mg	pain reliever/fever reducer
Pamabrom 25mg	diuretic
Pyrilamine maleate 15 mg	Antihistamine

Use for the temporary relief of these symptoms associated with menstrual periods: • headache • bloating • cramps • backache • muscular aches • irritability • water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 4,000 mg of acetaminophen in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product


Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash • if a skin reaction occurs, stop use and seek medical help right away.

Do not use • with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you have ever had an



Cramp Tabs

Pain Reliever/Fever Reducer
Diuretic, Antihistamine



CRAMP TABS

acetaminophen, pamabrom, and pyrilamine maleate capsule, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73598-1472
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	PURPLE	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	44;679
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73598-1472-1	40 in 1 BOX	06/26/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M027	06/26/2024	

Labeler - JHK DBA American Safety & First Aid (867236309)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, INC		832867837	MANUFACTURE(73598-1472)

Revised: 10/2024

JHK DBA American Safety & First Aid