

**ANALGESIC DR. COLLADO- menthol, methyl salicylate ointment**  
**Laboratorios Dr. Collado, S.A**

-----  
**Analgesic Ointment Dr. Collado Menthol**

***Drug Facts***

***Active ingredients***

Menthol 12.5%

Methyl Salicylate 12.5%

***Purpose***

External Analgesic

***Use***

For the temporary relief of minor aches and pains of muscles and joints.

***Warnings***

**For external use only.**

**Do not use**

- on wounds or damaged skin
- otherwise than as directed

**When using this product**

- avoid contact with eyes
- do not bandage tightly

**Stop use and ask a doctor if**

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

Adults and children 3 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 3 years of age: Do not use, consult a doctor.

***Other information***

- Store in a clean dry place at temperatures less than 86°F (30°C).

***Inactive ingredients***

Petrolatum Jelly, Lanolin, Paraffin.

***Questions or Comments?***

+1 809-338-7361

**Package Labeling:**

# ANALGESIC OINTMENT DR. COLLADO®

POMADA ANALGÉSICA

External Use / Uso Externo

**FAST RELIEF / ALIVIO RÁPIDO**

Menthol 12.5% • Methyl Salicylate 12.5%



NET WT. / PESO NETO 8 OZ (227 G)

## Drug Facts / Información del Medicamento

Active ingredients / Ingredientes activos	Purpose / Finalidad
Menthol / Mientol 12.5% Methyl Salicylate / Salicilato de Metilo 12.5%	External Analgesic / Analgésico Externo

### Use / Uso

For the temporary relief of minor aches and pains of muscles and joints. / Para el alivio temporal de pequeños dolores musculares y articulares.

### Warnings / Advertencias

For external use only. / Para uso externo solamente.

#### Do not use / No usar

- on wounds or damaged skin / en heridas o piel lesionada
- otherwise than as directed / de otro modo que no sea el indicado

#### When using this product / Cuando use este producto

- avoid contact with eyes / evite el contacto con los ojos
- do not bandage tightly / no vendar demasiado apretado

#### Stop use and ask a doctor if / Deje de usarlo y consulte a un médico

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. / si la condición empeora, o si los síntomas persisten durante más de 7 días o desaparecen y vuelven a aparecer a los pocos días.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. / Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto con el Centro de Control de Envenenamientos inmediatamente.

### Directions / Modo de uso

Adults and children 3 years of age and older. Apply to affected area not more than 3 to 4 times daily. Children under 3 years of age: Do not use, consult a doctor. / Adultos y niños mayores de 3 años: aplicar en el área afectada no más de 3 a 4 veces al día. Niños menores de 3 años: No lo utilice, consulte a su médico.

### Other information / Otra información

- Store in a clean dry place at temperatures less than 86°F (30°C). / Almacene en un lugar limpio y seco a temperaturas inferiores a 30°C (86°F).

### Inactive ingredients / Ingredientes inactivos

Petrolatum Jelly, Lanolin, Paraffin, Vaseline Solida, Lanolina, Parafina.

### Questions or Comments? / Preguntas o Comentarios?

+1 809-338-7361

**MANUFACTURED AND  
DISTRIBUTED BY: / ELABORADO  
Y DISTRIBUIDO POR:**  
LABORATORIOS DR. COLLADO, S.A.  
SANTO DOMINGO 10701  
DOMINICAN REPUBLIC  
**PRODUCT OF THE DOMINICAN  
REPUBLIC / PRODUCTO DE LA  
REPÚBLICA DOMINICANA**



**ANALGESIC DR. COLLADO**  
menthol, methyl salicylate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:42333-001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	125 mg in 1 g
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	125 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:42333-001-01	227 g in 1 BOTTLE; Type 0: Not a Combination Product	02/02/2024	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	02/02/2024	

**Labeler** - Laboratorios Dr. Collado, S.A (817468001)

Revised: 1/2026

Laboratorios Dr. Collado, S.A