

WALGREENS NIGHTTIME KIDS HONEY COLD COUGH CONGESTION- doxylamine succinate, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid
WALGREENS CO

Walgreens Nighttime Kids Cold & Cough + Congestion

Drug Facts

Active ingredients (in each 15 mL)

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

Phenylephrine HCl 5 mg

Purpose

Cough suppressant

Antihistamine

Nasal decongestant

Uses

temporarily relieves common cold symptoms:

- nasal congestion
- sinus congestion & pressure
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- **do not use more than directed.**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or occur with a fever
- cough persists for more than 7 days, comes back or occurs with a fever, rash or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- take only as directed
- only use dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	do not use unless directed by a doctor

children under 4 yrs

do not use

Other information

- **each 15 mL contains:** sodium 12 mg
- store at room temperature

Inactive ingredients

Anhydrous citric acid, carboxymethylcellulose sodium, disodium edetate, D&C Yellow No. 10, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 6, flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, , xanthan gum

Questions?

1-866-467-2748

Distributed by:

PRINCIPAL DISPLAY PANEL - 236 ml Bottle Label

Compare to the active ingredients in Kids **Vicks**[®] NyQuil[™] Honey Cold & Cough + Congestion*

NDC 0363-6248-08

Nighttime

Kid's

Cold & Cough + Congestion

Doxylamine Succinate, Phenylephrine HCl, Dextromethorphan HBr

- Sneezing, Runny Nose
- Nasal Congestion
- Cough

No Added Alcohol & Acetaminophen Free

Honey Flavor

Naturally and Artificially Flavored

8 FL OZ (236 mL)

*This Product is not manufactured or distributed by Procter & Gamble, the distributor of Kids **Vicks**[®] NyQuil[™] Honey Cold & Cough + Congestion.

FRONT
6.75" Width

3.25" Height

WARNING: Do not use if printed shrink band is missing or broken

Drug Facts

Active Ingredients (in each 15 mL)	Purpose
Doxylamine succinate 16.70 mg	Dough suppressant
Dextromethorphan HBr 6.25 mg	Antitussive
Phenylephrine HCl 5 mg	Nasal decongestant

Uses Temporarily relieves common cold symptoms:

- nasal congestion
- cold, cough, and sneeze
- cough due to minor throat & bronchial irritation
- cough to help you sleep
- runny nose & sneezing
- reduces swelling of nasal passages
- temporarily relieves throat irritation through the nose
- prevents nasal and sinus drainage

Warnings

Do not use:

- If you are now taking a prescription medicine called mifepristone (MIFEPRI) (used as a drug for the abortion, postpartum, or menstrual control), or if you have a history of heart disease, or if you are pregnant or breastfeeding. If you are pregnant or breastfeeding, ask your doctor before taking this product.
- If you are now taking a prescription medicine called mifepristone (MIFEPRI) (used as a drug for the abortion, postpartum, or menstrual control), or if you have a history of heart disease, or if you are pregnant or breastfeeding. If you are pregnant or breastfeeding, ask your doctor before taking this product.
- To make a child sleepy.

Walgreens® Honey Cold, Cough & Congestion is a combination of Doxylamine Succinate, Phenylephrine HCl, and Dextromethorphan HBr. © 2013 Walgreen Co. All rights reserved. See back panel for additional information. This product has a tamper-resistant seal. If you see a broken seal, do not use the product.



Compare to the active ingredients in Vicks® VapoGel™ Kids Honey Cold & Cough - Congestion

NIGHTTIME
Children's Cold, Cough & Congestion

DOXYLAMINE SUCCINATE / ANTITUSSIVE
PHENYLEPHRINE HCl / NASAL DECONGESTANT
DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT

Acetaminophen Free

+ Honey

Sneezing, runny nose, nasal congestion & cough

8 FL OZ (236 mL)

Honey naturally or artificially flavored

Drug Facts (continued)

Ask a doctor before use if you have: heart disease, high blood pressure, thyroid disease, diabetes, glaucoma, or if you are taking a drug to help you sleep, especially if you are taking a drug to help you sleep with an anti-depressant, anti-anxiety, or sedative drug. Tell your doctor about all the drugs you are taking, including over-the-counter drugs.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product: Do not use more than directed. Avoid use for long periods, especially in children. Masked symptoms may occur. Avoid alcohol, drinks, and hot liquids may increase drowsiness. Avoid alcoholic drinks. Be careful when driving a motor vehicle or operating machinery.

Stop use and ask a doctor if: you get nervous, dizzy or sleepy; symptoms do not improve within 7 days or occur with a fever; cough persists for more than 7 days; comes back or occurs with a fever, rash, or persistent headache. These could be signs of a serious condition.

THIS PRODUCT IS MANUFACTURED BY WALGREEN CO., 200 WALWORTH RD., DEERFIELD, IL 60015. 30% SATISFACTION GUARANTEE. walgreen.com ©2013 Walgreen Co. WALGREEN COMPANY
NDC 0363-6248-1



ITEM NUMBER: W10017-0025-4



PEEL BACK HERE FOR DRUG FACTS

BACK
6.75" Width

3.25" Height

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-522-1222.

Directions

- Use only as directed. Do not use this dose unless prescribed.
- Do not exceed 4 doses per 24 hrs.

Age Group	Dose
adults & children 18 yrs & over	30 mL every 4 hrs
child 12 to under 18 yrs	15 mL every 4 hrs
child 6 to under 12 yrs	do not use unless directed by a doctor
child 4 to under 6 yrs	do not use
child under 4 yrs	do not use

Other information

- each 15 mL contains: sodium 12 mg
- store at room temperature

Inactive ingredients: anhydrous citric acid, carboxymethyl cellulose sodium, FD&C Yellow No. 10, disodium edetate, FD&C Green No. 3, FD&C Red No. 40, FD&C Yellow No. 5, flavor, glycerin, propyl galate, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum.

Questions or comments? 1-896-467-2748

WALGREENS NIGHTTIME KIDS HONEY COLD COUGH CONGESTION

doxylamine succinate, phenylephrine hydrochloride and dextromethorphan hydrobromide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6248
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL

DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg in 15 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor	HONEY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6248-08	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2023	

Labeler - WALGREENS CO (008965063)