

**PAIN RELIEVING- lidocaine patch**  
**UNIAID Health Management (Suzhou) Co.,Ltd**

-----  
**PAIN RELIEVING GEL-PATCHES**

**DRUG FACTS**

**Active ingredient**

Lidocaine 4.0%

**Purpose**

Topical anesthetic

**Use**

For temporary relief of pain

**WARNINGS**

For external use only

**Do not use**

- more than 1 patch at a time
- with a heating pad
- on wounds or damaged skin
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with the eyes, mucous membranes or rashes

**Stop use and ask a doctor if**

- symptoms persist for more than 7 days
- conditions worsen
- symptoms clear up and occur again within a few days
- localized skin reactions, such as rash, itching, redness, pain, swelling and blistering develop

**If pregnant or breast feeding,**

ask a health professional before use

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

### **Adults and children 12 years of age and over:**

- clean and dry affected area
- apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- remove film from patch and apply to the skin

### **Children under 12 years of age: consult a doctor**

## **OTHER INFORMATION**

- Store in a clean, dry place outside of direct sunlight, Protect product from excessive moisture


## **INACTIVE INGREDIENT**

Dihydroxyaluminum Aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Povidone K90, Propylene Glycol, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

## **QUESTIONS?**

**1-626-839-9001**

## **Package Labeling:**



19x15x1.8cm 350G

## PAIN RELIEVING

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82865-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>DIHYDROXYALUMINUM AMINOACETATE</b> (UNII: DO250MG0W6)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX25C1OH)	

<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82865-002-01	6 in 1 BOX	05/01/2022	02/14/2026
1		1 in 1 BAG		
1		12 g in 1 PATCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/01/2022	02/14/2026

**Labeler** - UNIAID Health Management (Suzhou) Co.,Ltd (412839778)

Revised: 11/2023

UNIAID Health Management (Suzhou) Co.,Ltd