

**CARPE ANTIPERSPIRANT UNDERARM- aluminum sesquichlorohydrate lotion  
Cosco International, Inc.**

-----  
**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
Aluminum Sesquichlorohydrate 15% .....	Anti-perspirant
Anti-perspirant	

**Use**

- Reduces underarm perspiration

**Warnings**

**For external use only**

**Do not use**

- on broken or irritated skin

**Stop use and ask a doctor if**

- rash or irritation occurs

**Ask doctor before use if**

- you have kidney disease

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- Apply to underarms only
- Rotate knob to dispense product and rub in vigorously
- For best results, apply every night before bed and an additional two times per day for at least four weeks

**☐ Inactive Ingredients**

Water, Glyceryl Stearate SE, Silica, Silica Silylate, Glycerin, Dimethicone, Ethylhexyl Palmitate, Cetyl Alcohol, Cetostearyl Alcohol, Isopropyl Myristate, Eucalyptus Oil, Phenoxyethanol, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Sodium Hydroxide

**Questions?**

Call 888-621-0135

# carpe

## ANTIPERSPIRANT UNDERARM LOTION

**APPLY BEFORE BED**  
FOR MAXIMUM RESULTS



**CONSISTENT USE**  
LEADS TO BEST EFFICACY  
**1.69 FL OZ (50 ML)**

### Drug Facts

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Antiperspirant

#### Use

- Reduces underarm perspiration

#### Warnings

##### For external use only

**Do not use**

- on broken or irritated skin

**Stop use and ask a doctor if**

- rash or irritation occurs

**Ask doctor before use if**

- you have kidney disease

##### Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

#### Directions

- Apply to underarms only
- Rotate knob to dispense product and rub in vigorously
- For best results, apply every night before bed and an additional two times per day for at least four weeks

**Inactive Ingredients** Water, Glycerol Stearate SE, Silica, Silica Silylate, Glycerin, Dimethicone, Ethylhexyl Palmitate, Cetyl Alcohol, Cetearyl Alcohol, Isopropyl Myristate, Escalypal OI, Phenoxyethanol, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Sodium Hydroxide

**Questions?** Call 888-621-0135



X003P33HH

Distributed by: Carpe  
Pharmaceuticals, Inc.  
Mixed & Filled in: USA  
NDC 62261-4721-1



carpe

**GET DRY, STAY DRY**

From your face to your feet, life can get sweaty. Stay dry with our sweat-stopping products no matter where, no matter why, and no matter how much you sweat. We deliver science-backed solutions that work.

**FIND YOUR SCENT**

Did you know our extremely effective underarm antiperspirant is available in a full range of scent options? Find them at [mycarpe.com/underarm](http://mycarpe.com/underarm)

**WE'D LOVE TO HEAR FROM YOU**

If Carpe has helped you stay dry, we'd love to hear about it. We all sweat (some of us more than others), and we're all in this together. Follow us and reach out any time with questions, comments, or to just chat sweat: [help@mycarpe.com](mailto:help@mycarpe.com).

  
**@mycarpe**  
[mycarpe.com](http://mycarpe.com)

**ANTIPERSPIRANT  
UNDERARM  
LOTION**

**APPLY BEFORE BED  
FOR MAXIMUM RESULTS**

1.69 FL OZ (50 ML)



**HOW TO USE**

Carpe works best as a daily regimen. Apply every morning and every night before bed – nightly application is critical.

**STEP 1**

Ensure that underarms are dry.

**STEP 2**

Rotate the applicator knob until a layer of Carpe emerges.

**STEP 3**

Rub applicator firmly into underarms.

Efficacy increases with regular use. If desired, apply your regular deodorant in the morning, after applying Carpe.

**Drug Facts**

Active Ingredient	Purpose
Aluminum Sesquichlorohydrate (15%)	Antiperspirant

**Use**  
• Reduces underarm perspiration

**Warnings**  
*For external use only*

**Do not use**  
• on broken or irritated skin

**Stop use and ask a doctor if**  
• rash or irritation occurs

**Ask doctor before use if**  
• you have kidney disease

**Keep out of reach of children**  
• If swallowed, get medical help or contact a Poison Control Center right away

**Directions**  
• Apply to underarms only  
• Rotate knob to dispense product and rub in vigorously  
• For best results, apply every night before bed and again every morning

**Inactive Ingredients** Water, Glyceryl Stearate SE, Silica, Silica Silylate, Glycerin, Dimethicone, Ethylhexyl Palmitate, Cetyl Alcohol, Cetearyl Alcohol, Isopropyl Myristate, Eucalyptus Oil, Phenoxethanol, Hydroxypropyl Methylcellulose, Ethylhexylglycerin, Sodium Hydroxide

**Questions?** Call 888-621-0135

Distributed by: Carpe Durham, NC 27701 Filled in USA  
Questions: Call 888-621-0135 [help@mycarpe.com](mailto:help@mycarpe.com)

Note: Tamper-resistant foil seal should be present on stick

NDC: 52261-4721-0



Carpe Underarm Antiperspirant...  
New

aluminum sesquichlorohydrate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52261-4721
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Aluminum Sesquichlorohydrate</b> (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	Aluminum Sesquichlorohydrate	0.15 kg in 1 kg

### Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXAMETHYLDISILAZANE</b> (UNII: H36C68P1BH)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>dimethicone 350</b> (UNII: 2Y53S6ATLU)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>HYPROMELLOSE 2208 (100000 MPA.S)</b> (UNII: VM7F0B23ZI)	
<b>ethylhexylglycerin</b> (UNII: 147D247K3P)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52261-4721-0	1 in 1 CARTON	08/01/2023	
1	NDC:52261-4721-1	0.0575 kg in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	08/01/2023	

**Labeler** - Cosco International, Inc. (016433141)

---

**Registrant** - Cosco International, Inc. (016433141)**Establishment**

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(52261-4721) , label(52261-4721) , pack(52261-4721)

Revised: 2/2025

Cosco International, Inc.