

TRAVEL EASE- meclizine hcl tablet, chewable
Chain Drug Marketing Association, Inc.

Quality Choice 44-404A

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 83324-027-16

**QC[®]
QUALITY
CHOICE**

*Compare to the
Active Ingredient in
Bonine[®] Chewable Tablets

Travel Ease

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Helps Prevent Nausea, Vomiting and Dizziness
Due to Motion Sickness for up to 24 Hours

**Chew or crush tablets
completely before swallowing.**

Raspberry Flavored

16 Tablets (25 mg each)

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF

BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

• *SATISFACTION*

100%

QC®

GUARANTEED •

Distributed by CDMA, Inc.

Novi, MI 48375

www.qualitychoice.com

Questions: 800-935-2362

*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.

50844 ORG082340421

NDC 83324-027-16



Travel Ease

Ages 12 Years and Over

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Helps Prevent Nausea, Vomiting and Dizziness
Due to Motion Sickness for up to 24 Hours

NDC 83324-027-16



*Compare to the
Active Ingredient in
Bonine® Chewable Tablets

Travel Ease

Meclizine HCl 25 mg Chewable Tablets | Antiemetic

Helps Prevent Nausea, Vomiting and Dizziness
Due to Motion Sickness for up to 24 Hours

Chew or crush tablets
completely before swallowing.

Raspberry Flavored



16 Tablets (25 mg each)

Actual Size

LEBG296G4
(E1042)

*This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.
50844 ORG082340421

Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362



B-0220-404A-21
ORG082340421

Questions or comments? 1-800-426-9391

Inactive ingredients colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, polyethylene glycol, saccharin sodium, silicon dioxide

■ see end flap for expiration date and lot number
■ protect from heat and humidity
■ 15°-30°C (59°-86°F)
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Other information
■ TAMPER EVIDENT; DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTER IS TORN OR BROKEN

Directions ■ do not take more than directed
■ do sage should be taken one hour before travel starts
■ chew or crush tablets completely before swallowing;
do not swallow tablets whole
■ adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Purpose
Meclizine HCl 25 mg
Antiemetic

Warnings
Do not use for children under 12 years of age unless directed by a doctor.

■ Ask a doctor before use if you have difficulty in urination due to enlargement of the prostate gland ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis

■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery

■ If pregnant or breast-feeding, ask a health professional before use.


Uses for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Active ingredient
(in each chewable tablet)
Meclizine HCl 25 mg
Antiemetic

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print/No varnish
Lot & Exp date





Quality choice 44-404A

TRAVEL EASE
meclizine hcl tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-027
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-027-16	2 in 1 CARTON	03/27/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	03/27/2024	

Labeler - Chain Drug Marketing Association, Inc. (011920774)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(83324-027) , pack(83324-027)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(83324-027)

Revised: 3/2025

Chain Drug Marketing Association, Inc.