

**BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIEVER-
acetaminophen suspension
BETTER LIVING BRANDS LLC**

Better Living Brands Children's Fever + Pain Reliever

Active ingredient (per 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/Fever reducer

Uses

Temporarily:

- reduces fever
- relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if the child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- new symptoms occur
- pain gets worse or lasts more than 3 days
- fever gets worse or lasts more than 5 days
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose(overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **This product does not contain directions or complete warnings for adult use**
- Do not give more than directed (see overdose warning).
- **Shake well before using**
- Find right dose on chart below. (If possible, use weight to determine dosing; otherwise, use age.)
- Pour liquid into dosing cup to the appropriate amount for your child’s weight and/or age.
- Only use with enclosed dosing cup.
- If needed, repeat dose every 4 hours while symptoms last.
- Do not give more than 5 times in any 24-hour period (see overdose warning).
- Do not give more than 5 days unless directed by a doctor.
- Replace cap tightly to maintain child resistance.

| Weight (lbs) | Age (yrs) | Dose |
|---------------------|------------------|--------------|
| under 24 | under 2 | Ask a doctor |
| 24-35 | 2- under 4 | 5 mL |
| 36-47 | 4- under 6 | 7.5 mL |

| | | |
|-------|--------------|---------|
| 48-59 | 6- under 9 | 10 mL |
| 60-71 | 9- under 11 | 12.5 mL |
| 72-95 | 11- under 12 | 15 mL |

Other information

- Store at room temperature
- Check expiration date on bottle or box before using
- **DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

Inactive ingredients

citric acid, glycerin, natural flavor, potassium sorbate, povidone, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

NDC 21130-746-04

Compare to the active ingredient in Little Remedies® Children's Fever + Pain Reliever*

Children's Fever + Pain Reliever

ACETAMINOPHEN 160 mg/ 5mL

PAIN RELIEVER AND FEVER REDUCER

- PARABEN FREE
- DYE FREE
- NO ARTIFICIAL COLOR
- NO ASPIRIN OR LBUPROFEN
- NO HIGH FRUCTOSE CORN SYRUP

For Age 2-11

NATURAL GRAPE FLAVOR

4 FL. OZ. (118 mL)

DISTRIBUTED BY:

LUCERNE NORTH AMERICA LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

1-866-578-4935

Keep this carton for future reference on full labeling.

*This product is not manufactured or distributed by Prestige Consumer trademark Little

Remedies® Children's Fever + Pain Reliever.



| BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIEVER | | | |
|--|----------------|--------------------|---------------|
| acetaminophen suspension | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:21130-746 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 160 mg in 5 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) | |
| SORBITOL (UNII: 506T60A25R) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |

Product Characteristics

| Color | Score |
|--------|--------------|
| Shape | Size |
| Flavor | Imprint Code |
| | |
| GRAPE | |
| | |
| | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:21130-746-04 | 1 in 1 CARTON | 04/02/2019 | |
| 1 | | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 04/02/2019 | |

Labeler - BETTER LIVING BRANDS LLC (009137209)