

**BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIEVER-
acetaminophen suspension
BETTER LIVING BRANDS LLC**

Better Living Brands Children's Fever + Pain Reliever

Active ingredient (per 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/Fever reducer

Uses

Temporarily:

- reduces fever
- relieves minor aches and pains which may be associated with the common cold, flu, headache, sore throat or toothache.

Warnings

Liver warning:This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert:Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning:If sore throat is severe, persists for more than 2 days, or is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease

Ask a doctor or pharmacist before use if the child is

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- new symptoms occur
- pain gets worse or lasts more than 3 days
- fever gets worse or lasts more than 5 days
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) can cause serious liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **This product does not contain directions or complete warnings for adult use**
- Do not give more than directed (see overdose warning).
- **Shake well before using**
- Find right dose on chart below. (If possible, use weight to determine dosing; otherwise, use age.)
- Pour liquid into dosing cup to the appropriate amount for your child's weight and/or age.
- Only use with enclosed dosing cup.
- If needed, repeat dose every 4 hours while symptoms last.
- Do not give more than 5 times in any 24-hour period (see overdose warning).
- Do not give more than 5 days unless directed by a doctor.
- Replace cap tightly to maintain child resistance.

Weight (lbs)	Age (yrs)	Dose
under 24	under 2	Ask a doctor
24-35	2- under 4	5 mL
36-47	4- under 6	7.5 mL
48-59	6- under 9	10 mL
60-71	9- under 11	12.5 mL
72-95	11- under 12	15 mL

Other information

- Store at room temperature
- Check expiration date on bottle or box before using
- **DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

Inactive ingredients

citric acid, glycerin, natural flavor, potassium sorbate, povidone, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

NDC 21130-746-04

Compare to the active ingredient in Little Remedies[®] Children's Fever + Pain Reliever*

Children's Fever + Pain Reliever

ACETAMINOPHEN 160 mg/ 5mL

PAIN RELIEVER AND FEVER REDUCER

- PARABEN FREE
- DYE FREE
- NO ARTIFICIAL COLOR
- NO ASPIRIN OR LBUPROFEN
- NO HIGH FRUCTOSE CORN SYRUP

For Age 2-11

NATURAL GRAPE FLAVOR

4 FL. OZ. (118 mL)

DISTRIBUTED BY:

LUCERNE NORTH AMERICA LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

1-866-578-4935

Keep this carton for future reference on full labeling.

*This product is not manufactured or distributed by Prestige Consumer trademark Little Remedies[®] Children's Fever + Pain Reliever.

COATING
FREE AREA

Drug Facts
Active ingredient (per 5mL) Purpose
 Acetaminophen 160 mg.....Pain reliever /
 Fever reducer

Uses ■ Temporarily: ■ reduces fever ■ relieves
 minor aches and pains which may be associated
 with the common cold, flu, headache, sore
 throat or toothache.

Warnings
Liver warning: This product contains
 acetaminophen. Severe liver damage may occur
 if: your child takes ■ more than 5 doses in 24
 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen.
Allergy Alert: Acetaminophen may cause severe
 skin reactions. Symptoms may include: ■ skin
 reddening ■ blisters ■ rash. If skin reaction
 occurs, stop use and seek medical help right
 away.
Sore throat warning: If sore throat is severe,
 persists for more than 2 days, or is
 accompanied or followed by fever, headache,
 rash, nausea or vomiting, consult a doctor
 promptly.

Do not use
 ■ with any other products containing
 acetaminophen (prescription or non-prescrip-
 tion). If you are not sure whether a drug
 contains acetaminophen, ask a doctor or
 pharmacist.
 ■ if your child is allergic to acetaminophen or
 any of the inactive ingredients in this product.

**Ask a doctor before use if the child has liver
 disease.**

**Ask a doctor or pharmacist before use if the
 child is taking the blood thinning drug warfarin.**

**When using this product do not exceed
 recommended dose (see overdose warning).**

**Stop use and ask a doctor if ■ new symptoms
 occur ■ fever gets worse or lasts more than 3
 days ■ pain gets worse or lasts more than 5
 days ■ redness or swelling is present**
 These could be signs of a serious condition.

Keep out of reach of children.
Overdose Warning: Taking more than the
 recommended dose (overdose) can cause serious
 liver damage. In case of overdose, get medical
 help or contact a Poison Control Center right away
 at 1-800-222-1222. Prompt medical attention is
 critical even if you do not notice any signs or
 symptoms.

81074825

Drug Facts (continued)

Directions
 This product does not contain directions or
 complete warnings for adult use.
 ■ Do not give more than directed (see overdose
 warning).
 ■ Shake well before using.
 ■ Find the right dose on the chart below.
 (If possible, use weight to determine dosing;
 otherwise, use age.)
 ■ Pour liquid into dosing cup to the appropriate
 amount for your child's weight and/or age.
 ■ Only use with enclosed dosing cup.
 ■ If needed, repeat dose every 4 hours while
 symptoms last.
 ■ Do not give more than 5 times in any 24-hour
 period (see overdose warning).
 ■ Do not give for more than 5 days unless
 directed by a doctor.
 ■ Replace cap tightly to maintain child resistance.

Weight (lbs)	Age (yrs)	Dose
Under 24	under 2	Ask a doctor
24-35	2 - under 4	5 mL
36-47	4 - under 6	7.5 mL
48 - 59	6 - under 9	10 mL
60 - 71	9 - under 11	12.5 mL
72 - 95	11 - under 12	15 mL

Other information
 ■ store at room temperature
 ■ check expiration date on bottle or box before
 using
 ■ DO NOT USE IF PRINTED SEAL UNDER CAP
 IS BROKEN OR MISSING

Inactive ingredients citric acid, glycerin,
 natural flavor, potassium sorbate, povidone,
 propylene glycol, purified water, sodium benzoate,
 sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments? 1-866-467-2748



CHILDREN'S
**FEVER+PAIN
 RELIEVER**
 ACETAMINOPHEN 160 mg / 5mL
 PAIN RELIEVER AND FEVER REDUCER

NDC 21130-746-04

OPEN NATURE

CHILDREN'S
 FOR AGES 2-11
**FEVER+PAIN
 RELIEVER**
 ACETAMINOPHEN 160 mg / 5mL
 PAIN RELIEVER AND FEVER REDUCER

NATURAL GRAPE FLAVOR

• PARABEN FREE
 • DYE FREE

NO ARTIFICIAL COLOR
 NO ASPIRIN OR IBUPROFEN
 NO HIGH FRUCTOSE CORN SYRUP

4 FL OZ (118 mL)

RD 19127 746040NFC S5226

3 79893 12047 9

Lot:
 Exp:

COATING
 FREE AREA

NDC 21130-746-04

OPEN NATURE

CHILDREN'S
 FOR AGES 2-11
**FEVER+PAIN
 RELIEVER**
 ACETAMINOPHEN 160 mg / 5mL
 PAIN RELIEVER AND FEVER REDUCER

NATURAL GRAPE FLAVOR

• PARABEN FREE
 • DYE FREE

NO ARTIFICIAL COLOR
 NO ASPIRIN OR IBUPROFEN
 NO HIGH FRUCTOSE CORN SYRUP

IMPORTANT:
 Keep this carton for future
 reference on full labeling.

DISTRIBUTED BY LUCERNE NORTH AMERICA LLC
 P.O. BOX 99, PLEASANTON, CA 94566-0099
 1-866-578-4395

BETTER LIVING BRANDS CHILDRENS FEVER AND PAIN RELIEVER			
acetaminophen suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-746
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	160 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-746-04	1 in 1 CARTON	04/02/2019	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M013	04/02/2019		

Labeler - BETTER LIVING BRANDS LLC (009137209)