

**BERKLEY AND JENSEN TUSSIN DM MAX- dextromethorphan hbr,
guaifenesin solution
BJWC**

BJWC TUSSIN DM MAX Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 400 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	20 mL every 4 hours
children under 12 years	do not use

Other information

- **each 20 mL contains:** sodium 13 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

acetic acid, anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

COMPARE TO ROBITUSSIN® MAXIMUM STRENGTH COUGH + CHEST CONGESTION DM
ACTIVE INGREDIENTS

8 FL OZ

berkley jensen®

ADULT • NON-DROWSY

MAXIMUM STRENGTH

TUSSIN DM MAX

DEXTROMETHORPHAN HBr, COUGH SUPPRESSANT

GUAIFENESIN, EXPECTORANT

COUGH & CHEST CONGESTION

CONTROLS COUGH

RELIEVES CHEST CONGESTION

THINS & LOOSENS MUCUS

RASPBERRY & MENTHOL FLAVOR

FOR AGES 12 & OVER

NON-DROWSY

SAME EFFECTIVE COUGH RELIEF*

*COMPARED TO OUR PREVIOUS (10 mL) FORMULA

8 FL OZ (237 mL)



BERKLEY AND JENSEN TUSSIN DM MAX

dextromethorphan hbr, guaifenesin solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:68391-711

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg in 20 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ACETIC ACID (UNII: Q40Q9N063P)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	RED	Score		
Shape		Size		
Flavor	FRUIT	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-711-34	1 in 1 CARTON	09/04/2025	
1	NDC:68391-711-00	237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		09/04/2025	

Labeler - BJWC (159082692)

Revised: 1/2026

BJWC