

BISMUTH- bis muth subsalicylate suspension
MWI Veterinary Supply, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

BISMUTH SUSPENSION

Anti-Diarrheal Liquid

For animal use only.

Keep out of reach of children

FOR ORAL USE ONLY.

SHAKE WELL BEFORE USING.

INDICATIONS:

A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses and dogs.

CONTRAINDICATIONS

Not recommended for use in cats.

CAUTION

This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin.

DOSAGE AND ADMINISTRATION

Administer orally after the first sign of diarrhea and after each loose bowel movement or as needed.

Dogs: 1 to 3 tablespoonfuls

Calves and Foals: 3 to 4 ounces

Cattle and Horses-- 6-10 fl. ozs.

WARNING

This product may cause stools to darken. If diarrhea persists after using this product for 2 days, contact a veterinarian.

COMPOSITION

Bismuth Subsalicylate 1.75%

in a palatable aqueous suspension. Flavoring and coloring added.

STORAGE

Store at room temperature not above 37°C (98.6°F). Protect from freezing.

TAKE TIME OBSERVE LABEL DIRECTIONS

NDC 13985-700-07

Gallon

VET one
Bismuth

Suspension

INDICATIONS: A palatable oral suspension for use as an aid in controlling simple diarrhea in cattle, horses and dogs.

CONTRAINDICATION: Not recommended for use in cats.

CAUTION: This product contains salicylate; do not administer with other salicylate-containing products, such as aspirin.

DOSAGE & ADMINISTRATION: Administer orally after the first sign of diarrhea and after each loose bowel movement or as needed.

Dogs: 1–3 tablespoonfuls
Calves and Foals: 3–4 fl. oz.
Cattle and Horses: 6–10 fl. oz.

WARNING: This product may cause stools to darken. If diarrhea persists after using this product for 2 days, contact a veterinarian.

Anti-Diarrheal Liquid

For animal use only.
Keep out of reach of children.



V1 510045

Net Contents: 1 Gallon (3.785 L)

CONTAINS:

Bismuth Subsalicylate. 1.75%
In a palatable aqueous suspension. Flavoring and coloring added.

FOR ORAL USE ONLY. SHAKE WELL BEFORE USING.

STORAGE: Store at room temperature not above 37°C (98.6°F). Protect from freezing.

TAKE TIME OBSERVE LABEL DIRECTIONS 8-0700-07 Iss. 10-11

Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.vetone.net



LOT NO.:

EXP. DATE:

BISMUTH

bismuth subsalicylate suspension

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-700
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118 YE)	BISMUTH SUBSALICYLATE	66.2 mg in 3.785 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-700-07	3.785 L in 1 JUG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/17/2011	

Labeler - MWI Veterinary Supply, Inc. (019926120)