

POVIDONE IODINE PREP- povidone-iodine swab
Jianerkang Medical Co., Ltd

Povidone Iodine Prep Swabstick

Drug Facts

Active ingredient

Povidone Iodine USP, 10% W/V (equivalent to 1% titratable iodine)

Purpose

Antiseptic

Use

- Health-care antiseptic for preparation of the skin prior to surgery
- First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

Do not

- use in the eyes
- use on individuals who are allergic or sensitive to iodine
- apply over large areas of the body
- use as a first aid antiseptic longer than 1 week unless directed by a doctor.
Discontinue use if irritation and redness develop. Consult a doctor in case of
- deep or puncture wounds
- animal bites
- serious burns.

Stop use and consult a doctor

if the condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery

- clean the affected area remove swab by stick
- apply to the operative site prior to surgery.

For use as a first aid antiseptic

- clean the affected area
- apply a small amount of this product on the area 1-3 times daily
- may be covered with a sterile bandage
- if bandaged,let dry first.

Other information









store at room temperature: 15°—30°C(59°-86°F)

- Avoid excessive heat

Inactive ingredients

citric acid, purified water, sodium hydroxide, Nonoxynol - 10, glycerin

34645-5506-0

 JIANERKANG	REF 300403	NDC:34645-5503-0
<p>POVIDONE IODINE PREP SWABSTICK</p>		
MANUFACTURED BY: JIANERKANG MEDICAL CO., LTD NO 1 JIANERKANG ROAD ZHIXI TOWN, INDUSTRIAL ZONE JINTAN DISTRICT, CHANGZHOU CITY JIANGSU PROVINCE, CHINA WWW.CHINAJEK.COM	 (01)06921865502215	STERILE R  1ea Lot: 20240530 Exp: 20270529
<p>10% Povidone Iodine, USP For Hospital and Professional Use Only Single use only. Sterile unless package is opened or damaged.</p>		
 JIANERKANG	REF 300403	NDC:34645-5503-0
<p>POVIDONE IODINE PREP SWABSTICK</p>		
MANUFACTURED BY: JIANERKANG MEDICAL CO., LTD NO 1 JIANERKANG ROAD ZHIXI TOWN, INDUSTRIAL ZONE JINTAN DISTRICT, CHANGZHOU CITY JIANGSU PROVINCE, CHINA WWW.CHINAJEK.COM	 (01)06921865502215	STERILE R  1ea Lot: 20240530 Exp: 20270529
<p>10% Povidone Iodine, USP For Hospital and Professional Use Only Single use only. Sterile unless package is opened or damaged.</p>		
 JIANERKANG	REF 300403	NDC:34645-5503-0
<p>POVIDONE IODINE PREP SWABSTICK</p>		
<p>10% Povidone Iodine, USP For Hospital and Professional Use Only</p>		
STERILE R 		

Single use only. Sterile unless package is opened or damaged.

MANUFACTURED BY:
JIANERKANG MEDICAL CO., LTD
NO 1 JIANERKANG ROAD ZHIXI TOWN,
INDUSTRIAL ZONE JINTAN DISTRICT,
CHANGZHOU CITY JIANGSU PROVINCE, CHINA
WWW.CHINAJEK.COM



1ea
Lot: 20240530
Exp: 20270529

Drug Facts	
Active ingredient Povidone iodine USP, 10% W/V (equivalent to 1% titratable iodine)	Purpose Antiseptic
Use • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.	
Warnings For external use only. Do not • use in the eyes • use on individuals who are allergic or sensitive to iodine • apply over large areas of the body • use as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of • deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery • clean the affected area • remove swab by stick • apply to the operative site prior to surgery. For use as a first aid antiseptic • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if bandaged, let dry first.	
Other information store at room temperature: 15°—30°C(59°-86°F) • Avoid excessive heat	
Inactive ingredients citric acid, purified water, sodium hydroxide, Nonoxonyl-T0, glycerin	

Drug Facts	
Active ingredient Povidone iodine USP, 10% W/V (equivalent to 1% titratable iodine)	Purpose Antiseptic
Use • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.	
Warnings For external use only. Do not • use in the eyes • use on individuals who are allergic or sensitive to iodine • apply over large areas of the body • use as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of • deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery • clean the affected area • remove swab by stick • apply to the operative site prior to surgery. For use as a first aid antiseptic • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if bandaged, let dry first.	
Other information store at room temperature: 15°—30°C(59°-86°F) • Avoid excessive heat	
Inactive ingredients citric acid, purified water, sodium hydroxide, Nonoxonyl-T0, glycerin	

Drug Facts	
Active ingredient Povidone iodine USP, 10% W/V (equivalent to 1% titratable iodine)	Purpose Antiseptic
Use • Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.	
Warnings For external use only. Do not • use in the eyes • use on individuals who are allergic or sensitive to iodine • apply over large areas of the body • use as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of • deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery • clean the affected area • remove swab by stick • apply to the operative site prior to surgery. For use as a first aid antiseptic • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if bandaged, let dry first.	
Other information store at room temperature: 15°—30°C(59°-86°F) • Avoid excessive heat	
Inactive ingredients citric acid, purified water, sodium hydroxide, Nonoxonyl-T0, glycerin	

34645-5506-1



REF 300404

NDC:34645-5504-0

POVIDONE IODINE PREP SWABSTICK

10% Povidone Iodine, USP
For Hospital and Professional Use Only
Single use only. Sterile unless package is opened or damaged.



MANUFACTURED BY:
 JIANERKANG MEDICAL CO., LTD
 NO 1 JIANERKANG ROAD ZHIXI TOWN,
 INDUSTRIAL ZONE JINTAN DISTRICT,
 CHANGZHOU CITY JIANGSU PROVINCE, CHINA
 WWW.CHINAJEK.COM



3ea

Lot: 20240530
 Exp: 20270529



REF 300404

NDC:34645-5504-0

POVIDONE IODINE PREP SWABSTICK

10% Povidone Iodine, USP
For Hospital and Professional Use Only
 Single use only. Sterile unless package is opened or damaged.

STERILE R



MANUFACTURED BY:
 JIANERKANG MEDICAL CO., LTD
 NO 1 JIANERKANG ROAD ZHIXI TOWN,
 INDUSTRIAL ZONE JINTAN DISTRICT,
 CHANGZHOU CITY JIANGSU PROVINCE, CHINA
 WWW.CHINAJEK.COM



3ea

Lot: 20240530
 Exp: 20270529

Drug Facts	
Active ingredient	Purpose
Povidone Iodine USP, 10% W/V (equivalent to 1% tirable iodine).....	Antiseptic
Use	
• Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.	
Warnings	
For external use only. Do not • use in the eyes • use on individuals who are allergic or sensitive to iodine • apply over large areas of the body • use as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of • deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
For preparation of the skin prior to surgery • clean the affected area • remove swab by stick • apply to the operative site prior to surgery. For use as a first aid antiseptic • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if banded, let dry first.	
Other information	
store at room temperature: 15°–30°C (59°–86°F) • Avoid excessive heat	
Inactive ingredients	
citric acid, purified water, sodium hydroxide, nonoxynol-10, glycerin	

Drug Facts	
Active ingredient	Purpose
Povidone Iodine USP, 10% W/V (equivalent to 1% tirable iodine).....	Antiseptic
Use	
• Health-care antiseptic for preparation of the skin prior to surgery • First aid antiseptic to help prevent the risk of skin infection in minor cuts, scrapes, and burns.	
Warnings	
For external use only. Do not • use in the eyes • use on individuals who are allergic or sensitive to iodine • apply over large areas of the body • use as a first aid antiseptic longer than 1 week unless directed by a doctor. Discontinue use if irritation and redness develop. Consult a doctor in case of • deep or puncture wounds • animal bites • serious burns. Stop use and consult a doctor if the condition persists or gets worse. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
For preparation of the skin prior to surgery • clean the affected area • remove swab by stick • apply to the operative site prior to surgery. For use as a first aid antiseptic • clean the affected area • apply a small amount of this product on the area 1-3 times daily • may be covered with a sterile bandage • if banded, let dry first.	
Other information	

store at room temperature: 15°–30°C(59°–86°F) • Avoid excessive heat

Inactive ingredients

citric acid, purified water, sodium hydroxide, nonoxynol-10, glycerin

POVIDONE IODINE PREP

povidone-iodine swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:34645-5506
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
NONOXYNOL-10 (UNII: K7O76887AP)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34645-5506-0	500 in 1 CARTON	08/01/2019	
1		1 in 1 POUCH		
1		2.5 g in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:34645-5506-1	250 in 1 CARTON	08/01/2019	
2		3 in 1 POUCH		
2		13.5 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/01/2019	

Labeler - Jianerkang Medical Co., Ltd (530968767)

Establishment

Name	Address	ID/FEI	Business Operations
Jianerkang Medical Co., Ltd		530968767	manufacture(34645-5506) , label(34645-5506)

Revised: 9/2024

Jianerkang Medical Co., Ltd