

**FIRST AID TRIPLE ANTIBIOTIC PAIN AND SCAR- bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment**  
**Rite Aid Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Rite Aid Corporation First Aid Triple Antibiotic Pain + Scar Ointment Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

For external use only.

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

**Questions or comments?**

1-800-719-9260

**Package/Label Principal Display Panel**

Compare to the active ingredients of Neosporin® + Pain Itch Scar

first aid

triple antibiotic pain + scar ointment

bacitracin zinc

neomycin sulfate

polymyxin B sulfate

pramoxine HCl

first aid antibiotic/pain relieving ointment

pain – itch – scar ointment – long lasting infection protection

minimizes the appearance of scars

NET WT 0.5 OZ (14 g)

first aid

triple antibiotic pain + scar ointment

bacitracin zinc

neomycin sulfate

polymyxin B sulfate

pramoxine HCl

first aid antibiotic/pain relieving ointment

powerful pain and itch relief for minor cuts, scrapes and burns

NET WT 0.5 OZ (14 g)





first aid

**triple antibiotic pain + scar ointment**

bacitracin zinc • neomycin sulfate • polymyxin B sulfate • pramoxine HCl

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Bacitracin zinc 500 units.....First aid antibiotic</p> <p>Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic</p> <p>Polymyxin B 10,000 units as polymyxin B sulfate.....First aid antibiotic</p> <p>Pramoxine HCl 10 mg.....External analgesic</p>		<p><b>Purpose</b></p>	
<p><b>Uses</b> first aid to help prevent infection and for temporary relief of pain or discomfort in minor:</p> <p>■ cuts ■ scrapes ■ burns</p>		<p><b>Drug Facts (continued)</b></p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> <li>■ you need to use longer than 1 week</li> <li>■ condition persists or gets worse</li> <li>■ symptoms persist for more than 1 week, or clear up and occur again within a few days</li> <li>■ rash or other allergic reaction develops</li> </ul> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	
<p><b>Warnings</b></p> <p>For external use only.</p> <p>Do not use</p> <ul style="list-style-type: none"> <li>■ if you are allergic to any of the ingredients</li> <li>■ in the eyes</li> <li>■ over large areas of the body</li> </ul> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> <li>■ deep or puncture wounds</li> <li>■ animal bites</li> <li>■ serious burns</li> </ul>		<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ adults and children 2 years of age and older:</li> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> <li>■ children under 2 years of age: ask a doctor</li> </ul>	
<p><b>Other information</b> ■ store at 20-25°C (68-77°F)</p>		<p><b>Inactive ingredients</b> cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate</p>	
<p><b>Questions or comments?</b> 1-800-719-9260</p>			



DISTRIBUTED BY: RITE AID  
30 HUNTER LANE  
CAMP HILL, PA 17011

\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

FIRST AID TRIPLE ANTIBIOTIC PAIN AND SCAR			
bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0703
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP.U] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP.U] in 1 g	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
Inactive Ingredients			
Ingredient Name	Strength		
COCOA BUTTER (UNII: 512OYT1CRR)			
OLIVE OIL (UNII: 6UYK2W1W1E)			
PETROLATUM (UNII: 4T6H12BN9U)			

SODIUM PYRUVATE (UNII: POD38AIF08)

COTTONSEED OIL (UNII: H3E878020N)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

### Product Characteristics

<b>Color</b>	YELLOW (Pale)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0703-1	1 in 1 CARTON	03/09/2017	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11822-0703-2	1 in 1 CARTON	01/16/2018	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/09/2017	

**Labeler** - Rite Aid Corporation (014578892)

Revised: 1/2018

Rite Aid Corporation