

CHLOROXIDE B- sodium chlorite concentrate
Dairy Dynamics L.L.C.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

CHLOROXIDE "B"
Concentrated Activator

DIRECTIONS FOR USE

Read Safety Data Sheet (SDS) Before Using This Product!

1-PART CHLORIOXIDE "A' CONCENTRATE ACTIVATOR MUST BE COMBINED AND MIXED THOROUGHLY WITH 1-PART CHLOROXIDE "B" CONCENTRATED BASE AND 15 PARTS OF POTABLE WATER! NEVER MIX CONCENTRATED CHLOROXIDE "A" ACTIVATOR DIRECTLY WITH CONCENTRATED CHLOROXIDE "B" BASE, EACH PART MUST BE MIXED SEPARATELY INTO SPECIFIED AMOUNT OF POTABLE WATER!

PRE-DIPPING: Immediately prior to milking, remove any excessive soils from teat surfaces. Apply mixed CHLOROXIDE with dip cup or sprayer covering entire surface of teat. Allow for minimum of 30 seconds contact time. Wipe each teat with a single service towel to remove teat dip and soil from teat surface.

POST-DIPPING: Immediately after milking use CHLOROXIDE MIXTURE at full strength. Submerge or spray entire teat with CHLOROXIDE solution. Allow to air dry. Do not wipe. Always use fresh, full strength CHLOROXIDE MIXTURE.

If product in dip cup becomes visibly dirty, discard contents and replenish with fresh solution of CHLOROXIDE.

Do not reuse or return used product to the original container. If original container becomes frozen, thaw completely then mix thoroughly before use. May become more viscous in sub-zero temperatures.

PRECAUTIONARY STATEMENTS

WARNING

USE IN WELL VENTILATED AREA!

KEEP OUT OF REACH OF CHILDREN

CAN CAUSE EYE DAMAGE.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Hazardous Materials (or dangerous goods) Incidents ONLY (soil, leak, fire, exposure, accident)

Call CHEMTREC AT 1-800-424-9300

!

NPE

(Nonylphenol Ethoxylate)

FREE

CONCENTRATE

TEAT DIP

CONCENTRATE

Active Ingredients:

Sodium Chlorite 6.6%

TAKE TIME OBSERVE LABEL DIRECTIONS

HEALTH 1

FLAMMABILITY 0

REACTIVITY 1

PERSONAL PROTECTION A

NET CONTENTS: U.S. GALLONS

Manufactured by:

Dairy Dynamics

17820 Washington St.

Union, IL 60180

DIRECTIONS FOR USE
 Read Safety Data Sheet(SDS) Before
 Using This Product!
**1-PART CHLOROXIDE "A" CONCENTRATE ACTIVATOR
 MUST BE COMBINED AND MIXED THOROUGHLY WITH
 1-PART CHLOROXIDE "B" CONCENTRATED BASE AND
 15 PARTS OF POTABLE WATER! NEVER MIX
 CONCENTRATED CHLOROXIDE "A"
 ACTIVATOR DIRECTLY WITH CONCENTRATED
 CHLOROXIDE "B" BASE, EACH PART MUST BE MIXED
 SEPARATELY INTO SPECIFIED AMOUNT OF
 POTABLE WATER!**

PRE-DIPPING: Immediately prior to milking, remove any
 excessive soils from teat surfaces. Apply mixed CHLOROXIDE
 with dip cup or sprayer covering entire surface of teat. Allow for
 minimum of 30 seconds contact time. Wipe each teat with a single
 service towel to remove teat dip and soil from teat surface
POST-DIPPING: Immediately after milking use CHLOROXIDE MIXTURE at
 full strength. Submerge or spray entire teat with CHLOROXIDE solution.
 Allow to air dry. Do not wipe. Always use fresh, full strength
 CHLOROXIDE MIXTURE.
 If product in dip cup becomes visibly dirty, discard contents and
 replenish with fresh solution of CHLOROXIDE.
**Do not reuse or return used product to the original container.
 If original container becomes frozen, thaw completely then mix
 thoroughly before use. May become more viscous in sub-zero
 temperatures.**

**PRECAUTIONARY STATEMENTS
 WARNING**

**USE IN WELL VENTILATED AREA!
 KEEP OUT OF REACH OF CHILDREN
 Can Cause Eye Damage.**

Protect eyes when handling. DO NOT get in eyes or on
 clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes, flush immediately with plenty of
 water for at least 15 minutes. Call a physician.

Internal: If swallowed, promptly rinse mouth then give a large
 Quantity of milk or water. Avoid alcohol. Contact a physician
 immediately. Never give anything by mouth to an unconscious
 person.

**For Hazardous Materials (or dangerous goods)
 Incidents ONLY (soil, leak, fire, exposure, accident)
 Call CHEMTREC AT 800-424-9300**



AMERICAN OWNED AND OPERATED

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

CHLOROXIDE "B"

CONCENTRATED BASE



TAKE TIME OBSERVE LABEL DIRECTIONS

Active Ingredients:
 Sodium Chlorite 6.6%

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: U.S. GALLONS

HEALTH	1
FLAMMABILITY	0
REACTIVITY	1
PERSONAL PROTECTION	A



TDX82ECRX

Manufactured by: Dairy Dynamics 17820 Washington St. Union, IL 60180

CHLOROXIDE B

sodium chlorite concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:67351-982
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	66.0 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TRISODIUM NITRIL OTRIACETATE (UNII: E3C8R2M0XD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67351-982-01	3.79 L in 1 BOTTLE, PLASTIC		
2	NDC:67351-982-05	18.9 L in 1 PAIL		
3	NDC:67351-982-15	56.8 L in 1 DRUM		
4	NDC:67351-982-55	208.4 L in 1 DRUM		
5	NDC:67351-982-75	1042.2 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/07/2019	

Labeler - Dairy Dynamics L.L.C. (142010953)**Establishment**

Name	Address	ID/FEI	Business Operations
Dairy Dynamics L.L.C.		142010953	manufacture, analysis, label, pack, api manufacture

Revised: 5/2019

Dairy Dynamics L.L.C.