

CLEARASIL ULTRA RAPID ACTION TREATMENT- salicylic acid gel

Reckitt Benckiser LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clearasil®

ULTRA® Rapid Action Treatment Gel

Drug Facts

Active Ingredient

Salicylic Acid 2%

Purpose

Acne Medication

Use

for the treatment of acne

Warnings

For external use only

Flammable keep away from extreme heat or open flame

When using this product

- Avoid contact with the eyes. If product gets into the eyes rinse thoroughly with water
- With other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin. If this occurs, only one acne medication should be used unless directed by your doctor
- Limit use to the face and neck

Stop use and ask a doctor if skin or eye irritation develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately

Directions

- Cleanse the skin thoroughly before applying medication
- Cover the entire affected area with a thin layer one to three times daily
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to 2 or 3 applications daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- store in a cool dry place

Inactive ingredients

Water, Alcohol Denat., Polysorbate 20, Sorbitol, Hydroxyethylcellulose, Glycerin, Sodium Hydroxide, Fragrance, Lavandula Stoechas Extract, Helichrysum Italicum Extract, Cistus Monspeliensis Extract, Menthol, Disodium EDTA

Questions?

Call 1-866-25-CLEAR (1-866-252-5327).

You may also report side effects to this phone number.

Distributed by:

Reckitt Benckiser LLC

Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL - 28 g Tube Carton

Clearasil®

ULTRA®

Rapid Action

Treatment

Gel

Salicylic Acid 2%

Acne Medication

4

HOURS

Visibly

reduces

pimple size

and redness

in as little

as 4 hours

With Acceladerm®

Technology

1 FL. OZ. (28 g)

Clearasil®

ULTRA®

Rapid Action
Treatment Gel

Clearasil®

ULTRA®

Rapid Action Treatment

Gel

Salicylic Acid 2%
Acne Medication

4
HOURS

Visibly
reduces
pimple size
and redness
in as little
as 4 hours

With Acceladerm®
Technology

1 FL. OZ. (28 g)

Clearasil Ultra® Skin science:

When treating breakouts,
faster is better.

How Clearasil® works with your skin:

- With Acceladerm® technology,
- Clearasil actives work with the skin to open up blocked pores, which can lead to pimples and breakouts.
- Delivers Max strength active deep into the pores, to treat pimples - fast!
- Dermatologist tested
- To help prevent breakouts, try Clearasil Ultra® Rapid Action Cleansers.

Drug Facts

Active Ingredient

Salicylic Acid 2%

Purpose.....Acne Medication

Use for the treatment of acne

Warnings

For external use only

Flammable keep away from extreme heat or open flame

When using this product

- Avoid contact with the eyes. If product gets into the eyes rinse thoroughly with water
- With other topical acne medications, at the same time or immediately following use of this product, may increase dryness or irritation of the skin. If this occurs, only one acne medication should be used unless directed by your doctor
- Limit use to the face and neck

Stop use and ask a doctor if skin or eye irritation develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately

Directions

- Cleanse the skin thoroughly before applying medication
- Cover the entire affected area with a thin layer one to three times daily

Drug Facts

(Continued)

Directions

- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to 2 or 3 applications daily if needed or as directed by a doctor.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other

information

- store in a cool dry place

Inactive

ingredients

Water, Alcohol Denat., Polysorbate 20, Sorbitol, Hydroxyethylcellulose, Glycerin, Sodium Hydroxide, Fragrance, Lavandula Stoechas Extract, Helichrysum Italicum Extract, Cistus Monspeliensis Extract, Menthol, Disodium EDTA

Questions?

Call 1-866-25-CLEAR (1-866-252-5327). You may also report side effects to this phone number.




Distributed by:
Reckitt Benckiser LLC
Parsippany, NJ 07054-0224
Made in USA © RB 2011


Expiry Date/Lot No.: see base

0345002 071511 0279658

www.clearasil.com



ExpirationDate/
Expiration/EXP



CLEARASIL ULTRA RAPID ACTION TREATMENT

salicylic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-341
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Sorbitol (UNII: 506T60A25R)	
Glycerin (UNII: PDC6A3C0OX)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Helichrysum Italicum Flower (UNII: P62Y550X24)	
Lavandula Stoechas Flowering Top (UNII: 70759G2U6A)	
Menthol (UNII: L7T10EIP3A)	
Edetate Disodium (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-341-01	1 in 1 CARTON		
1		28 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	08/01/2011	

Labeler - Reckitt Benckiser LLC (094405024)

