

EXTRA STRENGTH SIMETHICONE- simethicone tablet, chewable
Bi-Mart

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Uses

for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or a Poison Control Center (1-800-222-1222) right away.

Directions

- **adults:** chew one or two tablets as needed after meals and at bedtime
- do not exceed 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

- **each tablet contains:** calcium 85 mg
- **TAMPER EVIDENT:** DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from moisture

Inactive ingredients

croscopovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

call toll free **1-844-912-4012**

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

RELIEVES GAS

PRESSURE • BLOATING • DISCOMFORT

18 CHEWABLE TABLETS

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

Cherry Flavor

Compare to the active ingredient in Gas-X® Extra Strength*

Drug Facts

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults**: chew one or two tablets as needed after meals and at bedtime

■ **do not exceed** 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

■ **each tablet contains**: calcium 85 mg ■ **TAMPER EVIDENT**: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED. ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture

Inactive ingredients

croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

Questions? call toll free 1-844-912-4012

This product is not manufactured or distributed by the owner of the registered trademark Gas-X® Extra Strength

233-18-BM 06/25

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

RELIEVES GAS

PRESSURE • BLOATING • DISCOMFORT

18 CHEWABLE TABLETS

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

Cherry Flavor

Compare to the active ingredient in Gas-X® Extra Strength*

Drug Facts

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults**: chew one or two tablets as needed after meals and at bedtime

■ **do not exceed** 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

■ **each tablet contains**: calcium 85 mg ■ **TAMPER EVIDENT**: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED. ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture

Inactive ingredients

croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

Questions? call toll free 1-844-912-4012

This product is not manufactured or distributed by the owner of the registered trademark Gas-X® Extra Strength

233-18-BM 06/25

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

RELIEVES GAS

PRESSURE • BLOATING • DISCOMFORT

18 CHEWABLE TABLETS

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

Cherry Flavor

Compare to the active ingredient in Gas-X® Extra Strength*

Drug Facts

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults**: chew one or two tablets as needed after meals and at bedtime

■ **do not exceed** 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

■ **each tablet contains**: calcium 85 mg ■ **TAMPER EVIDENT**: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED. ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture

Inactive ingredients

croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

Questions? call toll free 1-844-912-4012

This product is not manufactured or distributed by the owner of the registered trademark Gas-X® Extra Strength

233-18-BM 06/25

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

RELIEVES GAS

PRESSURE • BLOATING • DISCOMFORT

18 CHEWABLE TABLETS

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

Cherry Flavor

Compare to the active ingredient in Gas-X® Extra Strength*

Drug Facts

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults**: chew one or two tablets as needed after meals and at bedtime

■ **do not exceed** 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

■ **each tablet contains**: calcium 85 mg ■ **TAMPER EVIDENT**: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED. ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture

Inactive ingredients

croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

Questions? call toll free 1-844-912-4012

This product is not manufactured or distributed by the owner of the registered trademark Gas-X® Extra Strength

233-18-BM 06/25

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

RELIEVES GAS

PRESSURE • BLOATING • DISCOMFORT

18 CHEWABLE TABLETS

BI-MART

EXTRA STRENGTH

SIMETHICONE

ANTIGAS • 125 MG

Cherry Flavor

Compare to the active ingredient in Gas-X® Extra Strength*

Drug Facts

Active ingredient (in each tablet)

Simethicone 125 mg

Purpose

Antigas

Use for the relief of pressure, bloating, and fullness, commonly referred to as gas

Warnings

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ **adults**: chew one or two tablets as needed after meals and at bedtime

■ **do not exceed** 4 tablets in 24 hours except under the advice and supervision of a physician

Other information

■ **each tablet contains**: calcium 85 mg ■ **TAMPER EVIDENT**: DO NOT USE IF SEAL AROUND TABLET IS BROKEN OR DAMAGED. ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ protect from moisture

Inactive ingredients

croscollonite, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, FD&C red #40 aluminum lake, flavor, magnesium stearate, microcystalline cellulose, silicon dioxide, starch, sucralose, tribasic calcium phosphate.

Questions? call toll free 1-844-912-4012

This product is not manufactured or distributed by the owner of the registered trademark Gas-X® Extra Strength

233-18-BM 06/25

BI-MART

EXTRA STRENGTH

SIMETHICONE</

EXTRA STRENGTH SIMETHICONE

simethicone tablet, chewable				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37835-233	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	125 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSPVIDONE (UNII: 2S7830E561)				
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)				
D&C RED NO. 30 ALUMINUM LAKE (UNII: GE75M6YV5W)				
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)				
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)				
MAGNESIUM STEARATE (UNII: 70097M6I3O)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STARCH, CORN (UNII: O8232NY3SJ)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)				
Product Characteristics				
Color	pink	Score	no score	
Shape	ROUND	Size	14mm	
Flavor	CHERRY	Imprint Code	44;608	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-233-18	2 in 1 CARTON	09/01/2025	
1		9 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M002		09/01/2025	

Labeler - Bi-Mart (027630078)

Registrant - Bi-Mart (027630078)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(37835-233)

Revised: 9/2025

Bi-Mart