# POVIDONE-IODINE SCRUB STERILE- povidone-iodine swab Cardinal Health 200, Inc

-----

#### **Povidone-Iodine Scrub Swabsticks Sterile**

### **Drug Facts**

#### **Active ingredient**

Povidone-Iodine 7.5%

#### **Purpose**

**Antiseptic** 

#### Use

• For preparation prior to surgery • Helps to reduce bacteria that can potentially cause skin infection

#### Warnings

For external use only.

### Do not apply to persons allergic to iodine

#### Do not use

• in the eyes

### Ask a doctor before use if injuries are

• deep wounds • puncture wounds • serious burns

### Stop use and ask a doctor if

• irritation and redness develop • condition persists for more than 72 hours • infection occurs

### Avoid pooling beneath the patient.

Prolonged exposure to wet solution may cause skin irritation.

### Keep out of reach of children.

If swallowed or gets in eyes, get medical help or contact a Poison Control Center right away.

### **Directions**

Clean the area. Apply product to the operative site prior to surgery using sponge sticks to prep desired area.

#### Other information

ullet saturating solution contains 0.75% titratable iodine ullet latex free ullet for hospital or professional use only

### **Inactive ingredients**

Citric Acid, Alkyl Glucoside, Nonoxynol-10, Glycerin, Sodium Hydroxide, Potassium Iodide, Purified Water

### **Product Label**

NDC:63517-252-21
Povidone-lodine
Scrub Swabsticks

sterile povidone-iodine 7.5%

1 swabstick



### **Drug Facts**

Active ingredient...... Purpose
Povidone-lodine 7.5% ...... Antiseptic

**Use** - For preparation prior to surgery - Helps to reduce bacteria that can potentially cause skin infection

### Warnings

For external use only.

Do not apply to persons allergic to iodine

Do not use . in the eyes

#### Ask a doctor before use if injuries are

- deep wounds puncture wounds
- serious burns

Stop use and ask a doctor if • irritation and redness develop • condition persists for more than 72 hours • infection occurs

Avoid pooling beneath the patient. Prolonged exposure to wet solution may cause skin irritation.

Keep out of reach of children. If swallowed or gets in eyes, get medical help or contact a Poison Control Center right away.

**Directions** Clean the area. Apply product to the operative site prior to surgery using sponge sticks to prep desired area.

Other information • saturating solution contains 0.75% titratable iodine • latex free • for hospital or professional use only

Inactive ingredients Citric Acid, Alkyl Glucoside, Nonoxynol-10, Glycerin, Sodium Hydroxide, Potassium Iodide, Purified Water

Not Made with Natural Rubber Latex









Cat: AS-PVPSBSS

Distributed by: Cardinal Health
Waukegan, IL 60085 USA 04/15
cardinalhealth.com • Made in China
© 2015 Cardinal Health. All Rights Reserved.

Lot No .:

Exp. Date:

(01)10885380102523

#### POVIDONE-IODINE SCRUB STERILE

povidone-iodine swab

- I out of the origination					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63517-252		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	75 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
NONOXYNOL-10 (UNII: K7O76887AP)		
GLYCERIN (UNII: PDC6A3C0OX)		
SODIUM HYDROXIDE (UNII: 55X04QC32I)		
POTASSIUM IODIDE (UNII: 1C4QK22F9J)		
WATER (UNII: 059QF0KO0R)		

Packaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63517- 252-21	50 in 1 BOX	04/29/2015	
1		1 in 1 POUCH		
1		2 g in 1 POUCH; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	04/29/2015		

## Labeler - Cardinal Health 200, Inc (961027315)

Revised: 11/2023 Cardinal Health 200, Inc