

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 1 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 3 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 5 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 7 - BEIGE- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 8 - BROWN- octinoxate and titanium dioxide lotion
LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 9 - BROWN- octinoxate and titanium dioxide lotion
Ventura International LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

LBEL EFFET PARFAIT signs of age appearance minimizer foundation SPF 20 FM

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
OCTINOXATE 7.00%,	Sunscreen
TITANIUM DIOXIDE 2.44%	Sunscreen

Uses

- Helps prevent sunburn

Warnings

- Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, DIMETHICONE, CYCLOHEXASILOXANE, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, TRIMETHYLSILOXYSILICATE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-19/19 DIMETHICONE, HYDROXYACETOPHENONE, PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, PEG/PPG-18/18 DIMETHICONE, ALUMINA, BUTYLENE GLYCOL, OCTYLDODECANOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, METHICONE, BHT, MICROCRYSTALLINE WAX, BENZYL ALCOHOL, PETROLATUM, PHOSPHOLIPIDS, POTASSIUM SORBATE, CARBOMER, CHOLESTEROL, POLYSORBATE 20, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, GLYCOSPHINGOLIPIDS, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

MAY CONTAIN:

TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

Dist. by Ventura Int Ltd. DBA Belcorp USA,
Miami, FL 33126.

PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 1 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation
SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 2 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation
SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 3 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation
SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 4 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation
SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 5 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation

SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 6 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation

SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 7 - BEIGE

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation
SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 8 - BROWN

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation

SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.bel.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 9 - BROWN

L'BEL

EFFET
PARFAIT

signs of age
appearance
minimizer

foundation

SPF 20 FM

1 fl.oz. e (30 ml)

Drug Facts

Active Ingredients Purpose
Octinoxate 7.00% sunscreen
Titanium Dioxide 2.44% sunscreen

Uses

- Helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert;
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only.

Do not use on damage or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, ppg/ppg-18/18 ▶

Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.
MAY CONTAIN: titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
www.belcorp.com

EFFET
PARFAIT

signs of age
appearance
minimizer
foundation
SPF 20 FM

1 fl.oz. e (30 ml)





**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER
FOUNDATION SPF 20 FM CLAIRE 1 - BEIGE**

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-856
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MMB07FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-856-02	1 in 1 BOX		
1	NDC:14783-856-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-857
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-857-02	1 in 1 BOX		
1	NDC:14783-857-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 3 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-858
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
COFFEE BEAN (UNII: JFH385Y744)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
OCTYLDODECANOL (UNII: 461N1O614Y)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-858-02	1 in 1 BOX		
1	NDC:14783-858-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-859
--------------	----------------	--------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MMB07FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-859-02	1 in 1 BOX		
1	NDC:14783-859-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 5 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-860
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N10614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-860-02	1 in 1 BOX		
1	NDC:14783-860-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-861
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MMB07FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-861-02	1 in 1 BOX		
1	NDC:14783-861-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 7 - BEIGE

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-862
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	

YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-862-02	1 in 1 BOX		
1	NDC:14783-862-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 8 - BROWN
 octinoxate and titanium dioxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-863
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
COFFEE BEAN (UNII: JFH385Y744)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
OCTYLDODECANOL (UNII: 461N1O614Y)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MMB07FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-863-02	1 in 1 BOX		
1	NDC:14783-863-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 9 - BROWN

octinoxate and titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:14783-864
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1D156QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14783-864-02	1 in 1 BOX		
1	NDC:14783-864-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

Labeler - Ventura International LTD (603192787)**Establishment**

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(14783-856, 14783-857, 14783-858, 14783-859, 14783-860, 14783-861, 14783-862, 14783-863, 14783-864)

Revised: 2/2016

Ventura International LTD