

**HELIUM OXYGEN MIX - helium oxygen mix gas**  
**NexAir, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

**Helium Oxygen Mix Label**

COMPRESSED GAS, OXIDIZING, N.O.S. (HELIUM OXYGEN) UN 3156  
NON-FLAMMABLE GAS 2 OXIDIZER 5.1  
OXYGEN (USP) HELIUM (USP) MIXTURE  
CAS: (7782-44-7)(7440-59-7)

**WARNING! HIGH PRESSURE OXIDIZING GAS MIXTURE, VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE.**

Keep away from heat, flame and sparks. Open valve slowly. Close valve when not in use and when empty. Always secure cylinders to prevent them from falling. (CGA P-1 3.7.4.1 and NFPA 55). Store and use with adequate ventilation. Use in accordance with Material Safety Data Sheet.

**FIRST AID: IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**CAUTION: RX ONLY.**

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, affects, dosages, methods, and frequency and duration of administration, and with hazards, contraindications, and side effects and the precautions to be taken.


**DO NOT REMOVE THIS LABEL**

Net Contents

Cubic Feet    Liters

Packaged and Distributed by

nexAir, LLC 1385 Corporate Ave, Memphis, TN 38132



**WARNING! HIGH PRESSURE OXIDIZING GAS MIXTURE. VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE.**

Keep away from heat, flame and sparks. Open valve slowly. Close valve when not in use and when empty. Always secure cylinders to prevent them from falling. (CGA P-1 § 3.7.4.1 & NFPA 55). Store and use with adequate ventilation. Use in accordance with Material Safety Data Sheet.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**CAUTION: Rx Only.**

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, affects, dosages, methods, and frequency and duration of administration, and with hazards, contraindications, and side effects and the precautions to be taken.

**DO NOT REMOVE THIS LABEL**

---

### Net Contents

Cubic Feet:

Liters:

---

Packaged and Distributed by

**nexAir**

nexAir, LLC • 1385 Corporate Ave. Memphis, TN 38132

REV 5-08

[www.nexAir.com](http://www.nexAir.com)

LBL 2765

[www.nexair.com](http://www.nexair.com)

COMPRESSED GAS, N.O.S. UN 1956

NON-FLAMMABLE GAS 2

OXYGEN 20% (USP) HELIUM 80% (USP) MIXTURE

CAS: (7782-44-7)(7440-59-7)

**WARNING! HIGH PRESSURE OXIDIZING GAS MIXTURE, VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE.**

Keep oil, grease and combustibles away. Keep away from heat, flame and sparks. Use with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve when not in use and when empty. Always secure cylinders to prevent them from falling. (CGA P-1 3.7.4.1 and NFPA 55). Use with equipment rated for cylinder pressure. Store and use with adequate ventilation. Use

in accordance with Material Safety Data Sheet.

**FIRST AID: IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**CAUTION: RX ONLY.**

**WARNING:** Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, affects, dosages, methods, and frequency and duration of administration, and with hazards, contraindications, and side effects and the precautions to be taken.

**DO NOT REMOVE THIS LABEL**

Net Contents

Cylinder Size    Cubic Feet    Liters (Gaseous)

K     200.4     5675

E     22.0     623

D-puritan 13.5     382

Packaged and Distributed by

nexAir, LLC 1385 Corporate Ave, Memphis, TN 38132

**COMPRESSED GAS,  
N.O.S.  
UN 1956**

**OXYGEN 20%  
(USP)  
HELIUM 80%  
(USP)  
MIXTURE**



**CAS: (7782-44-7) (7440-59-7)**

***WARNING! HIGH PRESSURE OXIDIZING GAS MIXTURE. VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE.***

Keep oil, grease and combustibles away. Keep away from heat, flame and sparks. Use with equipment cleaned for oxygen service and rated for cylinder pressure. Open valve slowly. Close valve when not in use and when empty. Always secure cylinders to prevent them from falling. (CGA P-1 § 3.7.4.1 & NFPA 55). Use with equipment rated for cylinder pressure. Store and use with adequate ventilation. Use in accordance with Material Safety Data Sheet.

**FIRST AID: IF INHALED**, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**CAUTION: Rx Only.**

**WARNING:** Administration of nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, affects, dosages, methods, and frequency and duration of administration, and with hazards,



contraindications, and side effects and the precautions to be taken.

**DO NOT REMOVE THIS LABEL**

### Net Contents

Cylinder Size	Cubic Feet	Liters (Gaseous)
K	200.4	5675
E	22.0	623
D-puritan	13.5	382

Packaged and Distributed by

**nexAir**

nexAir, LLC • 1385 Corporate Ave. Memphis, TN 38132

REV 01-08

www.nexAir.com

LBL 2685

www.nexair.com

## HELIUM OXYGEN MIX

helium oxygen mix gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:12213-730
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Helium</b> (UNII: 206GF3GB41) (Helium - UNII:206GF3GB41)	Helium	800 mL in 1 L
<b>Oxygen</b> (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	200 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213-730-13	382 L in 1 CYLINDER		
2	NDC:12213-730-58	561 L in 1 CYLINDER		
3	NDC:12213-730-12	5663 L in 1 CYLINDER		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		06/01/1996	

**Labeler** - NexAir, LLC (927024422)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		792042108	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		191811335	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		033282781	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		053755047	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		927024422	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		844628334	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		609390711	manufacture

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
NexAir, LLC		844631650	manufacture