

BLUE LIZARD SHEER SPF 50 SUNSCREEN- titanium dioxide, zinc oxide lotion
Crown Laboratories

Blue Lizard Sheer Lotion SPF 50 Sunscreen

Active Ingredients

Titanium Dioxide 9%

Zinc Oxide 6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- When using this product
- Keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if
- Rash or irritation occurs
- Do not use
- On damaged or broken skin
- If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

Directions

- **Shake well prior to use**
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Keep out of reach of children
- Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- **Reapply to dry skin:**

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Keep out of reach of children

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

Inactive Ingredients

Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Extract, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Gamma-Nonalactone, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Hydrogenated Vegetable Oil, Isostearyl Alcohol, Isostearyl Isostearate, Phenoxyethanol, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Potassium Sorbate, Purified Water, Ricinus Communis (Castor) Seed Oil, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Sea Water, Sodium Benzoate, Sodium Chloride, Sorbitan Isostearate, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrate, and Xanthan Gum

Questions?

Visit www.bluelizardsunscreen.com or call **800.877.8869**

Crown Laboratories, Inc., Johnson City, TN 37604

Blue Lizard Sheer Lotion - 3oz Tube Label

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

Sheer Lotion

mineral sunscreen

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 50+

WATER RESISTANT (80 MINUTES)

P11899.00

BLUE LIZARD[®]
AUSTRALIAN SUNSCREEN

50⁺
SHEER LOTION



MINERAL SUNSCREEN
UVA / UVB PROTECTION
BROAD SPECTRUM
SPF 50+
WATER RESISTANT
(80 MINUTES)

3 fl oz (89 ml)

Drug Facts	Made in USA
Active Ingredients Titanium Dioxide 9% Zinc Oxide 6%	Purpose Sunscreen Sunscreen
Uses • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center	
Directions • Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. Reapply to dry skin: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
Other Information • Protect the product in this container from excessive heat and direct sun • May stain some fabrics	
Inactive Ingredients: Aloe Barbadensis Leaf Juice, Alumina, Aluminum Stearate, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Extract, Crithmum Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane/Triethoxycaprylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Gamma-Nonalactone, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Hydrogenated Vegetable Oil, Isostearyl Alcohol, Isostearyl Isostearate, Phenoxyethanol, Polyglyceryl-3 Polyricinoleate, Polyhydroxystearic Acid, Potassium Sorbate, Purified Water, Ricinus Communis (Castor) Seed Oil, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birrea (Marula) Seed Oil, Sea Water, Sodium Benzoate, Sodium Chloride, Sorbitan Isostearate, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrate, and Xanthan Gum	
Questions? Visit www.bluelizardsunscreen.com or call 800.877.8869	
P11899.00	 CROWN Crown Laboratories, Inc. Johnson City, TN 37604

Blue Lizard Sheer Lotion - 3oz Carton

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

Sheer Lotion

body

mineral sunscreen

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 50+

WATER RESISTANT (80 MINUTES)

SHEER LOTION | body

MINERAL SUNSCREEN THAT GOES ON SMOOTH AND DRIES CLEAR FOR A NATURAL FINISH

Finally, a sheer mineral sunscreen that rubs in smooth and dries clear. Blue Lizard's Sheer Lotion for Body nourishes skin with shea butter, antioxidants and vitamin E.

Mineral sunscreens form an invisible barrier on your skin's surface, which reflects and scatters UV rays away from your body.

SKIN SURFACE
EPIDERMIS
DERMIS
HYPODERMIS

MINERAL SUNSCREEN CHEMICAL SUNSCREEN

Blue Lizard Sunscreens are designed with consciously-selected ingredients to be **healthier for you and safer for the environment** – just one reason they have been trusted by dermatologists for over 20 years.

P11902.01

www.bluelizardsunscreen.com

BLUE LIZARD

AUSTRALIAN SUNSCREEN

Born in Australia | Made in the USA

NEW

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50⁺

SHEER LOTION

body

MINERAL SUNSCREEN

UVA / UVB PROTECTION

BROAD SPECTRUM

SPF 50+

WATER RESISTANT

(80 MINUTES)

3 fl oz (89 ml)

Crown Laboratories, Inc.
Johnson City, TN 37604
www.crownlaboratories.com

Drug Facts	Made in USA
Active Ingredients Titanium Dioxide 9% Zinc Oxide 6%	Purpose Sunscreen Sunscreen
Uses • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center	
Directions • Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. • Reapply to dry skin • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours	
Other Information • Protect the product in this container from excessive heat and direct sun • May stain some fabrics	
Inactive Ingredients Aloe Barbadosis Leaf Juice, Alumina, Aluminum Stearate, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Carica Papaya (Papaya) Fruit Extract, Citric Acid, Citrus Aurantium Dulcis (Orange) Peel Extract, Cithrium Maritimum Extract, Cucumis Sativus (Cucumber) Fruit Extract, Diisopropyl Sebacate, Dimethoxydiphenylsilane /Triethoxycaprylylsilane Crosspolymer, Ethylhexylglycerin, Fucus Vesiculosus (Bladderwrack) Extract, Gamma-Nonalactone, Ginkgo Biloba (Ginkgo) Leaf Extract, Glycerin, Hamamelis Virginiana (Witch Hazel) Leaf Extract, Hydrogenated Vegetable Oil, Isostearyl Alcohol, Isostearyl Isostearate, Phenoxethanol, Polyglyceryl-3 Polyacrylate, Polyhydroxybutyric Acid, Potassium Sorbate, Purified Water, Pinus Canariensis (Cedar) Seed Oil, Rosa Canina (Rosehip) Fruit Oil, Sclerocarya Birma (Maraj) Seed Oil, Sea Water, Sodium Benzoate, Sodium Chloride, Sorbitan Isostearate, Squalane, Tocopheryl Acetate (Vitamin E), Triethyl Citrate, and Xanthan Gum	
Questions? Visit www.bluelizardsunscreen.com or call 800.877.8869	

BLUE LIZARD SHEER SPF 50 SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2064
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	66.6 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	99.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
HAMAMELIS VIRGINIANA LEAF (UNII: T07U1161SV)	
GINKGO (UNII: 19FUJ2C58T)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PAPAYA (UNII: KU94FIY6JB)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ORANGE PEEL (UNII: T19T76XD44)	
CRITHMUM MARITIMUM WHOLE (UNII: J7IHY79BKY)	
CUCUMBER (UNII: YY7C30VXJT)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
DIMETHOXYDIPHENYLSILANE (UNII: 02QB6788GC)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
FUCUS VESICULOSUS (UNII: 535G2ABX9M)	
.GAMMA.-NONALACTONE (UNII: I1XGH66S8P)	
HYDROGENATED PALM OIL (UNII: 257THB963H)	
HYDROGENATED RAPESEED OIL (UNII: K168T6Y0YU)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	
CASTOR OIL (UNII: D5340Y2I9G)	
SCLEROCARYA BIRREA SEED OIL (UNII: WDO4TLS35F)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SQUALANE (UNII: GW89575KF9)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOSTEARYL ALCOHOL (UNII: Q613OCQ44Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	

ROSA CANINA FRUIT OIL (UNII: CR7307M3QZ)

SODIUM BENZOATE (UNII: OJ245FE5EU)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2064-30	1 in 1 CARTON	05/06/2021	
1		89 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/06/2021	

Labeler - Crown Laboratories (119508400)

Registrant - Crown Laboratories (119508400)

Establishment

Name	Address	ID/FEI	Business Operations
Crown Laboratories		119508400	manufacture(0316-2064)

Revised: 1/2026

Crown Laboratories