

**SPF MULTITASKERS MINI SET- avobenzone, homosalate, octisalate, octocrylene  
TAYLOR JAMES, LTD.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**SPF Multitaskers Mini Set**

**Unseen Sunscreen SPF 40 active ingredients**

**Active Ingredients Purpose**

Avobenzone 3% Sunscreen

Homosalate 8% Sunscreen

Octocrylene 4% Sunscreen

Octisalate 5% Sunscreen

**Mineral Sheerscreen SPF 30 Active ingredients**

**Active Ingredient Purpose**

Zinc Oxide 17.5% Sunscreen

**Mineral Mattescreen SPF 40 Active ingredients**

**ACTIVE INGREDIENT PURPOSE**

Active ingredients Purpose

Zinc oxide 17% Sunscreen

Titanium dioxide 0.7% Sunscreen

**Glowscreen SPF 40 Active ingredients**

**Active Ingredients Purpose**

Avobenzone 3% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 10% Sunscreen

**Uses**

Helps Prevent Sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of Skin cancer and early skin aging caused by the sun

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison

Control Center right away

**Stop use and ask a doctor if** rash occurs

### **Warnings**

**For External use only**

**Do not use on** damaged or broken skin

**When using this product,** Keep out of eyes. Rinse with water to remove

### **Directions**

- Apply generously and evenly 15 minutes before sun exposure
- Reapply:after 40 minutes of swimming or sweating

immediately after towel drying

at least every 2 hours

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear Long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

### **Unseen Sunscreen SPF 40 Inactive Ingredients**

#### **Inactive Ingredients**

Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsesquioxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol

### **Mineral Sheerscreen SPF 40 Inactive Ingredients**

#### **Inactive Ingredients**

Alcohol Denat., Bisabolol, Brassica Campestris/Aleurites Fordi Oil Copolymer, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Capryloyl Glycerin/Sebacic Acid Copolymer, Dicaprylyl Carbonate, Diethylhexyl Syringylidenemalonate, Diheptyl Succinate, Diisooctyl Succinate, Ethyl Ferulate, Isododecane, Lauroyl Lysine, Mentha Piperita (Peppermint) Oil, Mentha Viridis (Spearmint) Leaf Oil, Nylon-12, PVP, Rosmarinus Officinalis (Rosemary) Leaf Oil, Silica Silylate

### **Mattscreen SPF 40 Inactive ingredients**

#### **Inactive ingredients**

Cyclopentasiloxane, Coco-Caprylate, Isododecane, Coco-Caprylate/Caprato, Dimethicone Crosspolymer, Silica Dimethyl Silylate, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Argania Spinosa Kernel Oil, Cyclohexasiloxane, Tocopheryl Acetate, C12-15 Alkyl Benzoate, Polyglyceryl-3 Polyricinoleate, Dimethicone, Iron Oxides (CI 77492), Water (Aqua), Isostearic Acid, Cyclotetrasiloxane, Propanediol, Ethylhexylglycerin, PEG/PPG-18/18 Dimethicone, Bisabolol, Alumina, Hydrogen Dimethicone, Iron Oxides (CI 77491), Polyhydroxystearic Acid, Iron Oxides (CI 77499), Buddleja Officinalis Flower Extract, Triethoxycaprylsilane, Tocopherol, Phenoxyethanol, Potassium Sorbate, Hydrangea Aborescens Root Extract, Morus Alba Root Extract, Polysorbate 20, Resveratrol, Scutellaria Lateriflora Extract, Caprylyl Glycol, Hexylene Glycol, Pentapeptide-21

## **Glow screen SPF 40 Inactive ingredients**

### ***Inactive Ingredients***

Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsesquioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxochloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (sunflower) Seed Oil, Ferulic Acid

## **SPF Multitaskers Mini Set**

### **SPF Multitaskers Mini Set**

Shield against UV rays and blue light with this sample set, featuring multitasking SPF's in four unique.

Mineral Sheerscreen SPF 30 (10 ml)

Mattscreen SPF 40 (10 ml)

Glowscreen SPF 40 (10 ml)

Unseen Sunscreen SPF 40 (10 ml)

# SPF MULTITASKERS MINI SET

Shield against UV rays and blue light with this sample set, featuring multitasking SPF's in four unique finishes.

Drug Facts (Continued)

Supre

## Mineral Sheerscreen SPF 30 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Zinc Oxide 17.5%	<b>Purpose</b> Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Isododecane, Caprylic/Capric Triglyceride, Butylcetyl Salicylate, Propandiol, Glycerin, Squalane, Tricyclodecyl Citrate, Polyglycerin-3, Polycyrene-9 Lactate/Laurate, Polyallcaine-11, Cetearyl Alcohol, Glyceryl Stearate, Sodium Stearoyl Glutamate, Butylene Glycol, Xanthan Gum, Polyacrylate Crosspolymer-6, Isosorbic Acid, Lecithin, Polyglyceryl-5 Polyricinoleate, Polyhydroxysebacic Acid, Caprylylhydroxamic Acid, Citric Acid, Aloe Barbadosis Leaf Juice, Lepidodermis Capillata Leaf/Stem Extract, Maltodextrin, Sodium Hyaluronate	

## Mattrescreen SPF 40 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Titanium Dioxide 0.7%, Zinc Oxide 17%	<b>Purpose</b> Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Cyclopentasiloxane, Coco-Caprylate, Isododecane, Coco-Caprylate/Caprate, Dimethicone Crosspolymer, Silica Dimethyl Glylate, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Argania Spinosa Kernel Oil, Tocopheryl Acetate, C12-15 Alkyl Benzoate, Polyglyceryl-3 Polycinoleate, Dimethicone, Iron Oxides CI 77492, Water (Aqua), Isosorbic Acid, Propandiol, Ethylhexylglycerin, PEG/PPG-18/18 Dimethicone, Bisabolol, Alumina, Hydrogen Dimethicone, Iron Oxides CI 77491, Polyhydroxysebacic Acid, Iron Oxides CI 77499, Buddleja Officinalis Flower Extract, Triethoxycaprylylsilane, Hydrangea Arborescens Root Extract, Morus Alba Root Extract, Polyacrylate 20, Resveratrol, Scutellaria Lateriflora Extract, Caprylyl Glycol, Hexylene Glycol, Pentapeptide-21	

## Glowscreen SPF 40 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Avobenzone 3%, Octisalate 5%, Octocrylene 10%	<b>Purpose</b> Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Propandiol, Butylcetyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsiloxesquinoxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxychloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxysebacate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Diacrylate, Phospholipids, Limonum Clerberi Extract, Leucosclerol/Radiash Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Panthenol Acid, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Ferulic Acid	

## Mineral Sheer Screen SPF 30

Mineral Sheer Screen

SPF 30

100% Mineral

Broad Spectrum Sunscreen SPF 30 PA+++

0.34 fl. oz./ 10 ml

59.66mm±1mm

80mm±1mm

UVIIIIEI I IIIII



**100% Mineral Sunscreen  
Actives • Reef-Safe •  
Non-Irritating • No Synthetic  
Fragrance • Vegan**

Sheerscreen™ SPF 30 is a gentle, 100% non-nano zinc oxide mineral primer that delivers Broad Spectrum UV protection. Suepr blendable and sheer, this lightweight formula leaves a natural, smooth finish.

**Active Ingredients**  
Zinc Oxide 17.5% (Sunscreen)

**Directions:** Apply generously and evenly as the last step in your skincare routine, before makeup and 15 minutes before sun exposure. Reapply at least every 2 hours.

**Warnings: For external use only.**  
• Do not use on damaged or broken skin. • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs.

**Questions or comments?**  
877-564-7330

**supergoop.com**  
Sample not for resale

Sheerscreen™ is trademarked and distributed by Taylor James, LLC. San Antonio, TX 78215

Supergoop!®

**MINERAL  
SHEER  
SCREEN**



100% Mineral  
Broad Spectrum Sunscreen  
SPF 30 PA+++  
0.34 fl. oz. / 10ml

BACK

FRONT

**Mattescree SPF 40**

Mattescree SPF40

Broad Spectrum SPF 40

Water & Sweat Resistant (40 minutes)

0.34 fl oz. / 10ml

Supergoop!

MATTE  
SCREEN



Broad Spectrum Sunscreen SPF 40  
Water & Sweat Resistant (40 minutes)

0.34 fl. oz. / 10ml



**100% Mineral Sunscreen  
Actives • Reef-Safe •  
Non-Irritating • No Synthetic  
Fragrance • Vegan**

Mattescreen 100% Mineral SPF 40 is a lightweight formula that blurs the appearance of pores, uneven texture and fine lines, leaving behind a soft-focus matte finish. It also acts as a makeup-gripping primer that's perfect for all skin tones.

**Active Ingredients** Titanium Dioxide 0.7%,  
Zinc Oxide 17% (Sunscreens)

**Directions:** Shake well for 5 to 10 seconds for an air-whipped texture, then apply generously and evenly as the last step in your skincare routine, before makeup and 15 minutes before sun exposure. Reapply at least every 2 hours. Can be used alone or as a primer under makeup.

**Warnings: For external use only.**

- **Do not use** on damaged or broken skin.
- **Stop use and ask a doctor** if rash occurs.
- **When using this product** keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.

**Questions or comments?** 877-564-7330

**supergoop.com**

Sample not for resale

Distributed by Taylor James, LLC.

San Antonio, TX 78215

Glowscreen SPF 40

Broad Spectrum Sunscreen

SPF 40 PA+++

0.34 fl. oz. / 10 ml



Supergoop!®

# GLOW SCREEN



Broad Spectrum Sunscreen  
SPF 40 PA+++  
0.34 fl. oz. / 10ml



**Clean Chemical Sunscreen  
Actives • Reef-Safe •  
Non-Irritating • No Synthetic  
Fragrance • Vegan**

**Glowscreen™ SPF 40** is a lightweight, pearlescent formula that hydrates the skin, while acting as a luminous, makeup-gripping primer. SPF hack: It also doubles as a highlighter wherever you want an extra dose of (sun)shine.

**Active Ingredients** Avobenzone 3%, Octisalate 5%, Octocrylene 10% (Sunscreens)

**Directions:** Apply generously and evenly as the last step in your skincare routine, before makeup and 15 minutes before sun exposure. Reapply at least every 2 hours.

**Warnings: For external use only.**

• **Do not use** on damaged or broken skin. • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs.

**Questions or comments?**  
877-564-7330

**supergoop.com**  
Sample not for resale

Glowscreen™ is trademarked and distributed by Taylor James, LLC. San Antonio, TX 78215


Unseen Sunscreen SPF 40

Broad Spectrum Sunscreen SPF 40 PA +++

Water & Sweat Resistant (40 minutes)

0.34 fl. oz. / 10 ml

59.66mm±1 mm



**SPF MULTITASKERS MINI SET**

avobenzone, homosalate, octisalate, octocrylene kit

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75936-263
---------------------	----------------	---------------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-263-01	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	04/19/2021	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	10 mL
Part 2	1 TUBE	10 mL
Part 3	1 TUBE	10 mL
Part 4	1 TUBE	10 mL

## Part 1 of 4

### UNSEEN SUNSCREEN SPF 40

avobenzone, homosalate, octisalate, octocrylene cream

## Product Information

**Item Code (Source)** NDC:75936-264

**Route of Administration** TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIATOMACEOUS EARTH</b> (UNII: 2RF6EJ0M85)	

<b>ZINC SULFATE</b> (UNII: 89DS0H96TB)
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)
<b>PHYMATOLITHON CALCAREUM</b> (UNII: 6J1M3WA0ZK)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>MANNITOL</b> (UNII: 3OWL53L36A)
<b>POLYESTER-7</b> (UNII: 0841698D2F)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: 04I3UFO6ZF)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-264-01	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/19/2021	

<b>Part 2 of 4</b>
<b>MINERAL SHEERSCREEN SPF 30</b>
zinc oxide cream

Product Information	
Item Code (Source)	NDC:75936-265
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17.5 g in 100 mL

<b>Inactive Ingredients</b>
-----------------------------

Ingredient Name	Strength
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIOCTYLDODECYL CITRATE</b> (UNII: 35X8CT063R)	
<b>POLYGLYCERYL-3 PENTARICINOLEATE</b> (UNII: 7Q0OK5DOT4)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>LESPEDEZA CAPITATA FLOWERING TOP</b> (UNII: F930LFZ4LF)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>POLYGLYCERIN-3</b> (UNII: 4A0NCJ6RD6)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>WATER</b> (UNII: 059QF0K00R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-265-01	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/19/2021	

## Part 3 of 4

### MATTESCREEN SPF 40

titanium dioxide, zinc oxide cream

## Product Information

<b>Item Code (Source)</b>	NDC:75936-266
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	17 g in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>SCUTELLARIA LATERIFLORA WHOLE</b> (UNII: 7BP4DH5PDC)	
<b>RESVERATROL</b> (UNII: Q369O8926L)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ISOSTEARIC ACID</b> (UNII: X33R8U0062)	
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: O4I3UFO6ZF)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>COCO-CAPRYLATE/CAPRATE</b> (UNII: 8D9H4QU99H)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>HYDROGEN DIMETHICONE (13 CST)</b> (UNII: 4QGR4P2YOI)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>BUDDLEJA OFFICINALIS FLOWER</b> (UNII: 274707Y672)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>HYDRANGAEA ARBORESCENS ROOT</b> (UNII: SFK828Q2DE)	
<b>MORUS ALBA ROOT</b> (UNII: CST1G9BZGD)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-266-01	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/19/2021	

## Part 4 of 4

### GLOWSCREEN SPF 40

avobenzone, octisalate, octocrylene cream

## Product Information

Item Code (Source)	NDC:75936-267
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>COCOA</b> (UNII: D9108TZ9KG)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CETYL PHOSPHATE</b> (UNII: VT07D6X670)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)	
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	



<b>MICA</b> (UNII: V8A1AW0880)
<b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)
<b>FERULIC ACID</b> (UNII: AVM951ZWST)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)
<b>LIMONIUM GERBERI WHOLE</b> (UNII: 2J5K7YCF9F)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ARGININE</b> (UNII: 94ZLA3W45F)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75936-267-01	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/19/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/19/2021	

**Labeler** - TAYLOR JAMES, LTD. (033381850)