

CICATRICURE- avobenzone, octinoxate, and octocrylene cream
Genomma Lab USA

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cicatricure®

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octocrylene 7.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (*see Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Other information

- protect product from excessive heat and direct sun
- may stain some fabrics
- keep this carton for future reference.

Inactive ingredients

Water, Glycerin, Isostearyl Isostearate, Stearyl Monoglyceridyl Citrate, Cetearyl Alcohol, Iron Oxides, Cyclomethicone, Mannitol, Titanium Dioxide, Butylene Glycol, Carbomer, Polysorbate-20, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-38, Decolorized Aloe vera leaf extract, Chamomilla recutita (Chamomile) flower extract, Centella asiatica leaf extract, Juglans regia (Walnut) leaf extract, Oryza sativa (Rice) Bran Oil, Potassium Cetyl Phosphate, Glyceryl Caprylate, Alpha-Tocopheryl Acetate, Hydrogenated Lecithin, Aluminum Hydroxide, Triethoxycaprylylsilane, Polymethyl Methacrylate, Xanthum Gum, Hydroxypropyl Cyclodextrin, Niacinamide, Melanin, Disodium EDTA, Imidazolidinyl Urea, Panthenol, Dimethicone, Methylparaben, Propylparaben

Questions

Call toll free 1 877-994-3666 Monday to Friday, 8am to 6pm, Central time

Distributed by
Genomma Lab USA Inc.
Houston, TX 77027

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

Cicatricure®

PLASMA

YOUTH ACTIVATING MOISTURIZER

BROAD SPECTRUM SPF 15

With Sunscreen

**ADDS MOISTURE & RADIANCE
TO YOUR SKIN ACCORDING
TO YOUR SPECIFIC NEEDS**

With MATRIXYL® One of the most advanced
cosmetic ingredients in the last 25 years*

Net Wt.

1 FL OZ (30mL)

Cicatricure®

HOW DOES IT WORK? Cómo funciona?

1 HYDRATES & LIGHTS UP

It's formula with chromosphere capsules provides the moisture and radiance your skin needs. Illuminates skin's appearance for a healthy look & feel.

HIDRATA E ILUMINA

Su fórmula con cápsulas cromóforas brinda la humectación y brillo que tu piel necesita. Ilumina la apariencia de la piel y recobra su aspecto saludable.

2 HELPS PROMOTE EVEN SKIN TONE

As you apply, you'll notice the cream adapts to the tone of your skin.

AYUDA A EMPAREJAR EL TONO DE LA PIEL

Conforme la distribuyes, la crema comienza a tomar el tono de tu piel.

3 REDUCES APPEARANCE OF WRINKLES

Once blended with your skin tone, its unique formulation works to help diminish the appearance of wrinkles and fine lines

DESVAÑECE ARRUGAS

Una vez que toma el tono de tu piel, su formulación única ayuda a disminuir la apariencia de las arrugas y líneas de expresión.

Cicatricure®

PLASMA

YOUTH ACTIVATING MOISTURIZER
CREMA HIDRATANTE CON ACTIVADOR DE JUVENTUD

BROAD SPECTRUM **SPF 15** / FPS 15 DE AMPLIO ESPECTRO

With Sunscreen
Con Filtro Solar

ADDS MOISTURE & RADIANCE TO YOUR SKIN ACCORDING TO YOUR SPECIFIC NEEDS

Actua sobre tu piel, satisfaciendo tus necesidades específicas



With **MATRIXYL**® One of the most advanced cosmetic ingredients in the last 25 years*

Con **MATRIXYL**® Uno de los ingredientes cosméticos más avanzados en los últimos 25 años*

Net Wt.
1 FL OZ (30mL)



- Moisturizes your skin based on your needs
- Prevents skin aging from damaging UV rays
- Suitable for all skin types



- Humecta tu piel de acuerdo a tus necesidades
- Previene el envejecimiento por el daño de los rayos UV
- Apto para todo tipo de piel

Matrixyl® is the exclusive blend of peptide cosmetic ingredients. Matrixyl® es la exclusiva mezcla de ingredientes cosméticos peptídicos.

2000005650

Drug Facts

Active ingredients	Purpose
Avobenzona 3%	Sunscreen
Octinoxato 7.5%	Sunscreen

Datos del medicamento

Principios activos	Propósito
Avobenzona 3%	Filtro solar
Octinoxato 7.5%	Filtro solar

Octocrylene 7.5%.....Sunscreen
Octocrieno 7.5%.....Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use: • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating. **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:
• limit time in the sun, especially from 10am to 2pm
• wear long-sleeved shirts, pants, hats and sunglasses
• children under 6 months of age: ask a doctor

Other information

- protect product from excessive heat and direct sun
- may stain some fabrics
- keep this carton for future reference.

Inactive ingredients

Water, Glycerin, Isostearyl Isosearate, Stearyl Monoglyceridyl Citrate, Cetearyl Alcohol, Iron Oxides, Cyclomethicone, Mannitol, Titanium Dioxide, Butylene Glycol, Carbomer, Polysorbate-20, Palmitoyl Oligopeptide, Palmitoyl Tetrapeptide-7, Palmitoyl Tripeptide-38, Decolorized Aloe vera leaf extract, Chamomilla recutita (Chamomile) flower extract, Centella asiatica leaf extract, Juglans regia (Walnut) leaf extract, Oryza sativa (Rice) Bran Oil, Potassium Cetyl Phosphate, Glyceryl Caprylate, Alpha-Tocopheryl Acetate, Hydrogenated Lecithin, Aluminum Hydroxide, Triethoxycaprylsilane, Polymethyl Methacrylate, Xanthum Gum, Hydroxypropyl Cyclodextrin, Niacinamide, Melanin, Disodium EDTA, Imidazolidinyl Urea, Panthenol, Dimethicone, Methylparaben, Propylparaben

Questions

Call toll free 1 877-994-3666 Monday to Friday, 8am to 6pm, Central time

Octinoxate 7.5%.....Filtro solar
Octocrieno 7.5%.....Filtro solar

Usos

• ayuda a prevenir las quemaduras solares
• si se usa según lo indicado con otras medidas de protección solar (ver **Instrucciones**), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel debido al sol

Precauciones

Para uso externo únicamente

No aplicar sobre la piel dañada o herida

Al usar este producto evitar el contacto con la zona de los ojos. Enjuagar con agua para retirar

Suspender el uso y consultar al médico si aparecen sarpullidos

Mantener fuera del alcance de los niños. Si se traga, buscar ayuda médica o comunicarse con un centro de toxicología de inmediato.

Instrucciones

Para usar como filtro solar: • aplicar de forma uniforme y abundante 15 minutos antes de exponerse al sol • repetir la aplicación cada 2 horas • usar un filtro solar resistente al agua en caso de nadar o transpirar. **Medidas de protección contra el sol:** Pasar tiempo al sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro. Para disminuir este riesgo, use regularmente un filtro solar con factor FPS 15 de amplio espectro o mayor y otras medidas de protección de la piel, por ejemplo: • limitar la exposición al sol, especialmente desde las 10:00 a.m. hasta las 2:00 p. m. • usar camisas de manga larga, pantalones, sombrero y anteojos de sol
• bebés menores de 6 meses: consultar al médico

Otra información

- proteger del calor excesivo y los rayos directos del sol
- puede manchar algunas telas
- guarde este cartón para referencia futura.

Excipientes

Agua, Glicerina, Isoestearyl Isoestearato, Estearil Estearato Citrato, Alcohol Cetearílico, Óxidos de Hierro, Ciclometicona, Mantol, Dióxido de Titanio, Butilenglicol, Carbomero, Polisorbato-20, Palmitoil Oligopeptido, Palmitoil Tetrapeptido-7, Palmitoil Tripeptido-38, Extracto de hoja de Aloe vera decolorado, Extracto de flor de Chamomilla recutita, Extracto de hoja de Centella asiática, Extracto de hoja de Juglans regia, Aceite de Oryza sativa, Cetil Fosfato de Potasio, Gliceril Caprilato, Acetato de alfa-tocoferilo, Lecitina hidrogenada, Hidroxido de Aluminio, Trietoxicaprilisilano, Polimetil Metacrilato, Goma Xantana, Hidroxipropil Ciclodextrina, Niacinamida, Melanin, EDTA Disodico, Imidazolidinil Urea, Panthenol, Dimeticona, Metil Parabeno, Propil Parabeno

¿Preguntas?

Lláme sin costo al 1 877-994-3666 de lunes a viernes, de 8:00 a. m. a 6:00 p. m., horario central

Made in Mexico / Hecho en México

Distributed by / Distribuido por:

Genomma Lab USA Inc.

Houston, TX 77027

www.genommalab.us



Genomma Lab.®



Lot:

Exp:

CICATRICURE

avobenzone, octinoxate, and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-701
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Avobenzene (UNII: G63QQF2NOX) (Avobenzene - UNII:G63QQF2NOX)	Avobenzene	30 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	75 mg in 1 mL
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	75 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Glycerin (UNII: PDC6A3C0OX)	
Isostearyl Isostearate (UNII: IV0Z586Z4Y)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Cyclomethicone (UNII: NMQ347994Z)	
Mannitol (UNII: 3OWL53L36A)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Butylene Glycol (UNII: 3XUS85K0RA)	
Carboxypolymethylene (UNII: 0A5MM307FC)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Palmitoyl Tetrapeptide-7 (UNII: Q41S464P1R)	
Palmitoyl Lysyldioxymethionyllysine (UNII: T7A529FB8O)	
Chamomile (UNII: FGL3685T2X)	
Centella Asiatica Leaf (UNII: 6810070TYD)	
Juglans regia leaf (UNII: 85HKB87105)	
Rice Bran Oil (UNII: LZO6K1506A)	
Potassium Cetyl Phosphate (UNII: 03KCY6P7UT)	
Glyceryl Monocaprylate (UNII: TM2TZD4G4A)	
Hydrogenated Soybean Lecithin (UNII: H1109Z9J4N)	
Aluminum Hydroxide (UNII: 5QB0T2IUN0)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Poly(Methyl Methacrylate; 450000 MW) (UNII: Z47NNT4J11)	
Xanthan Gum (UNII: TTV12P4NEE)	
Niacinamide (UNII: 25X51I8RD4)	
Edetate Disodium Anhydrous (UNII: 8NLQ36F6MM)	
Imidurea (UNII: M629807ATL)	
Panthenol (UNII: WV9CM0O67Z)	
Dimethicone (UNII: 92RU3N3Y1O)	
Methylparaben (UNII: A2I8C7HI9T)	
Propylparaben (UNII: Z8IX2SC1OH)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-701-01	1 in 1 CARTON	11/01/2017	
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/01/2017	

Labeler - Genomma Lab USA (832323534)

Revised: 10/2017

Genomma Lab USA