

OXYGEN- oxygen gas
IWS Gas and Supply of Texas, LTD

Oxygen

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

105 Rothrock Bldg. 2


Longview, TX 75602

903-653-0999

NO SMOKING

NO VAPING

CONTENTS: LTRS: CU.FT.



OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or with adequate ventilation. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

117 FAIR DRIVE


PASADENA, TX 77507

281-842-0500

NO SMOKING

NO VAPING

CONTENTS: LTRS: CU.FT.



OXYGEN

REFRIGERATED LIQUID, USP

UN 1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

NO SMOKING

NO VAPING

FIRST AID IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:

Contents:

Expiration Date:

GAS AND SUPPLY

105 Rothrock Bldg. 2

Longview, TX 75602

903-653-0999

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN
REFRIGERATED LIQUID, USP
UN 1073

OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID

IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical help.

Lot Number:
Contents:
Expiration Date:

GAS AND SUPPLY

105 Rothrock Bldg. 2 • Longview, TX 75602
903-653-0999

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.
CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

PRINTED BY RATERMANN MFG., INC.
www.rmorder.com

OXYGEN

oxygen gas

Product Information

| | | | |
|--------------------------------|--------------------------|---------------------------|---------------|
| Product Type | HUMAN PRESCRIPTION DRUG | Item Code (Source) | NDC:53425-001 |
| Route of Administration | RESPIRATORY (INHALATION) | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) | OXYGEN | 995 mL in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:53425-001-01 | 7108 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 2 | NDC:53425-001-02 | 708 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 3 | NDC:53425-001-03 | 425 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 4 | NDC:53425-001-04 | 172365 L in 1 DEWAR; Type 0: Not a Combination Product | 07/19/2010 | |
| 5 | NDC:53425-001-05 | 198 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 6 | NDC:53425-001-06 | 3228 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 7 | NDC:53425-001-07 | 3539 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 8 | NDC:53425-001-08 | 6456 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 9 | NDC:53425-001-09 | 7249 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 10 | NDC:53425-001-10 | 7957 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 11 | NDC:53425-001-11 | 8693 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 12 | NDC:53425-001-12 | 9543 L in 1 CYLINDER; Type 0: Not a Combination Product | 07/19/2010 | |
| 13 | NDC:53425-001-13 | 180 L in 1 DEWAR; Type 0: Not a Combination Product | 07/19/2010 | |
| 14 | NDC:53425-001-14 | 200 L in 1 DEWAR; Type 0: Not a Combination Product | 07/19/2010 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| NDA | NDA205712 | 07/19/2010 | |

Labeler - IWS Gas and Supply of Texas, LTD (963374793)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------------|---------|-----------|------------------------|
| IWS GAS AND SUPPLY OF TEXAS, LTD | | 118170808 | manufacture(53425-001) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------------------|---------|-----------|------------------------|
| IWS Gas and Supply of Texas, LTD | | 963374793 | manufacture(53425-001) |

Revised: 12/2025

IWS Gas and Supply of Texas, LTD