# EXTRA STRENGTH PAIN RELEIF- acetaminophen tablet, film coated SPIRIT PHARMACEUTICALS LLC

-----

# EXTRA STRENGTH PAIN RELIEF

Drug Facts

# Active ingredient (in each caplet)

Acetaminophen 500 mg

# Purpose

Pain reliever/fever reducer

# Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

# Warnings

# **Liver Warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

# Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • if you are allergic to acetaminophen or any of the inactive ingredients in this product

#### Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

#### **Overdose Warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

#### do not take more than directed (see overdose warning)

| adults and children 12 years<br>and over | <ul> <li>take 2 caplets every 6 hours while symptoms last</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul> |
|--|--|
| children under 12 years                  | ask a doctor   |

# Other information

• store between 20-25°C (68-77°F)

#### Inactive ingredients

Hypermellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

#### Questions or comments?

# 1-888-333-9792

# **PRINCIPAL DISPLAY PANEL**

Extra Strength

Pain Relief

Acetaminophen 500 mg - Pain Reliever / Fever Reducer

40 Caplets



| EXTRA STRENGTH I<br>acetaminophen tablet, film c                   |                 |                        |                          |          |              |  |
|--|-----------------|------------------------|--------------------------|----------|--------------|--|
|  |                 |                        |                          |          |              |  |
| Product Information  |                 |                        |                          |          |              |  |
| Product Type   | HUMAN OTC DRUG  | Item Code (Source) NDC |                          | NDC:6821 | C:68210-4144 |  |
| Route of Administration  | ORAL            |                        |                          |          |              |  |
|  |                 |                        |                          |          |              |  |
|  |                 |                        |                          |          |              |  |
| <b>Active Ingredient/Active</b>                                    | e Moiety        |                        |                          |          |              |  |
| Ing  | Ingredient Name |                        | <b>Basis of Strength</b> |          | Strength     |  |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) |                 | III:36209ITL9D)        | ACETAMINOPHEN            |          | 500 mg       |  |
|  |                 |                        |                          |          |              |  |
| Institut Insuradianta  |                 |                        |                          |          |              |  |
| Inactive Ingredients   |                 |                        |                          | -        |              |  |
| Ingredient Name  |                 |                        |                          |          | trength      |  |
| HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)                 |                 |                        |                          |          |              |  |
| MAGNESIUM STEARATE (UNII: 7  |                 |                        |                          |          |              |  |
| MICROCRYSTALLINE CELLULO<br>POLYETHYLENE GLYCOL, UNS               |                 | ۸)                     |                          |          |              |  |
| -  |                 | .A)                    |                          |          |              |  |
| BOVIDONE UNCRECIEIED (UNII   | . FZ 909GH94E)  |                        |                          |          |              |  |
| POVIDONE, UNSPECIFIED (UNII<br>STARCH CORN (UNII: 08232N/3         | 251)            |                        |                          |          |              |  |
| STARCH, CORN (UNII: 08232NY3                                       |                 |                        |                          |          |              |  |
|  |                 |                        |                          |          |              |  |

| <b>Product Chara</b>          | cteristics   |                         |                       |
|-------------------------------|--|-------------------------|-----------------------|
| Color                         | white (white to off white)                           | Score                   | no score              |
| Shape                         | CAPSULE  | Size                    | 18mm                  |
| Flavor                        |  | Imprint Code            | S500                  |
| Contains                      |  |                         |                       |
|                               |  |                         |                       |
| Packaging                     |  |                         |                       |
| # Item Code                   | Package Description                                  | Marketing Start<br>Date | Marketing End<br>Date |
| <b>1</b> NDC:68210-<br>4144-4 | 1 in 1 CARTON  | 04/28/2021              |                       |
|                               | 40 in 1 BOTTLE; Type 0: Not a Combination<br>Product |                         |                       |
|                               |  |                         |                       |
| Marketing I                   | nformation   |                         |                       |
|                               | Application Number or Monograph                      |                         | Ma ulsatin n En d     |
| Maulzatin                     | ADDUCATION NUMBER OF MONOGRAPH                       | Marketing Start         | Marketing End         |
| Marketing<br>Category         | Citation   | Date                    | Date                  |

# Labeler - SPIRIT PHARMACEUTICALS LLC (179621011)

Revised: 12/2024

SPIRIT PHARMACEUTICALS LLC