

COVER ALL ULTRA PART B- sodium chlorite solution

ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Cover All Ultra Part B

Cover All Ultra™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Ultra™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end. MIXING INSTRUCTIONS:

Cover All Ultra™ is a two part concentrate that must be mixed prior to use. The mix ratio is 56:1:1. Mix enough Cover All Ultra™ to last for 24 hours. In a clean container add 56 parts water, 1 part of Cover All Ultra Part A™ and 1 part Cover All Ultra Part B™ Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Ultra™ Exp. chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Ultra™ Exp. chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:

Sodium Chlorite: 7.795%

Hazard statement(s):

Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: None Known

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.

External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.

Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
 Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing.
 Call a poison center/doctor/physician if you feel unwell.
 Get medical attention immediately.
 Most important symptoms/effects, acute and delayed:
 Symptoms/effects after inhalation: Harmful if inhaled.
 Symptoms/effects after skin contact: Burns.
 Symptoms/effects after eye contact: Serious damage to eyes.
 Symptoms/effects after ingestion: Harmful if swallowed. Burns
 Other medical advice or treatment: Treat symptomatically.

Immediate medical attention and special treatment needed, if any:
 Other medical advice or treatment: Treat symptomatically

Cover All Ultra Part B



DANGER



Hazard statement(s):
 Harmful if swallowed or if inhaled. Causes severe skin burns and eye damage. May cause damage to organs (blood, kidneys, respiratory system) through prolonged or repeated exposure. Toxic to aquatic life

Precautionary statement(s):
 Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection. Do not breathe dusts or mists. Use only outdoors or in a well ventilated area. Avoid release to the environment. Store locked up. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazards not otherwise classified: None Known

First Aid:
 General: Call a poison center/doctor/physician if you feel unwell.
 External: Rinse skin with water/shower. Remove/Take off immediately all contaminate clothing.
 Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
 Internal: Rinse mouth. Do not induce vomiting. Call a physician immediately.
 Inhalation of vapors: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
 Get medical attention immediately.

Most important symptoms/effects, acute and delayed:
 Symptoms/effects after inhalation: Harmful if inhaled.
 Symptoms/effects after skin contact: Burns.
 Symptoms/effects after eye contact: Serious damage to eyes.
 Symptoms/effects after ingestion: Harmful if swallowed. Burns
 Other medical advice or treatment: Treat symptomatically.

Immediate medical attention and special treatment needed, if any:
 Other medical advice or treatment: Treat symptomatically

Cover All Ultra Part B™

Sodium Chlorite

For Use Only With Cover All Ultra Part A™
 Activator

FOR FARM OR INDUSTRIAL USE ONLY -
 KEEP OUT OF REACH OF CHILDREN

Cover All Ultra™ is a concentrated two part chlorine dioxide test dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Ultra™ contains alpha hydroxy acids to aid in the exfoliation of test skin and soften the hyperkeratosis at the teat end.


MIXING INSTRUCTIONS:
 Cover All Ultra™ is a two part concentrate that must be mixed prior to use. The mix ratio is 56:1:1. Mix enough Cover All Ultra™ to last for 24 hours. In a clean container add 56 parts water, 1 part of Cover All Ultra Part A™ and 1 part Cover All Ultra Part B™ Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:
 Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Ultra™ Exp. chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Ultra™ Exp. chlorine dioxide test dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
 Sodium Chlorite: 7.795%



FOR CHEMICAL EMERGENCIES:
 CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
 800.279.7761 www.proactivesolutionsusa.com



UN1908
 CHLORITE SOLUTION, 8, PG II

COVER ALL ULTRA PART B

sodium chlorite solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4124
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)			SODIUM CHLORITE	7.795 kg in 100 kg
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4124-1	20.18 kg in 1 DRUM		
2	NDC:63927-4124-2	60.55 kg in 1 DRUM		
3	NDC:63927-4124-3	222.00 kg in 1 DRUM		
4	NDC:63927-4124-4	1110 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
5	NDC:63927-4124-5	1332 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			12/10/2025	

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack

Establishment

Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		043147537	api manufacture, manufacture, label, pack, repack

Revised: 12/2025

ProActive Solutions USA, LLC