

**MOROCCAN LIGHTWEIGHT HYDRATING SUN PROTECTION SPF 30- avobenzone, homosalate, octisalate, octocrylene lotion**  
**Bentley Laboratories, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**MOROCCANOIL Lightweight Hydrating Sun Protection SPF 30 133**

**Drug Facts**

**Active Ingredients**

Homosalate 8%, Octocrylene 6%

Octisalate 5%, Avobenzone 3.0%

**Purpose**

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), helps prevent the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. In case of contact, rinse with water to remove.

Stop use and ask a doctor if rash occurs.

**Keep out of reach of children**

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Shake bottle before use.
- For everyday protection, apply a moderate amount on the face, as the final step of your morning skincare routine before makeup application.
- For sunscreen use, apply generously (and evenly) 15 minutes before sun exposure.
- Reapply at least every 2 hours and immediately after towel-drying.
- Protect this product from excessive heat and direct sun.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 am - 2 pm.
  - Wear long-sleeved shirts, hat and sunglasses.

- Children under 6 months: Ask a doctor.

### **Inactive Ingredients**

AQUA/WATER/EAU, BUTYLOCTYL SALICYLATE, DIMETHICONE, BUTYLENE GLYCOL, ALUMINUM STARCH OCTENYLSUCCINATE, METHYL METHACRYLATE CROSSPOLYMER, STYRNE/ACRYLATES COPOLYMER, PEG-8 STEARATE, GLYCERYL STEARATE, ARGANIA SPINOSA (ARGAN) KERNAL OIL, SPIRULINA MAXIMA (ALGAE) EXTRACT, HYDROLYZED VEGETABLE PROTEIN, ARISTOTELIA CHILENSIS (MAQUI) FRUIT EXTRACT, ARONIA ARBUTIFOLIA (CHOKEBERRY) FRUIT EXTRACT, EUTWRPE OLERACEA (ACAI) FRUIT EXTRACT, GARCINIA MANGOSTANA (MANGOSTEEN) FRUIT EXTRACT, LYCIUM BARBARUM FRUIT Z9GOJI)EXTRACT, MORINDA CITRIFOLIA (NONI) FRUIT EXTRACT, PUNICA GRANATUM (POMEGRANATE)FRUIT EXTRACT, VACCINIUM MYRILLUS (BILBERRY) FRUIT EXTRACT, PARFUM/FRAGRANCE, VP/EICOSENE COPOLYMER, PEG-100 STEARATE, CETEARYL ALCOHOL, CAPRYLYL GLYCOL, SORBITAN OLEATE, PEG-8 LAURATE, HEXYLENE GLYCOL, TETRASODIUM GLUTAMATE DIACETATE, XANTHAN GUM, GLYCERIN, TREHALOSE, CHLORPHENESIN, CITRIC ACID, BENZONIC ACID, SORBIC ACID, PHENOXETHANOL, HYDROXYCITRONELLAL, BUTYLPHENYL METHYLPROPIONAL, LINALOOL, HEXYL CINNAMAL, ALPHA-ISOMETHYL IONONE. M030FL01

### **Questions or comments?**

Call toll-free 1-888-700-1817.

### **MOROCCANOIL SUN™ 30 SPF**

#### **MOROCCANOIL SUN™**

#### **30 SPF**

#### **FACE LOTION**

lightweight hydrating  
sun protection

broad spectrum  
spf 30 sunscreen

1.7 FL.OZ./50 ml

Lightweight, fast-absorbing face lotion helps protect skin against damaging UVA/UVB rays, which cause sunburn and premature signs of aging. Instantly hydrating formula is infused with argan oil and a powerful antioxidant fruit complex to provide ultimate nourishment.

#### **WWW.MOROCCANOIL.COM**

DIST. BY MOROCCANOIL, INC.

LOS ANGELES, CA 91436

MADE IN USA

**™MOROCCANOIL AND MOROCCANOIL SUN ARE  
TRADEMARKS OF MOROCCANOIL, INC.  
USED UNDER LICENSE**

**Drug Facts**

**Active Ingredients**  
Homosalate 8%, Octisalate 5%, Octocrylene 6%,  
Cinnamyl 2-Hydroxy Benzoin 3%

**Uses**  
• Helps prevent sunburn.  
• If used as directed with other sun protection measures (see Warnings), helps prevent the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only.  
Do not use on or near the eyes.  
Wash your face as directed.  
If you have a rash, avoid use.  
If you have a rash, avoid use.  
If you have a rash, avoid use.

**Directions**  
• Shake bottle before use.  
• For everyday protection, apply a moderate amount on the face, as the final step of your morning skincare routine before makeup application.  
• For sunscreen use, apply generously (and evenly) 15 minutes before sun exposure.  
• Reapply at least every 2 hours and immediately after towel-drying.  
• Protect this product from excessive heat and direct sun.  
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures.

**Contains**  
• 1.7 FL. OZ. / 50 ml

# MOROCCANOIL SUN<sup>™</sup>

## 30<sup>SPF</sup>

### FACE LOTION

lightweight hydrating sun protection

broad spectrum spf 30 sunscreen

1.7 FL.OZ. / 50 ml

Lightweight, fast-absorbing face lotion helps protect skin against damaging UVA/UVB rays, which cause sunburn and premature signs of aging. Instantly hydrating formula is infused with argon oil and a powerful antioxidant fruit complex to provide ultimate nourishment.

[WWW.MOROCCANOIL.COM](http://WWW.MOROCCANOIL.COM)  
 DIST. BY MOROCCANOIL, INC.  
 LOS ANGELES, CA 91436  
 MADE IN USA

100% VEGAN AND PARABEN-FREE FORMULA  
 TRICKLES OF MOROCCANOIL, INC.  
 100% VEGAN FORMULA

**Drug Facts**

**Active Ingredients**  
Homosalate 8%, Octisalate 5%, Octocrylene 6%,  
Cinnamyl 2-Hydroxy Benzoin 3%

**Uses**  
• Helps prevent sunburn.  
• If used as directed with other sun protection measures (see Warnings), helps prevent the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only.  
Do not use on or near the eyes.  
Wash your face as directed.  
If you have a rash, avoid use.  
If you have a rash, avoid use.  
If you have a rash, avoid use.

**Directions**  
• Shake bottle before use.  
• For everyday protection, apply a moderate amount on the face, as the final step of your morning skincare routine before makeup application.  
• For sunscreen use, apply generously (and evenly) 15 minutes before sun exposure.  
• Reapply at least every 2 hours and immediately after towel-drying.  
• Protect this product from excessive heat and direct sun.  
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures.

**Contains**  
• 1.7 FL. OZ. / 50 ml

# MOROCCANOIL SUN<sup>™</sup>

## 30<sup>SPF</sup>

### FACE LOTION

lightweight hydrating sun protection

broad spectrum spf 30 sunscreen

1.7 FL.OZ. / 50 ml

Lightweight, fast-absorbing face lotion helps protect skin against damaging UVA/UVB rays, which cause sunburn and premature signs of aging. Instantly hydrating formula is infused with argon oil and a powerful antioxidant fruit complex to provide ultimate nourishment.

[WWW.MOROCCANOIL.COM](http://WWW.MOROCCANOIL.COM)  
 DIST. BY MOROCCANOIL, INC.  
 LOS ANGELES, CA 91436  
 MADE IN USA

100% VEGAN AND PARABEN-FREE FORMULA  
 TRICKLES OF MOROCCANOIL, INC.  
 100% VEGAN FORMULA

**FACE LOTION SPF 30**

**Gebruiksaanwijzing:** Goed schudden. Voor dagelijks bescherming aan gezichtsdeeltjes aanbrengen op het gezicht vóór het begin van de ochtendroutine. Voor bescherming tegen de zon brengt u het product 15 minuten voor blootstelling aan de zon aan het gezicht aan. Breng het product toe 2 uur vóór een bezoek aan een zwembad of strand. Bescherm de huid tegen overmatige hitte en direct zonlicht.

**Waarborgen:** Alleen voor extern gebruik, niet in te slikken. Hou de huid droog en uit de buurt van het vuur. Spoel het af met water na het wassen. Het product kan op een beschadigde huid. Onderbreek het gebruik bij tekenen van irritatie of ontsteking. Als de irritatie aanhoudt, stop met gebruik. Niet gebruiken voor baby's jonger dan 6 maanden. Bij het gebruik van kinderen houden. Bij irritatie raadpleeg de arts. Het product is niet bedoeld voor gebruik op kinderen en een goede bescherming van de huid. Om de huid te beschermen, moet u regelmatig een zonneschermingsproduct met een breed spectrum SPF waarde van 15 of hoger en andere beschermende maatregelen nemen. Langdurige blootstelling aan de zon is een belangrijke oorzaak van de ontwikkeling van huidkanker en huidveroudering. Het gebruik van een zonneschermingsproduct met een breed spectrum SPF waarde van 15 of hoger en andere beschermende maatregelen, kan helpen de ontwikkeling van huidkanker en huidveroudering te voorkomen.

**ЛОСЬОН ДЛЯ ЛИЦА SPF 30**

**Способ применения:** Хорошо встряхнуть. Для ежедневной защиты лица наносить перед началом утренней косметической процедуры. Для защиты от солнца нанести достаточно количества. За полчаса до начала поездки на пляж или в бассейн нанести продукт. Защищать кожу от чрезмерного тепла и прямого солнечного излучения. Защищать кожу от чрезмерного тепла и прямого солнечного излучения.

**Предупреждения:** Только для наружного применения. Не глотать. При использовании избегать попадания в глаза. При попадании в глаза промыть водой. Не наносить на поврежденную кожу и травмы на коже. Прекратить применение при появлении признаков раздражения или зуда. При появлении раздражения, прекратить использование и обратиться к врачу. Не использовать на младенцев до 6 месяцев. Избегать использования на детей. В случае раздражения, немедленно обратиться к врачу. Не использовать на детей. В случае раздражения, немедленно обратиться к врачу. Не использовать на детей. В случае раздражения, немедленно обратиться к врачу.

**FACE LOTION SPF 30**

**Directions:** Shake well. For everyday protection, apply a moderate amount on the face, as the final step of your morning skincare routine before makeup application. For sunscreen use, apply generously (and evenly) 15 minutes before sun exposure. Reapply at least every 2 hours and immediately after towel-drying. Protect this product from excessive heat and direct sun.

**Warnings:** For external use only, not to be swallowed. When using this product keep out of eyes. Rinse with water to remove. Do not use on damaged or broken skin. Discontinue use if signs of irritation or rash appear. If irritation persists, consult a health care practitioner. Do not use on infants under 6 months. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures. Prolonged exposure to the sun is a serious health threat and should be limited, especially from 10 am – 2 pm, wear while using a sunscreen product. Wear protective clothing, hats and eyewear when exposed to the sun. Keep babies and young children out of direct sunlight.

**ACTIVE INGREDIENTS:** HOMOSALATE 8%, OCTOCRYLENE 6%, OCTISALATE 5%, AVOBENZONE 3%

[WWW.MOROCCANOIL.COM](http://WWW.MOROCCANOIL.COM)  
 DIST. BY MOROCCANOIL, INC.  
 LOS ANGELES, CA 91436 MADE IN USA

1.7 FL.OZ. / 50 ml

# MOROCCAN LIGHTWEIGHT HYDRATING SUN PROTECTION SPF 30

avobenzone, homosalate, octisalate, octocrylene lotion

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54111-133
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.5 g in 50 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	4 g in 50 mL
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	2.5 g in 50 mL
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	3 g in 50 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
OCTENYLSUCCINIC ACID (UNII: 12UZE4X73L)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: 657L0NC5MT)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
PEG-8 STEARATE (UNII: 2P9L47V15E)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ARGAN OIL (UNII: 4V59G5UW9X)	
ARTHROSPIRA MAXIMA (UNII: 9K7IG15M0Q)	
HYDROGENATED SOYBEAN OIL (UNII: A2M91M918C)	
ARISTOTELIA CHILENSIS FRUIT (UNII: SXV3PXF51U)	
ARONIA MELANOCARPA FRUIT JUICE (UNII: D2EVP827PJ)	
ACAI (UNII: 46AM2VJ0AW)	
GARCINIA MANGOSTANA FRUIT (UNII: 832X5KK78Y)	
LYCIUM BARBARUM FRUIT (UNII: 930626MWDL)	
NONI FRUIT (UNII: 7829X3G2X5)	
POMEGRANATE (UNII: 56687D1Z4D)	
BILBERRY (UNII: 9P2U39H18W)	
VINYLPYRROLIDONE/EICOSENE COPOLYMER (UNII: 035MV9S1C3)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBITAN MONOLEATE (UNII: 06XEA2VD56)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	

XANTHAN GUM (UNII: TTV12P4NEE)
GLYCERIN (UNII: PDC6A3C0OX)
TREHALOSE (UNII: B8WCK70T7I)
CHLORPHENESIN (UNII: I670DAL4SZ)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
BENZOIC ACID (UNII: 8SKN0B0MIM)
SORBIC ACID (UNII: X045WJ989B)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)
LINALOOL, (+)- (UNII: F4VNO44C09)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54111-133-50	50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/08/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	10/08/2016	

**Labeler** - Bentley Laboratories, LLC (068351753)

Revised: 12/2018

Bentley Laboratories, LLC