

**EQUATE OMEPRAZOLE AND SODIUM BICARBONATE- omeprazole, sodium bicarbonate capsule, gelatin coated**  
**WALMART INC.**

-----  
**Wal-Mart Omeprazole and Sodium Bicarbonate Drug Facts**

**Active ingredients (in each capsule)**

Omeprazole 20 mg

Sodium Bicarbonate 1100 mg

**Purpose**

Acid reducer

Allows absorption of this omeprazole product

**Use**

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

**Warnings**

**Allergy alert:**

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

**if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

## Other information

- each capsule contains: **sodium 303 mg**
- read the directions, warnings and accompanying label information before use
- store at 20-25°C (68-77°F)
- tamper-evident: Do not use if the band around the capsule is missing or broken. Do not use if printed seal under cap is broken or missing.
- keep product out of high heat and humidity
- protect product from moisture

## Inactive ingredients

FD&C blue no. 1, FD&C blue no. 2 aluminum lake, FD&C red no. 40, gelatin, polysorbate 80, sodium lauryl sulfate, sodium starch glycolate, sodium stearyl fumarate, titanium dioxide

## Questions or comments?

**1-888-287-1915**

## Package/Label Principal Display Panel

3 PACK

THREE 14-DAY COURSES OF TREATMENT

equate™

Compare to Zegerid OTC® active ingredients

Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg

24 HOUR

Acid Reducer

Allows Absorption of this Omeprazole Product

Clinically Proven To Treat Frequent Heartburn

Actual Size

42 CAPSULES

3 Bottles Inside

Three 14-day courses of treatment

May take 1 to 4 days for full effect



## EQUATE OMEPRAZOLE AND SODIUM BICARBONATE

omeprazole, sodium bicarbonate capsule, gelatin coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-013
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OMEPRAZOLE</b> (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37, BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	1100 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C BLUE NO. 2 ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	
<b>SODIUM STEARYL FUMARATE</b> (UNII: 7CV7WJK4UI)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	WHITE (blue band)	Score	no score	
Shape	CAPSULE	Size	23mm	
Flavor		Imprint Code	732	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-013-03	3 in 1 CARTON	04/30/2021	
1	NDC:79903-013-01	14 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA201361		04/30/2021	

**Labeler -** WALMART INC. (051957769)