

**ZOOBY GATOR GUM- sodium fluoride aerosol, foam**  
**Young Dental Manufacturing Co 1, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Description**

Product Name- ZOOBY, 1.23 % APF Foam (Gator Gum Flavor)

Distributed By - Denticator Earth City, MO 63045.

Net Weight - 4.4 OZ (125g)

RX Only

ZOOBY, 1.23 % APF Foam (Gator Gum Flavor) contains 1.23 % Fluoride Ion from 2.72 % Sodium Fluoride. Does not contain chlorofluorocarbon propellant. Gluten free.

**Indications**

For the topical application of fluoride to aid in the protection against dental caries. Optimized low pH for a 1 minute fluoride treatments.

**Dosage and Administration**

1. Break protective tab adjacent to trigger.
2. Shake can thoroughly for at least 15 seconds before each use.
3. Hold can completely upside down to dispense and fill fluoride tray by slowly depressing the nozzle. (The foam will expand slightly higher than the fluoride tray.)
4. Dry tooth surfaces prior to inserting tray(s) in mouth.
5. Insert tray(s) into patient's mouth and have them bite down for 1-4 minutes.
6. Remove tray(s) and have patient expectorate.
7. Advise the patient not to eat, drink or rinse for 30 minutes after the treatment.

**Warnings**

Do not spray toward open flame. Contents under pressure. Do not puncture or incinerate. Keep out of reach of children. Store between 59-86° F (15-30° C). Keep from freezing.

Refer to Material Safety Data Sheet for additional information. For emergencies contact

Product label

**BLEED TRIM LINE**  
**SIDE PANEL**

**INDICATIONS:** For the topical application of fluoride to aid in the protection against dental caries. Optimized low pH for a 1 minute fluoride treatment.

**CONTAINS:** Sodium Fluoride in a proprietary acidulated phosphate flavored foam base. 1.23% Fluoride Ion from 2.72% Sodium Fluoride. Sweetened with sucralose and xylitol. Does not contain chlorofluorocarbon propellant. Gluten free.

**DOSAGE AND ADMINISTRATION:**

1. Break protective tab adjacent to trigger.
2. Shake can thoroughly for at least 15 seconds before each use.
3. Hold can completely upside down to dispense and fill fluoride tray by slowly depressing the nozzle. (The foam will expand slightly higher than the fluoride tray)
4. Dry tooth surfaces prior to inserting tray(s) in mouth.
5. Insert tray(s) into patient's mouth and have them bite down for 1-4 minutes.
6. Remove tray(s) and have patient expectorate.
7. Advise the patient not to eat, drink or rinse for 30 minutes after the treatment.

**WARNING:**  
Do not spray toward open flame. Contents under pressure. Do not puncture or incinerate. Keep out of reach of children. Store between 59-86° F (15-30° C). Keep from freezing.

Refer to Material Safety Data Sheet for additional information. For emergencies contact INFOTRAC at 1-800-535-5053.

**CAUTION:**  
Shake well before each use. **R<sub>x</sub> only**

distributed by  
**Denticator**  
Earth City, MO 63045  
www.denticator.com  
(800)227-3321

Made in USA

**SAFE PRINT AREA**


**To dispense:**  
Before first use, gently lift upward on nozzle to break protective shipping tab located adjacent to trigger.

1. Shake well
2. Invert can completely
3. Depress nozzle slowly

**SAFE PRINT AREA**

**zOOBY**

**1.23% APF Foam**



**Gator Gum™**

Gluten Free  
1.23% Fluoride Ion  
APF Topical Fluoride Foam  
(acidulated phosphate fluoride)  
NET WT. 4.4 OZ (125g)

**REORDER NO. 615001**

© 2010 Denticator International

**UNL F11011 1/11/11**

**12002999A Rev 08/2011**

**654051**

**\*+D6456150011/S0273037044K\***

**NDC 0273-0370-44** **(NEL)**

**BLEED**  
**TRIM LINE**  
**SIDE PANEL**

NDC 0273-0370-44 **NEL**

**INDICATIONS:** For the topical application of fluoride to aid in the protection against dental caries. Optimized low pH for a 1 minute fluoride treatment.

**CONTAINS:** Sodium Fluoride in a proprietary acidulated phosphate flavored foam base. 1.23% Fluoride Ion from 2.72% Sodium Fluoride. Sweetened with sucralose and xylitol. Does not contain chlorofluorocarbon propellant. Gluten free.

**DOSAGE AND ADMINISTRATION:**

1. Break protective tab adjacent to trigger.
2. Shake can thoroughly for at least 15 seconds before each use.
3. Hold can completely upside down to dispense and fill fluoride tray by slowly depressing the nozzle. (The foam will expand slightly higher than the fluoride tray.)
4. Dry tooth surfaces prior to inserting tray(s) in mouth.
5. Insert tray(s) into patient's mouth and have them bite down for 1-4 minutes.
6. Remove tray(s) and have patient expectorate.
7. Advise the patient not to eat, drink or rinse for 30 minutes after the treatment.

**WARNING:**  
Do not spray toward open flame. Contents under pressure. Do not puncture or incinerate. Keep out of reach of children. Store between 59-86° F (15-30° C). Keep from freezing.


Refer to Material Safety Data Sheet for additional information. For emergencies contact INFOTRAC at 1-800-535-5053.

**CAUTION:**  
Shake well before each use. **Rx only**


distributed by  
**Denticator**  
Earth City, MO 63045  
www.denticator.com  
(800)227-3321

Made in USA

To dispense:  
*Before first use, gently lift upward on nozzle to break protective shipping tab located adjacent to trigger.*



1. Shake well
2. Invert can completely
3. Depress nozzle slowly




\*+D6456150011/\$0273037044K\*

12002999A Rev 08/2011  
654051

**zOOBY**

**1.23% APF Foam**



**Gator Gum™**

Gluten Free  
1.23% Fluoride Ion  
APF Topical Fluoride Foam  
(acidulated phosphate fluoride)  
**NET WT. 4.4 OZ (125g)**

REORDER NO. 615001

© 2010 Denticator International

**SAFE PRINT AREA**

## ZOUBY GATOR GUM

sodium fluoride aerosol, foam

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:0273-0370
<b>Route of Administration</b>	DENTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM FLUORIDE</b> (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU4080)	FLUORIDE ION	2.72 g in 100 g

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0273-0370-44	125 g in 1 CAN; Type 0: Not a Combination Product	08/01/2010	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2010	

**Labeler** - Young Dental Manufacturing Co 1, LLC (006309355)

Revised: 1/2023

Young Dental Manufacturing Co 1, LLC