

MOTION SICKNESS RELIEF- dimenhydrinate tablet
Wal-Mart Stores Inc

Equate 44-198

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Uses

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not use

for children under 2 years of age unless directed by a doctor.

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	1/2 to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	1/2 tablet every 6-8 hours; do not exceed 1 1/2 tablets in 24 hours, or as directed by a doctor

Other information

- **each tablet contains:** calcium 35 mg
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from moisture
- use by expiration date on package

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions?

1-888-287-1915

Principal Display Panel

NDC 49035-981-12

equate™

**Compare to
Dramamine®
Original Formula
active
ingredient***

**Motion
Sickness Relief**

Dimenhydrinate 50 mg
Antiemetic

- Prevents nausea, vomiting & dizziness

**100
TABLETS**

Actual Size

**TAMPER EVIDENT: DO NOT USE IF
IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

PRODUCT OF CHINA

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 REV0518C19812

equate™ NDC 49035-981-12
Compare to Dramamine® Original Formula active ingredient

Motion Sickness Relief
Dimenhydrinate 50 mg
Antiemetic

• Prevents nausea, vomiting & dizziness
Actual Size
100 TABLETS

6 81131 06574 0
729665

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716
PRODUCT OF CHINA
*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Original Formula. 50844 REV0518C19812

**TAMPER EVIDENT: DO NOT USE IF
IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

Drug Facts

Active ingredient
(in each tablet)
Dimenhydrinate 50 mg Antiemetic

Uses for prevention and treatment of these symptoms associated with motion sickness:
■ nausea ■ vomiting ■ dizziness

Warnings
Do not use for children under 2 years of age unless directed by a doctor.

Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma
■ difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product
■ marked drowsiness may occur
■ avoid alcoholic beverages

STOP PEELING

Drug Facts (continued)
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity

adults and children 12 years and over	1 to 2 tablets every 4-6 hours; do not exceed 8 tablets in 24 hours, or as directed by a doctor
children 6 to under 12 years	½ to 1 tablet every 6-8 hours; do not exceed 3 tablets in 24 hours, or as directed by a doctor
children 2 to under 6 years	½ tablet every 6-8 hours; do not exceed 1½ tablets in 24 hours; or as directed by a doctor

Other information
■ each tablet contains: calcium 35 mg
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from moisture
■ use by expiration date on package

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate diphosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions? 1-888-287-1915

PEEL HERE FOR MORE DRUG FACTS

Equate 44-198

MOTION SICKNESS RELIEF

dimenhydrinate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-981
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M, 8-CHLOROTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	44;198
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-981-12	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/01/1992	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	12/01/1992	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(49035-981)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(49035-981) , pack(49035-981)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(49035-981)

Revised: 2/2026

Wal-Mart Stores Inc