MAXOCAINE PAIN RELIEVING ROLL-ON- lidocaine hydrochloride, menthol liquid Prime Commerce, LLC

MAXOCAINE PAIN RELIEVING ROLL-ON

Drug Facts

Active Ingredient

Lydocaine HCL 4%

Menthol 1%

Purpose

Topical anesthetic

Use:

For the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor skin irritations.

Warnings:

- For external use only
- Avoid contact with eyes.
- If symptoms persist for more than seven days, discontinue use and consult physician.

Keep out of reach of children.

If swallowed, consult physician.

Do not apply

- to wounds or damaged skin.
- Do not bandage tightly.

If pregnant or breast feeding,

contact physician prior to use.

Directions:

Apply to affected area not more than three to four times daily. consult a physician. Adults and children two-years of age or older:Chinldren under two-years of age:


Additional Information:

Store at room temperature.

Inactive Information:

Acrylates C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf (Aloe Vera Gel) Juice, Aqua (Deionized Water), Arnica Montana Extract, Boswellia Serrata Extract, Cetyl Alcohol, Ethylhexylglycerin, Ilex Paraguayensis (Yerba Mate') Extract, Isopropyl Alcohol, Isopropyl Myristate, Methylsulfonylmethane (MSM), Phenoxyethanol, Polysorbate-20, Sodium Lauryl Sulfate, Stearic Acid, Triethanolamine

Package Labeling:



Drug Facts

| Active Ingredient | Purpose |
|-------------------|--------------------|
| Lydocaine HCI 4% | Topical anesthetic |
| Menthol 1% | Topical anesthetic |

Use: For the temporary relief of pain and itching associated with minor burns, sunburn, minor cuts, scrapes, insect bites or minor skin irritations.

Warnings: ■ For external use only ■ Avoid contact with eyes. ■ If symptoms persist for more than seven days, discontinue use and consult physician. ■ Keep out of reach of children. If swallowed, consult physician. ■ Do not apply to wounds or damaged skin. ■ Do not bandage tightly. ■ If pregnant or breast feeding, contact physician prior to use.

Directions: Adults and children two-years of age or older: Apply to affected area not more than three to four times daily. Children under two-years of age: consult a physician.

Additional Information: Store at room temperature.

Inactive Ingredients: Acrylates C10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf (Aloe Vera Gel) Juice, Aqua (Deionized Water), Amica Montana Extract, Boswellia Serrata Extract, Cetyl Alcohol, Ethylhexylglycerin, Ilex Paraguayensis (Yerba Mate') Extract, Isopropyl Alcohol, Isopropyl Myristate, Methylsulfonylmethane (MSM), Phenoxyethanol, Polysorbate-20, Sodium Lauryl Sulfate, Stearic Acid, Triethanolamine

Mfg. for Prime Commerce Irving, TX 75063 MADE IN USA For more information visit: www.PrimeCommerce.net

MAXOCAINE PAIN RELIEVING ROLL-ON

lidocaine hydrochloride, menthol liquid

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72188-170 |
|-------------------------|----------------|--------------------|---------------|
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | |
|--|----------------------------|------------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE HYDROCHLORIDE | 40 mg in 1 mL | |
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 10 mg in 1 mL | |

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) | | |
| WATER (UNII: 059QF0KO0R) | | |
| ARNICA MONTANA (UNII: O80TY208ZW) | | |
| INDIAN FRANKINCENSE (UNII: 4PW41QCO2M) | | |
| CETYL ALCOHOL (UNII: 936JST6JCN) | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | |
| ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B4O4F) | | |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) | | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | | |
| DIMETHYL SULFONE (UNII: 9H4PO4Z4FT) | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | |
| TROLAMINE (UNII: 903K93S3TK) | | |

| Packaging | | | | |
|-----------|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | NDC:72188- 170-03 | 88 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product | 03/01/2018 | |

| Marketing In | Marketing Information | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M017 | 03/01/2018 | |
| | | | |

Labeler - Prime Commerce, LLC (016785608)

Revised: 11/2023 Prime Commerce, LLC