

## **ACETAMINOPHEN REGULAR STRENGTH- acetaminophen tablet**

**Amerisource Bergen**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Good Neighbor Pharmacy 44-678**

### ***Active ingredient (in each gelcap)***

Acetaminophen 325 mg

### ***Purpose***

Pain reliever/fever reducer

### ***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - the common cold
  - backache
  - muscular aches
  - toothache
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- new symptoms occur
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 gelcaps every 4 to 6 hours while symptoms last
  - do not take more than 10 gelcaps in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

***Other information***

- avoid high humidity
- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

***Inactive ingredients***

corn starch, croscarmellose sodium, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, propylene glycol, shellac glaze, stearic acid, titanium dioxide

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

**Good  
Neighbor  
Pharmacy®**

NDC 46122-430-78

Compare to  
Regular Strength Tylenol®  
active ingredient\*

REGULAR STRENGTH

**Acetaminophen**

325 mg

*Pain Reliever / Fever Reducer*

**100**

Gelcaps

325 mg Each

Actual Size

**TAMPER EVIDENT: DO  
NOT USE IF IMPRINTED  
SAFETY SEAL UNDER  
CAP IS BROKEN OR  
MISSING**

Distributed By

AmerisourceBergan

1300 Morris Drive

Chesterbrook, PA 19087

Questions or Concerns?

[www.mygnp.com](http://www.mygnp.com)

Good Neighbor Pharmacy Brand Products

Satisfaction Guaranteed

\*This product is not  
manufactured or distributed  
by Johnson & Johnson  
Corporation, owner of the  
registered trademark Regular  
Strength Tylenol®.

50844 REV0417A67812

**STOP PEELING**

**Questions or comments? 1-800-426-9391**

**Drug Facts (continued)**

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if** ■ new symptoms occur ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed

- adults and children 12 years and over
- take 2 gelscaps every 4 to 6 hours while symptoms last
- do not take more than 10 gelscaps in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

**Other information** ■ avoid high humidity

- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients** corn starch, croscarmellose sodium, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, propylene glycol, shellac glaze, stearic acid, titanium dioxide

NDC 46122-430-78  
**GOOD NEIGHBOR PHARMACY**  
 Compare to Regular Strength Tylenol® active ingredient\*

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

UNVARNISHED AREA FOR LOT/EXP. IMPRINT

**REGULAR STRENGTH**  
**Acetaminophen**  
 325 mg  
**Pain Reliever / Fever Reducer**

100 Gelscaps 325 mg Each Actual Size

Distributed By AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or Concerns? www.mygnp.com

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Regular Strength Tylenol®.  
 50844 REV0417A67812  
 ABC#: 10177400

**Drug Facts**

**Purpose**  
 Active ingredient (in each gelscap)  
 Acetaminophen 325 mg .....Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - the common cold
  - backache
  - muscular aches
  - toothache
  - minor pain of arthritis
  - premenstrual and menstrual cramps
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**PEEL HERE FOR MORE DRUG FACTS**

Good Neighbor 44-678

## ACETAMINOPHEN REGULAR STRENGTH

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-430
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)
FD&C RED NO. 40 (UNII: WZB9127XOA)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SHELLAC (UNII: 46N107B71O)
STEARIC ACID (UNII: 4ELV7Z65AP)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics			
Color	RED, WHITE	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	LB
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-430-78	100 in 1 BOTTLE; Type 0: Not a Combination Product	07/24/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	07/24/2015	

**Labeler** - Amerisource Bergen (007914906)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(46122-430)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(46122-430)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(46122-430)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(46122-430)

Revised: 9/2019

Amerisource Bergen